



SAFEWAY BRAND

ACCEPTED
IN 1985
ED. NUMBER 793-9

- **Lawn
WEED & FEED**

13-2-5

13-2-5

WEEDS:

Kills Broadleaf weeds such as Dandelion, Chickweed, Clover, Buckhorn, Knotweed & Poison Ivy.

FEEDS:

Grass lawns with fast & slow release Nitrogens. Aids in developing beautiful green color & healthy root structure.

CONTAINS:

1% Iron for the control of Chlorosis which may cause foliage to turn yellow and stunt growth.

CONTAINS:

Added plant nutrients of Zinc, Manganese, and Sulfur.

COVERS: 2,000 square feet of area.

NET WT. 16 LBS.

13-2-5

WEEDS:

Kills Broadleaf weeds such as Dandelion, Chickweed, Clover, Buckhorn, Knotweed & Poison Ivy.

FEEDS:

Grass lawns with fast & slow release Nitrogens. Aids in developing beautiful green color & healthy root structure.

CONTAINS:

1% Iron for the control of Chlorosis which may cause foliage to turn yellow and stunt growth.

CONTAINS:

Added plant nutrients of Zinc, Manganese, and Sulfur.

COVERS: 2,000 square feet of area.

NET WT. 16 LBS.

ACTIVE INGREDIENTS: (as a Herbicide)

Butoxy Ethanol Ester of Silvex [2-(2,4,5-Trichlorophenoxy) propionic acid].....	0.30%
(Equivalent to .22% Silvex Acid)	
Butoxy Ethanol Ester of 2,4-Dichlorophenoxy acetic acid.....	0.32%
(Equivalent to .22% 2,4-D acid.)	

INERT INGREDIENTS: Includes plant food elements.....99.38%

U. S. D. A. Reg. No. 793-9

CAUTION: KEEP OUT OF REACH OF CHILDREN. See additional cautions on back of bag.



SAFEWAY BRAND

Lawn WEED & FEED

GUARANTEED MINIMUM ANALYSIS: GRADE 13-2-5

TOTAL NITROGEN.....	13.00%
Ammonia Nitrogen	2.00%
Water Insoluble Nitrogen.....	2.00%
(Derived from Urea-Formaldehyde)	
Water Soluble Nitrogen.....	9.00%
(Derived from Urea & Urea Formaldehyde)	
AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate)	2.00%
WATER SOLUBLE POTASH (derived from Sulfate of Potash)	5.00%
COMBINED SULFUR expressed as elemental (derived from Sulfides and Sulfates)	4.50%
IRON expressed as elemental (derived from Sulfides and Sulfates)	1.00%
MANGANESE expressed as elemental (derived from Sulfides and Sulfates)....	0.10%
ZINC expressed as elemental (derived from Sulfides and Sulfates)	0.10%

PRODUCT OF U. S. A.

GENERAL INFORMATION: This product is designed to promote lush green growth and control many broadleaf weeds in lawns.

WEEDS CONTROLLED: Such as Bindweed, Black Medic, Blue Lettuce, Buckhorn, Burdock, Chickweed, Chicory, Cinquefoil, Clover, Cocklebur, Goldenrod, Ground Ivy, Hawkweed, Heal-all, Henbit, Jewelweed, Jimson Weed, Kochia, Mustard, Nettles, Oxalis, Pennywort, Pepper Grass, Pigweed, Plantain, Poison Ivy, Shepherd's-purse, Smartweed, Speedwell, Spotted Spurge, Thistle, Vervains, Yarrow, Croton, Dandelion, Dock, Fanweed, Knotweed, Lambsquarters, Mallow, Morning Glory, Poison Oak, Poverty Weed, Purslane, Vetch, Wild Aster, Wild Lettuce, Wild Radish and Ragweed.

DIRECTIONS FOR USE

Established Lawns: Apply when weeds are young and actively growing. Before each application sprinkle lightly to hold material and prevent dust drift onto plants which might be injured by 2,4-D & Silvex. Avoid drift to or contact with desirable plants. Do not mow or water within 24 hours after treatment.

New Lawns: To avoid damage, apply after seedlings appear and at least 4-6 weeks

WATER SOLUBLE POTASSIUM	4.50%
COMBINED SULFUR expressed as elemental (derived from Sulfides and Sulfates)	1.00%
IRON expressed as elemental (derived from Sulfides and Sulfates)	0.10%
MANGANESE expressed as elemental (derived from Sulfides and Sulfates)	0.10%
ZINC expressed as elemental (derived from Sulfides and Sulfates)	0.10%

PRODUCT OF U. S. A.

GENERAL INFORMATION: This product is designed to promote lush green growth and control many broadleaf weeds in lawns

WEEDS CONTROLLED: Such as Bindweed, Black Medic, Blue Lettuce, Buckhorn, Burdock, Chickweed, Chicory, Cinquefoil, Clover, Cocklebur, Goldenrod, Ground Ivy, Hawkweed, Heal-all, Henbit, Jewelweed, Jimson Weed, Kochia, Mustard, Nettle, Ox Lis, Pennywort, Pepper Grass, Pigweed, Plantain, Poison Ivy, Shepherd's-purse, Smartweed, Speedwell, Spotted Spurge, Thistle, Ver Jins, Yarrow, Croton, Dandelion, Dock, Fanweed, Knotweed, Lambsquarters, Mallow, Morning Glory, Poison Oak, Poverty Weed, Purslane, Vetch, Wild Aster, Wild Lettuce, Wild Radish and Ragweed.

DIRECTIONS FOR USE

Established Lawns: Apply when weeds are young and actively growing. Before each application sprinkle lightly to hold material and prevent dust drift onto plants which might be injured by 2,4-D & Silvex. Avoid drift to or contact with desirable plants. Do not mow or water within 24 hours after treatment.

New Lawns: To avoid damage, apply after seedling grasses are at least 4-5 months old.

Spreader Settings: No. 5 - Best - Central - Lawn Beauty - Scotts or spread the contents of this bag evenly at 1 lb. per 125 square ft. of area.

Caution: Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Do not apply directly or otherwise permit through drift to contact vegetables, flowers, fruit trees, ornamentals or other desirable plants.

DO NOT APPLY ON DICHONDRA, LIPPIA, ST. AUGUSTINE OR CLOVER LAWNS.

Avoid contamination of ornamental fish ponds. Do not store near fertilizers, seed, insecticides, or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. May injure Bentgrass and Carpetgrass.

NOTICE: Because of the time, place, rate of application and other conditions of use beyond seller's control, seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

SOLD BY
SAFeway STORES, INCORPORATED
HEAD OFFICE, OAKLAND, CALIFORNIA 94604



SAFEWAY BRAND

Lawn WEED & FEED

13-2-5

WEEDS:

Kills Broadleaf weeds such as Dandelion, Chickweed, Clover, Buckhorn, Knotweed & Poison Ivy.

FEEDS:

Grass lawns with fast & slow release Nitrogens. Aids in developing beautiful green color & healthy root structure.

CONTAINS:

13-2-5

WEEDS:

Kills Broadleaf weeds such as Dandelion, Chickweed, Clover, Buckhorn, Knotweed & Poison Ivy.

FEEDS:

Grass lawns with fast & slow release Nitrogens. Aids in developing beautiful green color & healthy root structure.

CONTAINS:

1% Iron for the control of Chlorosis which may cause foliage to turn yellow and stunt growth.

CONTAINS:

Added plant nutrients of Zinc, Manganese, and Sulfur.

COVERS: 2,000 square feet of area.

NET WT. 16 LBS.



SAFEWAY BRAND

Lawn WEED & FEED

GUARANTEED MINIMUM ANALYSIS: GRADE 13-2-5

TOTAL NITROGEN.....	13.00%
Ammonic Nitrogen	2.00%
Water Insoluble Nitrogen.....	2.00%
(Derived from Urea-Formaldehyde)	
Water Soluble Nitrogen.....	9.00%
(Derived from Urea & Urea Formaldehyde)	
AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate)	2.00%
WATER SOLUBLE POTASH (derived from Sulfate of Potash)	5.00%
COMBINED SULFUR expressed as elemental (derived from Sulfides and Sulfates)	4.50%
IRON expressed as elemental (derived from Sulfides and Sulfates)	1.00%
MANGANESE expressed as elemental (derived from Sulfides and Sulfates)....	0.10%
ZINC expressed as elemental (derived from Sulfides and Sulfates)	0.10%

PRODUCT OF U. S. A.

GENERAL INFORMATION: This product is designed to promote lush green growth and control many broadleaf weeds in lawns.

WEEDS CONTROLLED:

Such as ~~Bindweed, Black Medic, Blue Lettuce, Buckhorn, Burdock, Chickweed, Chicory, Cinquefoil, Clover, Cocksbur, Goldenrod, Ground-ivy, Hayweed, Heal-all, Henbit, Jewelweed, Jimson Weed, Kockia, Mustard, Nettles, Oxalis, Pennywort, Pepper Grass, Pigweed, Plantain, Poison Ivy, Shepherd's-purse, Smartweed, Speedwell, Spotted Spurge, Thistle, Vervains, Yarrow, Croton, Dandelion, Dock, Fanweed, Knotweed, Lambsquarters, Mallow, Morning Glory, Poison Oak, Poverty Wood, Purslane, Vetch, Wild Aster, Wild Lettuce, Wild Radish and Ragweed.~~

DIRECTIONS FOR USE

Established Lawns: Apply when weeds are young and actively growing. Before each application sprinkle lightly to hold material and prevent dust drift onto plants which might be injured by 2,4-D & Silvex. Avoid drift to or contact with desirable plants. Do not mow or water within 24 hours after treatment.

New Lawns: To avoid damage, apply after seedling grasses are at least 4-5 months

GUARANTEED MINIMUM ANALYSIS: GRADE 13-2-5

TOTAL NITROGEN.....	13.00%
Ammonic Nitrogen	2.00%
Water Insoluble Nitrogen.....	2.00%
(Derived from Urea-Formaldehyde)	
Water Soluble Nitrogen.....	9.00%
(Derived from Urea & Urea Formaldehyde)	
AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate)	2.00%
WATER SOLUBLE POTASH (derived from Sulfate of Potash)	5.00%
COMBINED SULFUR expressed as elemental (derived from Sulfides and Sulfates)	4.50%
IRON expressed as elemental (derived from Sulfides and Sulfates)	1.00%
MANGANESE expressed as elemental (derived from Sulfides and Sulfates)....	0.10%
ZINC expressed as elemental (derived from Sulfides and Sulfates)	0.10%

PRODUCT OF U. S. A.

GENERAL INFORMATION: This product is designed to promote lush green growth and control many broadleaf weeds in lawns.

13

WEEDS CONTROLLED: Such as Bindweed, Black Medic, Blue Lettuce, Buckhorn, Burdock, Chickweed, Chicory, Cinquefoil, Clover, Cockatoo, Goldenrod, Ground Ivy, Hawkweed, Heal-all, Henbit, Jewelweed, Jimson Weed, Kochia, Mustard, Nettles, Oxalis, Pennywort, Pepper Grass, Pigweed, Plantain, Poison Ivy, Shepherd's-purse, Smartweed, Speedwell, Spotted Spurge, Thistle, Vervains, Yarrow, Croton, Dandelion, Dock, Fanweed, Knotweed, Lambsquarters, Mallow, Morning Glory, Poison Oak, Poverty Weed, Purslane, Vetch, Wild Aster, Wild Lettuce, Wild Radish and Ragweed.

DIRECTIONS FOR USE

Established Lawns: Apply when weeds are young and actively growing. Before each application sprinkle lightly to hold material and prevent dust drift onto plants which might be injured by 2,4-D & Silvex. Avoid drift to or contact with desirable plants. Do not mow or water within 24 hours after treatment.

New Lawns: To avoid damage, apply after seedling grasses are at least 4-5 months old.

Spreader Settings: No. 5 - Best - Central - Lawn Beauty - Scotts or spread the contents of this bag evenly at 1 lb. per 125 square ft. of area.

Caution: Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Do not apply directly or otherwise permit through drift to contact vegetables, flowers, fruit trees, ornamentals or other desirable plants.

DO NOT APPLY ON DICHONDRA, LIPPIA, ST. AUGUSTINE OR CLOVER LAWNS.

Avoid contamination of ornamental fish ponds. Do not store near fertilizers, seed, insecticides, or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. May injure Bentgrass and Carpetgrass.

NOTICE: Because of the time, place, rate of application and other conditions of use beyond seller's control, seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

SOLD BY
SAFEGWAY STORES, INCORPORATED
HEAD OFFICE, OAKLAND, CALIFORNIA 94604

14