

U.S.D.A. Reg. No. 798-104

Net Contents

Gals.

GREENHOUSE FLOWER GARDEN AND NURSERY INSECTICIDE. FOR USE ON FLOWERS, SHRUBS AND TREES INCLUDING:

- Asters
- Cyclamen
- P. Imp.
- Azaleas
- Dahlias
- Rhododendron
- Carnations
- Gladioli
- Roses
- Snapdragons

DIRECTIONS: Dilute one part of SUPER-CIDE with one hundred parts of water according to following dilution table:

WATER	SUPER-CIDE
1 gallon	1 1/2 fluid ounces
5 gallon	7 1/2 fluid ounces

CAUTION: Apply spray as soon as insects appear. In combating hard to kill insects such as Mealy Bugs, certain Mites, Red Spiders, and scale insects, several treatments at 7-10 day intervals are advisable.

Wilson's SUPER-CIDE

Oct 20, 1970

Trade Mark Registered U. S. Patent Office

TRIPLY TOXIC INSECTICIDE

Contains

Resmethrin, Pyrethrum and Methoxychlor

Recommended for use in Flower, Garden, Nursery and Greenhouse

CAUTION: KEEP OUT OF REACH OF CHILDREN
See other precautions on side panel

ACTIVE INGREDIENTS:

Resmethrin	44.75
Methoxychlor	11.0
Pyrethrum	5.0
Other inert ingredients	39.25
Total	100.00

NET CONTENTS:

1 gallon	12.68
2.2-gallon	2.2

Net weight of product in each container is as shown on label. The net weight of the product in each container may vary slightly from the net weight shown on the label due to normal manufacturing variations.

Manufactured by

Andrew Wilson INC.

Union, N. J.

SOME INSECTS CONTROLLED BY SUPER-CIDE are:

- Aphids (Plant Lice)
- Cyclamen Mite
- Japanese Beetle
- Mealy Bugs
- Potato Flea Beetle
- Red Spider, 2 spotted
- Thrips on Chrysanthemums
- White Fly

798-104

CAUTION: Avoid contact with skin. In case of skin contact, wash with soap and water. Avoid breathing spray mist. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Keep out of reach of children and pets.

This product is toxic to fish. Keep out of lakes, streams and ponds. Apply this product only as specified on this label. Do not reuse container. Destroy when empty.