/EPA	United States Environmental Protection Ag Washington, DC 20460		Form App	Registra Amend Other	ation	OPP Identifier Number
	Appli	ication for f	Pesticide - Sec	tion I		
. Company/Product Number 802-12			2. EPA Product Manager Dennis McNeilly		3. Pr	oposed Classification
4. Company/Product (Name) Lily/Miller Microcop Fungicide			PM# 22			Notice Nestricted
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet dba Lilly Miller Brands PO Box 2289 Clackamas, OR 97015 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name			
		Sec	tion - II			
Notification - Explain be explain to the explanation: Use additional NOTIFICATION OF ADDITION EPA regulations at 40 CFR 15 that it is a violation of 18 USC	onse to Agency letter dated_	section I and Se R PR NOTICE 98- ave been made to y false statement	Agency lett "Me Too" A Other - Exp etion II.) 10(II)(N):This notification the labeling or the control EPA. I further under	Application. Jain below. on is consistent with fidential statement stand that if this no	the provisiof formula (of this product. I understand not consistent with the terms
		Sect	ion - III			
. Material This Product Will	Be Packaged In:	Sect	ion - III			
Child-Resistant Packaging Yes No Certification must	Unit Packaging Yes No If "Yes" No.	Water	Soluble Packaging Yes No No. per		Container Metal Plastic Glass Paper Other (S	
Child-Resistant Packaging Yes No Certification must ne submitted Location of Net Contents In	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	Water	Soluble Packaging Yes No No. per le wgt contained		Metal Plastic Glass Paper Other (S	Specify)
Certification must be submitted Label Co	Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information Ontainer Unit Packaging wgt.	Water Per If "Yes ainer Packag	Soluble Packaging Yes No No. per le wgt contained	5. Location of La	Metal Plastic Glass Paper Other (S	Specify)
Child-Resistant Packaging Yes No Certification must be submitted Label Co	Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information Ontainer Unit Packaging wgt.	per If "Yes ainer Packages(s) Retail Container Lithograph Paper glued Stendied	Soluble Packaging Yes No No. per le wgt contained	5. Location of La	Metal Plastic Glass Paper Other (S	Specify)
hild-Resistant Packaging Yes No Certification must e submitted Location of Net Contents Is Label Co	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. cont cont Affixed to Product	per If "Yes Packages (s) Retail Contain Paper glued Stenciled Sect	Soluble Packaging Yes No No. per le wgt contained her Othe	5. Location of La	Metal Plastic Glass Paper Other (S	Specify)
* Certification must be submitted 3. Location of Net Contents In	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. cont cont Affixed to Product	per If "Yes Packages (s) Retail Contain Paper glued Stenciled Sect	Soluble Packaging Yes No No. per le wgt contained ner Other	5. Location of La	Metal Plastic Glass Paper Other (S	ons application.) No. (Include Area Code)

Brand Manager

2/23/2004

5. Date

Molly Hickman

Molly Hickman



LILLY/MILLER®
MICROCOP® FUNGICIDE
(Micronized Tribasic Copper Sulfate)

Disease control for Fruits, Nuts, Vegetables, Flowers & Shrubs
Disease prevention for fruits, nuts, vegetables, shrubs, vines, and trees
Fixed copper spray for use in place of Bordeaux

ACTIVE INGREDIENT:

*Metallic copper equivalent 50%

Keep out of reach of children WARNING
See side panel for additional precautionary statements.

NET WEIGHT 8 OZ. (227 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Wear protective clothing, and goggles. Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not get in eyes, on skin or clothing. Avoid inhaling dust or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

MIXING DIRECTIONS: Mix the required amount of MICROCOP® FUNGICIDE with a small amount of water to form a smooth, creamy paste. Next, add this paste to the required amount of water. Shake sprayer frequently while spraying to insure uniformity of solution.

NOTE: One ounce of MICROCOP® FUNGICIDE equals 2 1/3 tblsp. Lilly Miller Sta-stuk "m"TM extends the effective life of MICROCOP® FUNGICIDE by resisting the washing effects of rains and snows. Consult your State Agricultural Experiment Station or State Extension Service Authorities for additional information as the timing, number and rate of application will vary with local conditions.

SPECIFIC DIRECTIONS - NOT FOR USE IN GREENHOUSES

FRUITS, NUTS AND VEGETABLES including

APPLES, PEARS - Anthracnose, Perennial Canker: Use 1 1/2 tblsp MICROCOP® FUNGICIDE plus 2 tsp superior type oil to 1 gal. of water. Apply as a wetting spray after fruit harvest.

PEACHES - Leaf Curl: Use 2 1/3 tblsp to 1 gal. of water. Apply in late fall or early winter before winter rains or snow. Repeat in late winter or early spring before buds break.

PEACHES, APRICOTS - Coryneum Blight: Use 1 1/2 tblsp to 1 gal. of water. Apply after harvest before fall rains.

FILBERT - Bacterial Blight (Oregon and Washington only): Use 2 1/3 tblsp to 1 gal. of water in late August or early September before the first heavy fall rains. In seasons of heavy rainfall during fall and winter, apply another spray when 3/4 of the leaves have dropped.

VEGETABLE SEEDLINGS - Damping Off: Use 1 1/2 tblsp to 1 gal. of water. Apply to soil surface in plant bed after emergence of seedlings. Repeat at 4 to 7 day intervals as needed.

CELERY, POTATOES, TOMATOES - Late Blight: Use 1 1/2 tblsp to 1 gal. of water. Apply at first sign of blight. Repeat at 4 to 5 day intervals until under control.

ORNAMENTAL WOODY SHRUBS AND VINES including

AZALEA - Galls (Flower, Leaf, Stem): Use 1 1/2 tblsp to 1 gal. of water. Apply to entire plant before buds break in the spring. Repeat 2 to 3 weeks later. Should any galled leaves appear, remove and burn. Anthracnose, Leaf Spots, Botrytis Blight: Use 1 1/2 tblsp to 1 gal. of water. Begin treatment in spring before disease appears and repeat at 7 to 10 day intervals and after rains as needed.

CAMELLIA - Dieback; IVY - Bacterial Leaf Spot. LAUREL - Leaf Blights, Leaf Spots; LILAC - Leaf Spot; PYRACANTHA - Fire Blight, Scab; RHODODENDRON - Botrytis Blight, Bud and Twig Blight, Leaf Spots; ROSE Powdery Mildew: Use 1 1/2 tblsp to 1 gal. of water. Begin treatment in spring before disease appears and repeat at 7 to 10 day intervals and after rains as needed.

LILAC - Bacterial Blight: Use 1 1/2 tblsp to 1 gal. of water. Apply thoroughly in September and again before fall rains. Prune out and burn affected parts of the bush as they appear.

FLOWERING SHRUBS - Certain Leaf Spots (Cercospora, Septoria, Botrytis): Use 1 1/2 tblsp to 1 gal. of water. Spray at first appearance of small discolored areas on leaves. Repeat sprays as necessary.

ORNAMENTAL AND SHADE TREES including

ARBORVITAE, CYPRESS, JUNIPER - Berckman's Blight (Arborvitae only): Use 1 tblsp to 1 gal. of water. Spray twice in fall. First spray in late September or early October and second spray in early November. Coryneum Blight: Use 1 1/2 tblsp to 1 gal. of water. Apply in early spring and fall.

DOGWOOD - Use 1 1/2 tblsp to 1 gal. of water for the following: Anthracnose (NW only): Begin sprays at bud break, repeat 2 or 3 times at 10 day intervals; Leaf Spot, Leaf Curl: Apply as leaves uncurl in spring and repeat in 2 to 3 weeks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store this product in its original container and keep out of reach of children and domestic animals. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Filled by weight not by volume. Product may settle after packaging.

LILLY MILLER BRANDS PO BOX 2289 CLACKAMAS, OR 97015 EPA Reg. No. 802-12 EPA Est. 33518-CN-01 www.lillymiller.com Printed in U.S.A. Product of Canada EPA notification 2/23/2004

