

APPLICATION DIRECTIONS

BULBS—Daffodils, Gladiolus, Dahlias, Hyacinths, Begonias, Iris, Lilies

Insects—Aphids, Flea Beetles, Weevils, Wireworms, Earwigs, Beetles, Grubs

Diseases—Mould, Botrytis, Root Rot

STORAGE TREATMENT

1. Use 1/2 lb. per 200 lbs. of bulbs.

2. Apply to bulbs in a shallow container.

3. After bulbs are covered, shake and turn by hand to get a uniform coating.

4. After bulbs are covered, place in a shallow container with just dust to prevent bulbs from becoming too hot.

5. Do not treat bulbs that are scabby or have rot that have been treated previously.

SOIL TREATMENT — BEFORE PLANTING BULBS

1. Use 1/2 lb. per 200 sq. ft. of area.
2. Treat in the actual planting area.
3. Follow with irrigation or watering.
4. For heavy soil, use 1 lb. per 200 sq. ft. of area.

PLANTING TREATMENT

1. Dust bulbs with dust before planting.
2. Dust planting area before planting.
3. Dust bulbs and planting area before planting.
4. For heavy soil, use 1 lb. per 200 sq. ft. of area.

CAUTION

Apply to soil only. Do not apply to plants. Do not apply to water.

Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for domestic purposes.

Keep out of the reach of children. See side panel for additional information.


NET WT
1 LB.

\$1.59



Miller's

Soildusto



SOIL TREATMENT IN
GARDENS OF FLOWERS, BULBS
SHRUBS, ORNAMENTALS

Active ingredients

Chlordane, technical**	60%
Captan*	50%
Sulphur	250%
Inert ingredients	64.0%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide
**Equivalent to 3.6% octachloro-4,7-methanotetrahydroindane and 2.4% related compounds
Captan U.S. Patents No. 2,553,770
2,553,771 2,553,776

CAUTION Keep out of the reach of children. See side panel for additional information.

GENERAL DIRECTIONS

For Uniform and Best Results Apply with a Duster

SOIL TREATMENT—Flower gardens, Ornamental Plant Beds, Greenhouses, Nurseries, Beds, Greenhouses, Nurseries, Ornamental Plant Beds Only

BEFORE PLANTING

1. Spread evenly with a duster.
2. Work evenly with a duster to a depth of 2 to 3 inches.
3. For best results, repeat application to a depth of 2 to 3 inches.

AFTER PLANTING

1. Dust lightly and uniformly between and around plants.
2. Do not work to the soil.
3. If application is followed by heavy rain, repeat very light application.

ESTABLISHED PLANTINGS

1. Dust lightly and uniformly between and around plants.
2. Work to the soil. Do not injure feeder roots.

APPLICATION DIRECTIONS

FLOWER GARDENS, ROSES, SHRUBS, FLOWERING TREES

Insects—Strawberry Root Weevils, Flea Beetles, Aphids, Earwigs, Flea Beetles, Grubs

Diseases—Damping Off, Botrytis, Root Rot, Seedling and Transplant

SOIL TREATMENT BEFORE PLANTING

1. Use 1/2 lb. per 200 sq. ft. of area.
2. Follow with irrigation or watering.
3. When planting, dust bulbs and planting area before planting.
4. For heavy soil, use 1 lb. per 200 sq. ft. of area.

AROUND ESTABLISHED PLANTS

1. Use 1/2 lb. per 200 sq. ft. of area.
2. Follow with irrigation or watering.

MILLER PRODUCTS

Portland, Oregon 97208

