7. a. S.

LILLY/MILLER **LINDANE 75W** (75% Lindane, Wettable Powder)

SEED TREATMENT

WITH DYE FOR THE TEMPORARY PROTECTION OF GERMINATING SEEDS AND SEEDLINGS AGAINST

WIREWORMS

ACCEPTED NOV 6 1987 $\mathbf{U}_{\mathbf{n}, \cdot}$ Funging and Rodendilie Act, as amended, for the posticide registered under EPA Reg. No.

ACTIVE INGREDIENT:

Lindane (gamma isomer of benzene

INERT INGREDIENTS...... 25%

This product contains the toxic inert ingredient Rhodamine B.


Keep out of reach of children **WARNING** See right side panel for additional warnings.

NET WEIGHT 25 LBS.

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97218

EPA Reg. No. 802-81

EPA Est. 802-0R-1



and seedlings of certain vegetables and field crops by means of seed treatment. It can be used with most of the common fungicides such as Thiram and may be applied by the slurry method or in the dry form.

Use only amounts suggested—higher concentrations may cause seed injury. Plant treated seed within 3 weeks of treating, or delayed sprouting may result with some of the sensitive varieties.

Consult State Agricultural Experiment Station or State Extension Service Authorities for specific information for your area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Do not breathe dust or spray mist. May be absorbed through skin. Applicators must wear the following protective clothing during the application process: masks, face shields or goggles; a light-weight protective suit or coveralls; water-resistant hat; unlined, waterproof gloves; and unlined, lightweight boots. Mixers and loaders must also wear a dust mask, goggles or a face shield, waterproof gloves and a waterproof apron. Avoid contact with skin and eyes. Wash face, hands, and arms thoroughly with soap and water after work and wash clothes with soap and hot water before reuse. Work in a well ventilated room.

Avoid contamination of feed and foodstuffs.

Labels attached to treated seed must read:

TREATED SEED SHOULD NOT BE USED FOR OR MIXED WITH FOOD OR ANIMAL FEED. OR PROCESSED FOR OIL. EXPOSED TREATED SEEDS MAY BE HAZARDOUS TO BIRDS AND OTHER WILDLIFE. DISPOSE OF ALL EXCESS TREATED SEED BY BURIAL AWAY FROM BODIES OF WATER.

Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act.

STATEMENT OF PRACTICAL TREATMENT

If swallowed call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vorniting by touching the back of throat with a finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If inhaled; remove victim to fresh air. Apply artificial respiration if indicated. If on skin; remove contaminated clothing and wash affected areas with soap and water. If in eyes; flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct application. Applications OCT | 6 1987 should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

3.F?

- 1. Treated seeds should be stored in a dry place until planted so that excess moisture may evaporate.
- 2. Weigh accurately. Use only amounts suggested.
- 3. Plant treated seed within 3 weeks time.
- 4. Never permit treated seed to be used as food by humans or domestic animals.
- 5. Bags containing treated seed should be so marked and should not be reused for any other purpose.
- 6. Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

NOTE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

56505-1

