

Please read entire label. Use only as directed.

Observe all cautions and precautions.

GENERAL WEED CONTROL — along fence rows, vacant lots and similar non-crop areas to kill broad-leaved weeds such as brambles, dandelion, dock, morning glory and plantain.

Mix at the rate of 4 tablespoons per gallon of water and apply as a drenching spray to thoroughly wet all weed growth. Repeat application as needed if there is regrowth.

PRECAUTIONS

Do not use Miller's Lawn WEED KILLER in Shrub and Ornamental plantings or in areas planted to, or containing roots of trees, shrubs, flowers or vegetables. Do not use on Lippia, Dichondra, St. Augustine or Clover lawns. Do not apply when rain is expected. Do not water within 24 hours following application.

CAUTION

May cause skin irritation. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water; for eyes, get medical attention.

Avoid any actual drift of the spray droplets to susceptible vegetation such as flowers, trees, vegetables, grapes, fruit trees, shrubs and ornamentals. Large spray droplets are less likely to drift. Use separate sprayer or sprinkling can for weed killing only. Do not contaminate water used for irrigation or domestic purposes. Do not store near seeds, fertilizers, insecticides or fungicides.

Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

U.S.D.A. Reg. No. 802-87

MP-6F

MILLER PRODUCTS
Portland, Oregon 97218

ONE
QUART



Lawn Weed killer

**KILLS
BROADLEAVED WEEDS
IN LAWNS & TURFS**

CAUTION Keep out of the reach of children.
See left side panel for additional cautions.

\$298

July 13-1971

802-87

BROADLEAVED

MORNING GLORY

DIRECTIONS FOR USE ON LAWNS AND TURFS

1. Apply when weeds are growing vigorously and soil moisture content is adequate for ideal growth of lawn grasses.
2. Spray as coarse droplets when there is little or no wind to avoid spray drift and injury to desirable plants.
3. Apply only on established lawns of Fescue, Bluegrass, Bents, Mixtures, to control . . .

Dandelion	Buttercup	Sheep Sorrel
Chickweed	Bur-Clover	Knotweed
Docks	Japanese Clover	Oxalis
Buckhorn	White Clover	Ragweed
Plantain	False Dandelion	and certain
Yarrow	English Daisy	other weeds
4. For persistent or hard-to-kill weeds repeat the recommended application at 3 to 4 week intervals.

MIXING DIRECTIONS FOR AREA OR SPOT SPRAYING

Thoroughly mix this amount of Miller's Lawn WEED KILLER	Diluted with this amount of water	To treat this area of lawn or turf
2 tablespoons	1 gallon	300 sq. ft. (15' x 20')
5 tablespoons	2 1/2 gallons	750 sq. ft. (10' x 75')
8 fl. oz. (1 cup)	8 gallons	2400 sq. ft. (40' x 60')
1 pint	16 gallons	4800 sq. ft. (60' x 80')

Young Bent Grass and New Lawns

1. Mix one tablespoon Miller's Lawn WEED KILLER in one gallon of water and apply to 300 sq. ft. of lawn area.
2. Apply only after new grass has been mowed two or three times. (On Bent grass lawns, temporary yellowing may occur.)

Please read entire label. Use only as directed.

Observe all cautions and precautions.

GENERAL WEED CONTROL — along fence rows, vacant lots and similar non-crop areas to kill broad-leaved weeds such as brambles, dandelion, dock, morning glory and plantain.

Mix at the rate of 4 tablespoons per gallon of water and apply as a drenching spray to thoroughly wet all weed growth. Repeat application as needed if there is regrowth.

PRECAUTIONS

Do not use Miller's Lawn WEED KILLER in Shrub and Ornamental plantings or in areas planted to, or containing roots of trees, shrubs, flowers or vegetables. Do not use on Lippia, Dichondra, St. Augustine or Clover lawns. Do not apply when rain is expected. Do not water within 24 hours following application.

CAUTION

May cause skin irritation. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water; for eyes, get medical attention.

Avoid any actual drift of the spray droplets to susceptible vegetation such as flowers, trees, vegetables, grapes, fruit trees, shrubs and ornamentals. Large spray droplets are less likely to drift. Use separate sprayer or sprinkling can for weed killing only. Do not contaminate water used for irrigation or domestic purposes. Do not store near seeds, fertilizers, insecticides or fungicides.

Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

U.S.D.A. Reg. No. 802-87

MP-6F

MILLER PRODUCTS

Portland, Oregon 97218

ONE
QUART



Lawn Weed killer

**KILLS
BROADLEAVED WEEDS
IN LAWNS & TURFS**

CAUTION Keep out of the reach of children.
See left side panel for additional cautions

\$298

13-1171

802-87

DIRECTIONS FOR USE ON LAWNS AND TURFS

1. Apply when weeds are growing vigorously and soil moisture content is adequate for ideal growth of lawn grasses.
2. Spray as coarse droplets when there is little or no wind to avoid spray drift and injury to desirable plants.
3. Apply only on established lawns of Fescue, Bluegrass, Bents, Mixtures, to control . . .

Dandelion	Buttercup	Sheep Sorrel
Chickweed	Bur-Clover	Knotweed
Docks	Japanese Clover	Oxalis
Buckhorn	White Clover	Ragweed
Plantain	False Dandelion	and certain
Yarrow	English Daisy	other weeds
4. For persistent or hard-to-kill weeds repeat the recommended application at 3 to 4 week intervals.

MIXING DIRECTIONS FOR AREA OR SPOT SPRAYING

Thoroughly mix this amount of Miller's Lawn WEED KILLER	Diluted with this amount of water	To treat this area of lawn or turf
2 tablespoons	1 gallon	300 sq. ft. (15' x 20')
5 tablespoons	2½ gallons	750 sq. ft. (10' x 75')
8 fl. oz. (1 cup)	8 gallons	2400 sq. ft. (40' x 60')
1 pint	16 gallons	4800 sq. ft. (60' x 80')

Young Bent Grass and New Lawns

1. Mix one tablespoon Miller's Lawn WEED KILLER in one gallon of water and apply to 300 sq. ft. of lawn area.
2. Apply only after new grass has been mowed two or three times. (On Bent grass lawns, temporary yellowing may occur.)

Please read entire label. Use only as directed.

Observe all cautions and precautions.

GENERAL WEED CONTROL—along fence rows, vacant lots and similar non-crop areas to kill broad-leaved weeds such as brambles, dandelion, dock, morning glory and plantain.

Mix at the rate of 4 tablespoons per gallon of water and apply as a drenching spray to thoroughly wet all weed growth. Repeat application as needed if there is regrowth.

PRECAUTIONS

Do not use Miller's Lawn WEED KILLER in Shrub and Ornamental plantings or in areas planted to, or containing roots of trees, shrubs, flowers or vegetables. Do not use on Lippia, Dichondra, St. Augustine or Clover lawns. Do not apply when rain is expected. Do not water within 24 hours following application.

CAUTION

May cause skin irritation. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water; for eyes, get medical attention.

Avoid any actual drift of the spray droplets to susceptible vegetation such as flowers, trees, vegetables, grapes, fruit trees, shrubs and ornamentals. Large spray droplets are less likely to drift. Use separate sprayer or sprinkling can for weed killing only. Do not contaminate water used for irrigation or domestic purposes. Do not store near seeds, fertilizers, insecticides or fungicides.


Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

U.S.D.A. Reg. No. 808-87 MP-87

MILLER PRODUCTS
Portland, Oregon 97218

ONE QUART



CAUTION Keep out of the reach of children. See left side panel for additional cautions.

July 13-1971 \$2.98
GENERAL INSECTICIDE
302-87

WEEDS CONTROLLED BY
Dandelion, Chickweed, Docks, Buckhorn, Plantain, Yarrow, Buttercup, Bar-Clover, Japanese Clover, White Clover, False Dandelion, English Daisy, Sheep Sorrel, Knotweed, Oxalis, Ragweed, and certain other weeds.

DIRECTIONS FOR USE ON LAWNS AND TURFS

1. Apply when weeds are growing vigorously and soil moisture content is adequate for ideal growth of lawn grasses.
2. Spray as coarse droplets when there is little or no wind to avoid spray drift and injury to desirable plants.
3. Apply only on established lawns of Fescue, Blue-grass, Bents, Mixtures, to control . . .
4. For persistent or hard-to-kill weeds repeat the recommended application at 3 to 4 week intervals.

MIXING DIRECTIONS FOR AREA OR SPOT SPRAYING

Thoroughly mix this amount of Miller's Lawn WEED KILLER	Diluted with this amount of water	To treat this area of lawn or turf
2 tablespoons	1 gallon	300 sq. ft. (15' x 20')
5 tablespoons	2 1/2 gallons	750 sq. ft. (15' x 75')
8 fl. oz. (1 cup)	5 gallons	2400 sq. ft. (40' x 60')
1 pint	10 gallons	4800 sq. ft. (60' x 80')

Young Bent Grass and New Lawns

1. Mix one tablespoon Miller's Lawn WEED KILLER in one gallon of water and apply to 300 sq. ft. of lawn area.
2. Apply only after new grass has been mowed two or three times. (On Bent grass lawns, temporary yellowing may occur.)

3

64

3

Please read entire label. Use only as directed.

Observe all cautions and precautions.

GENERAL WEED CONTROL — along fence rows, vacant lots and similar non-crop areas to kill broad-leaved weeds such as brambles, dandelion, dock, morning glory and plantain.

Mix at the rate of 4 tablespoons per gallon of water and apply as a drenching spray to thoroughly wet all weed growth. Repeat application as needed if there is regrowth.

PRECAUTIONS

Do not use Miller's Lawn WEED KILLER in Shrub and Ornamental plantings or in areas planted to, or containing roots of trees, shrubs, flowers or vegetables. Do not use on Lippia, Dichondra, St. Augustine or Clover lawns. Do not apply when rain is expected. Do not water within 24 hours following application.

CAUTION

May cause skin irritation. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water; for eyes, get medical attention.

Avoid any actual drift of the spray droplets to susceptible vegetation such as flowers, trees, vegetables, grapes, fruit trees, shrubs and ornamentals. Large spray droplets are less likely to drift. Use separate sprayer or sprinkling can for weed killing only. Do not contaminate water used for irrigation or domestic purposes. Do not store near seeds, fertilizers, insecticides or fungicides.

Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals and specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material and in strict accordance with directions given hereon.

U.S.D.A. Reg No 808 87

MILLER PRODUCTS
Portland, Oregon 97218

ONE QUART



Lawn Weed Killer

**KILLS
BROADLEAVED WEEDS
IN LAWNS & TURFS**

CAUTION Keep out of the reach of children. See left side panel for additional cautions.

July 13-1971
\$2.98
902-87

BROADLEAVED
MORNING GLORY

DIRECTIONS FOR USE ON LAWNS AND TURFS

1. Apply when weeds are growing vigorously and soil moisture content is adequate for ideal growth of lawn grasses.
2. Spray as coarse droplets when there is little or no wind to avoid spray drift and injury to desirable plants.
3. Apply only on established lawns of Fescue, Bluegrass, Bents, Mixtures, to control . . .

Dandelion	Buttercup	Sheep Sorrel
Chickweed	Bur-Clover	Knightsword
Docks	Japanese Clover	Oxalis
Buckhorn	White Clover	Ragweed
Plantain	False Dandelion	and certain
Yarrow	English Daisy	other weeds

1. For persistent or hard-to-kill weeds repeat the recommended application at 3 to 4 week intervals.

MIXING DIRECTIONS FOR AREA OR SPOT SPRAYING

Thoroughly mix this amount of Miller's Lawn WEED KILLER	Diluted with this amount of water	To treat this area of lawn or turf
2 tablespoons	1 gallon	300 sq. ft. (15' x 20')
5 tablespoons	2 1/2 gallons	750 sq. ft. (10' x 75')
8 fl. oz. (1 cup)	6 gallons	2400 sq. ft. (40' x 60')
1 pint	16 gallons	4800 sq. ft. (60' x 80')

Young Bent Grass and New Lawns

1. Mix one tablespoon Miller's Lawn WEED KILLER in one gallon of water and apply to 300 sq. ft. of lawn area.
2. Apply only after new grass has been mowed two or three times. (On Bent grass lawns, temporary yellowing may occur.)

64