

*Miller's*  
**PESTKIL**

Please read entire label. Use only as directed, noting all cautions and warnings.

Miller's **PESTKIL** — Livestock Spray or Dip Concentrate and Residual Spray — mixes readily in hard or soft water and can be used in all types of spray equipment. Miller's **PESTKIL** contains **Toxaphene** for long residual action plus **Lindane** for fast action.

**RESIDUAL SPRAY**

**Farm Buildings (except Dairies and Poultry Houses)**

To control flies, mosquitoes, fleas and gnats on farm buildings (except dairies and poultry houses) and hog pens. **NOTE:** Do not allow spray to contact foliage. Do not contaminate water.

- 1 Mix until creamy emulsion is formed. Use 1 to 2 cups in 1 gallon of water; or 1 to 2 quarts in 5 gallons of water; or 1 to 2 gallons in 20 gallons of water.
- 2 Apply as a spray to point of run off, in and around farm buildings (except dairies and poultry houses) including all places where insects may rest or breed. One gallon of diluted spray will cover approximately 500 sq. ft.
- 3 This treatment will be effective for 2 to 3 weeks against house flies and for a short period of time against stable flies.
- 4 Repeat applications as reinfestation occurs.

**WARNING** — may be fatal if swallowed. Harmful vapor may cause irritation of skin and eyes. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Use respirator and goggles for protection. In case of skin contact, wash with plenty of soap and water. For eyes, get medical attention. Keep clothing free from residues.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Do not use in dairy barns, milk rooms or poultry houses. Do not use residual spray dilutions on any animal or around poultry, fish, or in household areas. Avoid contamination of foodstuffs and feed (including pastures).


This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies. Dispose of wastes by burying in non-crop lands away from water supplies.

**NOTICE:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**ACCEPTED**

JUN 6 1975



**PESTKIL**  
(Toxaphene plus Lindane)  
**LIVESTOCK SPRAY  
OR DIP CONCENTRATE**  
For **RANGE CATTLE**  
**KILLS**

Horn Flies, Lice, Sarcoptic and Psoroptic Mange Mites, Ticks, Wool Maggots

<b>ACTIVE INGREDIENTS</b>	
*Toxaphene .....	44.89%
Gamma Isomer of Benzene	
Hexachloride from Lindane .....	2.22%
<b>INERT INGREDIENTS</b> .....	52.89%

\*Technical Chlorinated Camphene containing 67-69% Chlorine.

E.P.A. Reg. No. 802-112-ZA

**WARNING** — Keep out of reach of children  
See side panels for additional warnings.

**NET CONTENTS: 1 QUART**

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON  
EPA Est. 802-OR-1

