


MALATHION 5D

(5% **CYTHON** Dust)



SPECIFIC CROPS

Active ingredient Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	5.0%
Inert ingredients	95.0%

CAUTION — Keep out of reach of children

Avoid breathing dust. Avoid prolonged contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

This product is toxic to fish. Keep out of lakes, streams, and ponds.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

USE PRECAUTIONS

Do not apply during bloom when honey bees or other pollinators are active.

Apply when there is little or no wind.

In order that residues on food and forage crops will not exceed established tolerances use only at recommended rates and no closer to harvest than specified.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

GENERAL DIRECTIONS

Make full coverage application with a uniform deposit of dust when insects or insect damage are first noticed.

Consult State Agricultural Experiment Station or State Extension Service Authorities for exact timing and spacing of dusts in your area.

SPECIFIC CROPS

CROP AND PEST	Lbs. Per Acre	Days Between Last Application and Harvest
ALFALFA —Yellow Clover Aphid, Potato Leafhopper, Spider Mites, Spittle Bugs, Vetch Bruchid, Alfalfa Weevil Larvae	30	0
Spotted Alfalfa Aphid	12 to 15	0
CLOVER —Aphids, Spider Mites	25 to 30	0
ASPARAGUS —Asparagus Beetle, Thrips	20 to 25	1
BEANS —Mexican Bean Beetle, Leafhopper	30 to 35	1
Aphids, Cucumber Beetles	25	1
CANTALOUPE, CUCUMBER, SQUASH, MELON, *PUMPKIN — Aphids, Spider Mites, Pickleworms, Leafhoppers	30 to 35	1*

*On Pumpkins, make no application within 3 days of harvest.

Do not apply unless plants are dry.

CROP AND PEST	Lbs. Per Acre	Days Between Last Application and Harvest
CAULIFLOWER —Aphids	40	7
COLE CROPS (Cabbage, *Broccoli, Brussels Sprouts, Kale, Kohlrabi, Mustard, *Turnips) — Aphids, Imported Cabbage Worms, Cabbage Looper	30	7*
*On Broccoli, and Turnips, make no application within 3 days of harvest.		
ENDIVE —Aphids and Spider Mites	25 to 30	7
LETTUCE —Aphids, Spider Mites, Cabbage Looper ...	25 to 30	7—Head 14—Leaf
ONIONS —Onion Thrips	30 to 40	3*
*Make no application within 3 days of harvest on green, spring, or bulb onions.		
PARSLEY, SPINACH —Aphids	25 to 30	7*
*On Parsley, make no application within 21 days of harvest.		
PEAS —Pea Aphids	25	3*
*7 days if forage is to be fed to livestock.		
POTATOES —Aphids, Leafhoppers	25 to 30	0
ROOT CROPS (Carrots, Radish, Parsnips, Horseradish) —Aphids	25 to 30	7
TOMATOES — Aphids, Spider Mites, Tomato Russet Mites	35 to 40	1
BLUEBERRIES —Blueberry Maggot	20	0
Make first application at egg hatch and repeat applications every 4 or 5 days until a total of 4 applications has been made.		
Japanese Beetles	20	0
Make application when first berries turn blue and at 10 day intervals as long as infestation persists.		
CRANBERRIES —Leafhoppers, Black-headed Fireworms	30 to 40	3
STRAWBERRIES —Aphids, Spider Mites	40	3
FILBERTS —Aphids, Apple Mealybug, Eye-spotted Bud Moth	40	...
WALNUTS —Aphids	35 to 40	...
ORNAMENTALS — Aphids, Spider Mites, Mealy Bug, Leafhoppers. Use sufficient dust to make uniform thorough coverage. Injury may occur on certain ferns, including Boston, Maidenhair, and Pteris, as well as some species of Crassula.		

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

U.S.D.A. Reg. No. 802-115


MP-4P

802-115

05/19/1971

1/3

43



ACCEPTED
MAY 19 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON R. LISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

802-115

GRANULATED COCAINE

Miller's



This is a facsimile of a pre-printed bag
on which the attached label is applied.

Net weight 50 lbs.

DAVE LEE'S BROS. & CO. INC.

NEW YORK - PHILADELPHIA - PITTSBURGH