

GENERAL DIRECTIONS

1. Spray on first appearance of insect and repeat as necessary. For Red Spider Mites, make at least two applications at 5 to 7-day intervals.
2. Spray to thoroughly cover plant or tree, including underside of leaves.
3. On Vegetables, apply spray at the rate of 1 gal. to 300 sq. ft. of garden area; or 3 gal. to 900 sq. ft.

ROSES, ORNAMENTALS, FLOWERS

1. For Green Aphids . . . use 1 teaspoon per gallon of water.
2. For Black Aphids, Red Spider Mites, Leaf Hoppers, Mealy Bugs, Thrips, Tarnished Plant Bugs, White Fly . . . use 2 teaspoons per gallon of water.
3. For Soft Brown Scale, young crawler Scale . . . use 1 tablespoon per gallon of water.
4. Injury may occur on certain ferns, including Boston Maidenhair and Pteris, as well as some species of Crassula.

EVERGREENS

1. For Red Spider Mites . . . use 2 teaspoons per gallon of water.
2. For Monterey Pine Scale . . . use 1 tablespoon per gallon of water.

VEGETABLES . . .

Beans—Cucumbers, Melons, Squash, Tomatoes (1*); Broccoli, Peas, Turnips (3*); Brussels Sprouts, Cabbage, Cauliflower, Kale, Mustard (7*); Potatoes (0*). (*The numbers indicate the number of days waiting time between spraying and harvest (for example, spray Tomatoes at 9:00 A.M. Monday; pick them after 9:00 A.M. on Tuesday.)

1. For Green Aphids . . . use 1 teaspoon per gallon of water.
2. For Black Aphids, Red Spider Mites, Leaf Hoppers, Cabbage Looper, Imported Cabbage Worm, Mexican Bean Beetle . . . use 2 teaspoons per gallon of water.

ONE
PINT

\$349


Miller's
 Garden
Malathion

57% Premium Grade Malathion

APHIDS, LEAF HOPPERS,
 RED SPIDER MITES,
 THRIPS, MEALY BUGS
 ON
 FLOWERS, EVERGREENS,
 VEGETABLES

CAUTION Keep out of the reach of children
 See right side panel for additional cautions
 E.P.A. Reg. No. 802-123-AA

PLEASE READ ENTIRE LABEL. USE ONLY AS DIRECTED, NOTING ALL CAUTIONS.

FLY CONTROL—OUTDOORS . . . Residual Spray

1. Use 4 teaspoons Miller's Garden MALATHION plus 2 tablespoons sugar to 1 quart of water.
2. Spray on walls, fences, garbage containers and wherever flies congregate and breed outdoors.
3. Wet all surfaces thoroughly. Repeat as necessary.
4. Do not allow this spray dilution to contact ornamental plants as injury may occur. Do not allow spray mist to contaminate fish ponds.

Active ingredients

*Malathion 57.5%
 Aromatic Petroleum Derivative Solvents 31.1%
 Inert ingredients 11.4%
 *O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION

Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Store away from children, domestic animals and foodstuffs. In case of contact, wash with soap and water; for eyes, get medical attention. Malathion may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. **Note to Physician:** Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

This product is toxic to fish. Keep out of any body of water.

For the protection of honey bees, do not apply when they are foraging in the garden.

Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. MP-0P

— MILLER PRODUCTS —

THE CHAS. H. LILLY CO.
 PORTLAND, OREGON 97214

ACCEPTED
 MAY 15 1972
 U.S. DEPARTMENT OF AGRICULTURE
 FOR THE FEDERAL INSECTICIDE
 ADMINISTRATION
 FOR THE FEDERAL INSECTICIDE
 ADMINISTRATION
 SUBJECT
 TO ALL FEDERAL REGULATIONS

802-123

802-123

5-15-72

1091