

GENERAL DIRECTIONS

1. Spray on first appearance of insect and repeat as necessary. For Red Spider Mites make at least two applications at 5 to 7 day intervals.
2. Spray to thoroughly cover plant or tree, including underside of leaves.
3. On Vegetables apply spray at the rate of 1 gallon to 300 sq. ft. garden area; or 3 gallons to 900 sq. ft.

ROSES, ORNAMENTALS, FLOWERS

1. For Green Aphids...use 1 teaspoon to 1 gallon of water; or 1 tablespoon to 3 gallons; or 1 pint to 100 gallons.
2. For Black Aphids, Red Spider Mites, Leafhoppers, Mealybugs, Thrips, Tarnished Plant Bugs, Whiteflies... use 2 teaspoons to 1 gallon of water; or 2 tablespoons to 3 gallons; or 1 pint to 50 gallons.
3. For Soft Brown Scale, Young Crawler Scale... use 1 tablespoon to 1 gallon of water; or 3 tablespoons to 3 gallons; or 3 pints to 100 gallons.
4. Injury may occur on certain ferns, including Boston, Maidenhair and Pteris, as well as some of Crassula.

EVERGREENS

1. For Spider Mites...use 2 teaspoons to 1 gallon of water; or 2 tablespoons to 3 gallons; or 1 pint to 50 gallons.
2. For Monterey Pine Scale...use 1 tablespoon per gallon of water; or 3 tablespoons to 3 gallons; or 3 pints to 100 gallons.

VEGETABLES

Beans, Cucumbers, Melons, Squash, Tomatoes (1*); Broccoli, Peas, Turnips (3*); Brussels Sprouts, Cabbage, Cauliflower, Kale, Mustard (7*); Potatoes (0*). (*The numbers indicate the number of days waiting time between spraying and harvest (for example, spray Tomatoes at 9:00 a.m. Monday; pick them after 9:00 a.m. Tuesday.))

1. For Green Aphids...use 1 teaspoon to 1 gallon of water; or 1 tablespoon to 3 gallons; or 1 pint to 100 gallons.
2. For Black Aphids, Red Spider Mites, Leafhoppers, Cabbage Looper, Imported Cabbageworm, Mexican Bean Beetle... use 2 teaspoons to 1 gallon of water; or 2 tablespoons to 3 gallons; or 1 pint to 50 gallons.

FRUITS

Apples (3*); Pears (1*) (*The numbers indicate the number of days waiting time between spraying and harvest.)*


1. For Aphids, Red Spider Mites, Pear Psylla... use 2 teaspoons to 1 gallon of water; or 2 tablespoons to 3 gallons; or 1 pint to 50 gallons.



LILLY MILLER

Malathion

57% Premium Grade Malathion



APHIDS, LEAFHOPPERS, RED SPIDER MITES, THIRPS, MEALYBUGS ON FLOWERS, EVERGREENS, VEGETABLES

Please read entire label.
Use only as directed, noting all cautions.

FLY CONTROL—OUTDOORS...Residual Spray

1. Use 4 teaspoons MALATHION plus 2 tablespoons sugar to 1 quart of water; or 5 tablespoons MALATHION plus ½ cup sugar to one gallon water; or 1 cup MALATHION plus 1 cup sugar to 2½ gallons of water.
2. Spray on walls, fences, garbage containers and wherever flies congregate and breed outdoors.
3. Wet all surfaces thoroughly. Repeat as necessary.
4. Do not allow this spray dilution to contact ornamental plants as injury may occur. Do not allow spray mist to contaminate fish ponds.

HOUSEHOLD INSECTS: Roaches, Ants, Spiders, Silverfish, Crickets, Clover Mites

1. Use 3 tablespoons to 1 quart of water; or ¾ cup to 1 gallon.
2. Apply by means of a coarse spray, or paint brush, to window sills, baseboards, drainboards, under sinks, stoves, and to other areas frequented by insects. Repeat as necessary.
3. Water-based sprays may stain finished surfaces.
4. Do not contaminate food or utensils.

CAUTION... Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Store away from children, domestic animals and foodstuffs. In case of contact, wash with soap and water; for eyes, get medical attention. Malathion upon use may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Note to Physician: Atropine is antidotal.

Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. For the protection of honey bees, do not apply when they are foraging in the garden.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. Destroy empty container. Do not re-use for any purpose.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218

LC-13N

EPA Est. 802-OR-1

EPA Reg. No. 802-123

802-123

10-19-78

1081

2072

ACCEPTED
OCT 19 1978
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under *207-123*
EPA Reg. No.