CHLORDANE 40W

(40% Chlordane Wettable Spray Powder)

AGRICULTURAL INSECTICIDE

Active ingredient:	
Technical Chlordane	40
Inert ingredients	60

Equivalent to 24 lbs. Octachlor 4 lbs. Chlordane and 12 lbs. related compounds

CAUTION — Keep out of reach of children

If swallowed: Avoid breathing spray mist. Contact with skin: Wash with soap and water.

Antidote: Treat symptomatically.

E.P.A. Reg. No. 802-153-AA

NET WEIGHT 4 LBS.

— MILLER PRODUCTS —

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97214

Miller's

CHLORDANE 40W

DIRECTIONS FOR USE

Add the specified amount of this product through the filler screen in nearly filled spray tank then finish filling tank with balance of water. Agitators should be running during filling and application. Do not use in low volume gear pump spray equipment.

FOLIAGE APPLICATION
Use 2½ to 3 lbs. per 100 gal. of water per acre on the following crops:

BEANS—Armyworms, Cucumber Beetles, Flea Beetles, Green Stink Bug. Do not apply to green or snap beans after pods begin to form.

CARROTS—Carrot Rust Fly. Do not use tops for food or feed.

CELERY—Carrot Rust Fly, Cutworms. Apply at planting time, or around base of plants before plants are half grown or start to bunch.

COLE CROPS (Broccoli, Brussel Sprouts, Cabbage, Cauliflower)—Cabbage Worms, Flea Beetles, Green Stink Bugs. Do not apply after edible parts start to form.

ONIONS—Thrips. Do not apply to green or spring onions.

SOIL APPLICATIONS for control of following pests on crops listed:

CUTWORMS—Beans, Corn, Eggplants, Lettuce, Onions, Peppers, Potatoes, Tomatoes
Use 2½ lbs. per 100 gal. of water and apply 300 gal. per acre. Apply before planting or at transplanting time. Apply to the soil surface and do not disturb for 3 to 5 days.

WHITE GRUBS—Potatoes, Strawberries
Use 7 to 12 lbs. in 100 gal. of water per acre as a **preplant soil treatment.** Apply to soil surface and disc into top 3 to 4 inches of soil.

WIREWORMS—Beans, Beets, Broccoli, Cabbage, Corn, Cauliflower, Onions, Potatoes, Strawberries, Turnips
Use 7½ to 12 lbs. per 100 gal. water per acre. Apply as a **preplanting treatment** to soil surface and disc into top 4 to 6 inches of soil.

GRASSHOPPERS—Field Borders, Roadsides, Vacant Land
Use 2½ to 3½ lbs. in 100 gal. of water per acre. Apply when grasshoppers are young. If possible, spray the hatching grounds after main hatch is completed or when young hoppers begin to move off the hatching ground. Do not contaminate food or feed crops. See Use Precautions.

ANTS in Golf Courses, Greenhouses or Ornamentals, and Orchards
Use 2½ to 3½ lbs. in 100 gal. of water per acre. Thoroughly saturate mounds, splash runways and foraging areas as far as possible. Do not contaminate food or feeding areas.

USE PRECAUTIONS

Read entire label. Use strictly in accordance with directions. State laws or regulations may be more restrictive and in conformity with Federal and State Regulations.

Do not apply during bloom when honey bees or other pollinators are active. Avoid drift to blooming food and forage crops about to be harvested or crops in bloom. Apply this product only as specified on this label. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Do not feed treated forage to dairy animals or to animals being finished for slaughter. Do not allow dairy animals or animals being finished for slaughter to graze on treated areas.

Toxic to fish and wildlife. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed. Do not apply where run off is likely to occur. Do not apply when weather conditions favor drift of spray from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

NOTICE: Follow directions carefully. Type of soil, method of application, weather and other factors beyond control of the seller. Buyer assumes all risk of use not in accordance with directions given herewith.

MP-40