


802-351

SEP 4 1974

REGISTERED UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT



Slugg

snail & insect killer bait

KILLS

SLUGS • SNAILS • ANTS • EARWIGS • CATERPILLARS

BEETLES • MILLIPEDS

CRICKETS • GRASSHOPPERS

WARNING - Keep out of reach of children. This pesticide may be fatal to children, dogs or other pets if eaten. Keep children and pets out of the treated area. Follow directions and use with care. See back panel for additional warnings.

E.P.A. REG. NO. 802-351-AA

Miller's Slug, Snail and Insect Killer Bait is ready-to-use and remains effective even after rains and sprinklings. Protects flowers, ornamentals and shrubs.

USE DIRECTIONS

1. Be sure area to be baited is damp. In dry weather, water area well before baiting.
2. Apply bait in evening or at night as these pests feed mainly at night.
3. Broadcast the bait lightly over the infested area using 1 lb. per 250 sq. ft.
4. Until under control, bait should be renewed every two weeks, or oftener, for heavy infestations.
5. Slugs and Snails favor dark, damp places. Bait especially well shaded areas around flowers, rockeries, shrubs, and other ornamentals where these pests stay during daylight hours.
6. Slugs, Snails and certain insects are attracted to the bait. Place bait upwind to the infestation for best results. Upwind is the direction from which the wind is blowing from bait toward pests.
7. Slugs, Snails and certain insects travel or migrate extensively. When invasions from adjacent areas are a probability, a lightly applied band of Miller's Slug, Snail and Insect Killer Bait the entire length of the infested areas will provide a barrier and aid in control.

WARNING - Keep out of reach of children

May be fatal if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Avoid contamination of feed, foodstuffs, water supplies and fish ponds. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using. Keep out of reach of children, pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied.

This product is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by

Miller's Slug-Snail and Insect Killer Bait (Back panel - continued)

cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse container. Destroy when empty.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MP-6H

THE CHAS. H. LILLY CO.

Portland, Oregon

EPA Est. 802-

