



LILLY MILLER

Slug, Snail & Insect Killer Bait

Can be used around vegetable gardens

ACTIVE INGREDIENTS
Metaldehyde
Fenitrothion
Methidathion
INERT INGREDIENTS

KILLS: Slugs, Snails, Ants, Earwigs, Cutworms, Armyworms, Sowbugs, Millipedes, Crickets, Grasshoppers

PROTECTS: Flowers, Ornamentals, Shrubs and certain listed vegetables

Remains effective after rain or sprinkling



Keep out of reach of children

CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See left side panel for additional precautionary statements.

NET WEIGHT 2 LBS.



LILLY/MILLER
Slug, Snail &
Insect Killer Bait

**For all
 you need
 to grow**

Lilly/Miller SLUG, SNAIL and INSECT KILLER BAIT is ready-to-use and remains effective even after rains and sprinkling. Protects flowers, ornamentals, shrubs and certain listed vegetables.

DIRECTIONS FOR USE

Be sure area to be baited is damp. In dry weather, water area well before baiting.

Apply bait in evening or at night as these pests feed mainly at night.

Until under control, bait should be renewed every two weeks, or oftener, for heavy infestations.

Slugs and Snails favor dark, damp places. Bait especially well shaded areas around flowers, shrubs, rockeries, and other ornamentals where these pests stay during day-light hours.

Slugs, Snails and the listed insects are attracted to the bait. Place bait upwind to the infestation for best results. Upwind is the direction from which the wind is blowing from bait toward pests.

Slugs, Snails and the listed insects travel or migrate extensively. When invasions from adjacent areas are a probability, a lightly applied band of Slug, Snail and Insect Killer Bait the entire length of the infested areas will provide a barrier and aid in control.

FLOWERS, ORNAMENTALS, SHRUBS

To kill slugs, snails, ants, earwigs, cutworms, sowbugs, millipedes, crickets and grasshoppers.

Broadcast the bait lightly over the infested area using 1 lb. per 250 sq. ft.

VEGETABLES—To kill slugs, snails, armyworms, cutworms, earwigs, sowbugs, crickets, grasshoppers.

Broadcast lightly on soil surface around plants, using 1/8 lb. per 1000 sq. ft. of garden area.

Do not allow bait to contact foliage or edible part of crops. Observe the number of days before harvest for last application as noted in chart.

CROP	Days between final application and harvest
Beans, Carrots, Corn, Eggplant, Peppers, Tomatoes, Potatoes	0
Asparagus, Strawberries	1
Beets (roots), Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Lettuce (head), Parsnips, Radish, Rutabaga, Turnips (roots)	3
Beets (tops), Kale, Lettuce (leaf), Spinach, Turnips (tops)	14

A QUALITY PRODUCT FROM LILLY/MILLER



LILLY/MILLER
Slug, Snail &
Insect Killer Bait

SLUG
 ACTIVE INGREDIENT: Methaldihydroxy Carbonyl (1-4) (100% active)
 NET WT. 100g

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION—May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

IMPORTANT—Keep away from children, dogs and cats. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If you need advice, consult your administrator, physician, or veterinarian.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wild life. Birds feeding in treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply in accordance with specifications.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE and DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

WARRANTY—The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty, of any kind, expressed or implied, concerning the effects of this product when not used in accordance with directions.

LC 100

THE CHAS. H. LILLY CO.
 PORTLAND, OREGON 97218
 EPA Est. 502-WA-1 EPA Reg. No. 502-351

This per of treat additor



LILLY/MILLER
Slug, Snail
& Insect
Killer Bait

Highly effective meal bait for
destruction of...

Slugs, Snails, Ants,
Earwigs, Cutworms,
Sowbugs, Millipedes,
Crickets, Grasshoppers,
Armyworms


Protects Flowers,
Ornamentals, Shrubs and
certain listed Vegetables.

Remains effective even
after rain or sprinkling.

Draws pests to it for better
results.

Works two ways—by simple
contact or by being eaten.

202



A quality product
from
LILLY/MILLER



NOV 18 1982

Ms. Irene Boone
The Chas. H. Lilly Company
7737 NE Killingsworth
Portland, OR 97218

Dear Ms. Boone:

Subject: Lilly/Miller Slug, Snail & Insect
Killer Salt
EPA Registration No. 802-351
Your Application Dated 11/8/ 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

BEST DOCUMENT AVAILABLE

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD:JSELLENBERGER:DCR-28975;WANG-1394C:CBP:Raven:479-2013:11/30/82