PmIq				802-J	ا ک	minne	STEDIO STEDIO		5	
Please read instructions on re	ing form.	Form App			· · · ·			. Approval expires 2-28-95		
United States Environmental Protection Ager Washington, DC 20460			00.01			Registratio		OPP Identifier Number		
			ency	Amendme x Other			ient	" 225255		
Application for Pesticide - Section I										
1. Company/Product Number 802-351			2. EPA Den	2. EPA Product Manager Dennis Edwards					, }	
4. Company/Product (Name) Miller's Slug, Snail & Insect Killer Bait			PM#	19			<u>^</u>	None	Restricted	
5. Name and Address of Applicant <i>[Include ZIP Code]</i>				6. Expedited Review. In accordance with FIFRA Section 3(c)(3)						
The Chas. H. Lilly Co. PO Box 83179				(b)(i), my product is similar or identical in composition and labeling to:						
Portland OR 97283				EPA Reg. No.						
Check if this	Prod	Product Name								
Section - II										
Amendment - Explain below.				Final printed labels in response to Agency letter dated "Me Too" Application.						
X     Notification - Explain below.				Other - Exp				8 1996		
Explanation: Use addition	al page(s) if necessar	/. (For section I and	Section II							
Notification - Al					nail	& Insect	: Kille	er Granule	s -	
Per PR Notice 95-2						2		-		
·										
a Banantal This Des June Mill	Do Doolyn god (m.	Se	ction -	111						
Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water :			er Soluble	Soluble Packaging 2. Type of Container						
Yes*				Yes			Metal			
No	No			No			Plastic Glass	1		
* Certification must be submitted	lf "Yes" Unit Packaging wgt.	No. per If " container Pac	res" kage wgt				Paper	aper other (Specify)		
3. Location of Net Contents I	tainer	<u>I</u>	5 <u>. L</u>		el Directio	ons				
Label Container						On Label		npanying produ	ıct	
6. Manner in Which Label is Affixed to Product Paper glued Stenciled Other									-	
			ction -	IV						
1. Contact Point (Complete	items directly below I	for identification of in	dividual to	be contacted	, if ne	cessary, to pr	ocess this	application.)		
				istration & Regulatory Telephone No. (include Area Cod anager 503-289-5937					Area Code)	
		Certification	-			, , ,		6. Daté App	ication	
l certify that the statements I have made on this form and all attach I acknowledge that any knowingly false or misleading statement ma both under applicable law.								Received (Stan	nped	
2. Signature				stration & Regulatory Manager						
4. Typed Name 5. Date Nell Lange-Luttig				FEB 2 6 1996						
EPA Form 8570-1 (Rev. 8-94	l) Previous editions ar	e obsolete.		w	hite -	EPA File Copy	(original)	Vellow -	Applicant Copy	

· .--'

# LILLY/MILLER

Protects Vegetables AND Flowers From Snails, Slugs AND Earwigs, Sowbugs, Grasshoppers & Ants.

2/5

Kills Snails AND Bugs

## ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-	
tetraoxycyclo-octane	
Carbaryl (1-naphthyl N-methylcarbamate)	
INERT INGREDIENTS	

Keep out of reach of children CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See side panel for additional precautionary statements.

2.0% 5.0% 93.0%

## NET WEIGHT 2 LBS. (908 g) [4 LBS. (1.8 kg)] [1 LBS. (454 g)] [3 LBS. (1.3 kg)] [5 LBS. (2.2 kg.)] [10 LBS. (4.5 kg)] [25 LBS. (11.3 kg)]

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Get medical attention. If Inhaled: Remove to fresh air. If person is not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If On Skin: Wash with plenty of soap and water.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

## STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

HIGHLY EFFECTIVE GRANULAR BAIT FOR DESTRUCTION OF

Slugs, Snails, Ants, Earwigs, Cutworms, Sowbugs, Millipedes, Crickets, Grasshoppers, Armyworms

Protects Flowers, Ornamentals, Shrubs and certain listed Vegetables. Remains effective even after rain or sprinkling. Draws pests to it for better results. Works two ways - by simple contact or by being eaten.

SLUG, SNAIL & INSECT KILLER GRANULES are ready-to-use and remains effective even after rains and sprinklings. Protects flowers, ornamentals, shrubs and certain listed vegetables.

Be sure area to be baited is damp. In dry weather, water area well before baiting.

Apply bait in evening or at night as these pests feed mainly at night.

Until under control, bait should be renewed every two weeks or more often for heavy infestations.

Slugs and Snails favor dark, damp places. Bait especially well shaded areas around flowers, shrubs, rockeries, and other ornamentals where these pests stay during daylight hours.

Slugs, Snails and the listed insects are attracted to the bait. Place bait upwind to the infestation for best results. Upwind is the direction from which the wind is blowing from bait toward pests.

í di chi

Slugs, Snails and the listed insects travel or migrate extensively. When invasions from adjacent areas are a probability, a lightly applied band of Slug, Snail & Insect Killer Bait the entire length of the infested areas will provide a barrier and aid in control.

FLOWERS, ORNAMENTALS, SHRUBS To kill slugs, snails, ants, earwigs, cutworms, sowbugs, millipedes, crickets and grasshoppers.

Broadcast the bait lightly over the infested area using 1 lb. per 250 sq. ft.

VEGETABLES - To kill slugs, snails, armyworms, cutworms, earwigs, sowbugs, crickets, grasshoppers.

Broadcast lightly on soil surface around plants, using 1 lb. per 1,000 sq. ft. of garden area.

Do not allow bait to contact foliage or edible part of crops. Observe the number of days before harvest for last application as noted in chart:

DAYS BETWEEN CROP FINAL APPLICATION AND HARVEST Beans, Carrots, Corn Eggplant, Peppers, 0 Tomatoes, Potatoes Asparagus, 1 Strawberries Beets (roots), Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Lettuce 3 (head), Parsnips, Radish, Rutabaga, Turnips (roots) Beets (tops), Kale, Lettuce (leaf), Spinach, 14 Turnips (tops) Filled by weight not by volume. Product may settle after packaging.

NOTICE: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, expressed or implied, concerning the effects of this product when not used in accordance with directions.

£

٩.

5/5

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97283 EPA Reg. No. 802-351 EPA Est. 35497-OR-1 xxxxx