

THION

(10% Malathion Granular)

For use by Moscuit - Waterest Districts, other Bublic Amencies and Licensel Pest Control Applicators. - - -

ACTIVE INGREDIENT: Malathion (0,0-dimethyl dithiophosphate	
of diethyl mercaptosuccinate) 10.0%	
INERT INGREDIENTS: $\dots \dots \dots$	A
Total 100.0%	W
E.P.A. Reg. i.o. 802-366-AA	
10SQUITO LARVAE CONTROL	A h
For mosquito larvae control in waters con-	T
taining dense plant growth above water.	K
Apply at the rate of 5 pounds per acre	a w
(1/2 pound of Malathion).	t
	P
May be applied to forage and pasture lands.	n D
	n
OTICE: Follow directions carefully. Timing	d
and method of application, weather and mix-	D
ures with other chemicals not specifically	a
recommended, and other influencing factors in the use of this product are beyond the control	5 5
of the seller. Buyer assumes all risks of use,	b
storage or handling of this material not in	c
strict accordance with directions given here-	
MP-3H	*R

NET WT. 50 LBS.

THE CHAS. H. LILLY CO. PORTLAND, OREGON

THE PREMIUM GRADE MALATHION " (R)

## CAUTION - Keep out of reach of children

Avoid breathing dust. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

woid drift to areas occupied by unprotected numans or beneficial animals.

This product is toxic to fish, shrimp and crab. Keep out of lakes, streams, or ponds (use around the edges of these areas). Do not apply when weather conditions favor drift from areas treated. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. No not contaminate water by cleaning of equipment, or disposal of wastes. Apply this proluct only as specified on this label.

Sispose of wastes by burving in non-crop lands way from water supplies. Containers should be disposed of ty punching holes in them and burying with wastes, or by burning (keep out of smoke).

leg. I. M. of American Gyanamid 2010

