

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Keep off and away from treated areas until the spray has dried. Do not enter or allow children or domestic animals to enter treated areas until the spray has dried.

ENVIRONMENTAL HAZARD

Do not apply directly to water or to a water source. Do not apply to areas where birds, bees, or other beneficial insects may be present. Do not apply to areas where fish or shellfish may be present.

DIRECTIONS FOR USE

For use on or off label, use only as directed on the label. Do not use in a manner inconsistent with the label.

STORAGE AND DISPOSAL

Store in original container. Do not use if container is damaged. Do not use if contents are not as labeled. Do not use if contents are not as labeled.

RESIDUE DISPOSAL: Empty container should be rinsed out with water. Rinse water should be added to the container and disposed of in a manner consistent with the label.

CONTAINER DISPOSAL: Do not reuse. Do not burn. Do not incinerate. Do not dump into water. Do not dump into land.

Miller's

MCP Sodium Salt 2

(2 lbs MCP acid equivalent per gallon)

For use on or off label, use only as directed on the label. Do not use in a manner inconsistent with the label.

WEED KILLER

For selective control of Broadleaved Weeds in
PEAS, FLAX, RICE, OATS, WHEAT, BARLEY,
ESTABLISHED PASTURES, TURFS AND OTHER
NON-CROP AREAS

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents: 1 Gallon (128 fl. oz.)

NET CONTENTS GALLON(S)

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97218
EPA Reg. No. 402-374

GRASSES GROWN FOR SEED

1. Use 2 to 4 pints per acre in sufficient water to give adequate coverage. Use higher rate where weeds are heavy.

2. In established grasses, apply in early spring or immediately before seed heads appear. Do not apply after grass has 5 leaves.

NOTE: MCP may cause leaf burn at high application rates. Do not apply to areas where birds, bees, or other beneficial insects may be present. Do not apply to areas where fish or shellfish may be present.

ESTABLISHED GRASSLANDS AND PASTURES

1. Use 2 to 4 pints per acre in sufficient water to give adequate coverage. Use higher rate where weeds are heavy.

2. Spray in early spring or before seed heads appear. Do not apply after grass has 5 leaves.

NOTE: MCP may cause leaf burn at high application rates. Do not apply to areas where birds, bees, or other beneficial insects may be present. Do not apply to areas where fish or shellfish may be present.

ESTABLISHED LAWN AND TURFS

1. Use 2 to 4 pints per acre in 5 to 10 gallons of water. Apply in early spring or before seed heads appear. Do not apply after grass has 5 leaves.

2. Spray in early spring or before seed heads appear. Do not apply after grass has 5 leaves.

NON-CROP SPRAYING: Do not apply to areas where birds, bees, or other beneficial insects may be present. Do not apply to areas where fish or shellfish may be present.

1. For spot treatment, use 2 to 4 pints per acre in 5 to 10 gallons of water. Apply in early spring or before seed heads appear. Do not apply after grass has 5 leaves.

2. For broadcast application, use 2 to 4 pints per acre in 5 to 10 gallons of water. Apply in early spring or before seed heads appear. Do not apply after grass has 5 leaves.