

Insist on ...

Miller's



SLUGSPRA-50

(50% Metaldehyde Spray Powder)

Kills Slugs



Active ingredient	50%
Metaldehyde	50%
Inert ingredients	50%
Total	100%

E.P.A. Reg. No. 802-376-AA

WARNING — Keep out of reach of children

See back panel for additional warnings.

Net Weight 4 lbs.

— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97214

ORNAMENTALS - FLOWERS - LAWNS - SHRUBS

KILLS SLUGS and all Slug Eggs Contacted

**One Tablespoon of Easy-to-Measure Powder makes One Gallon Spray
YOU ADD THE WATER!**

APPLICATION DIRECTIONS

1. Make thin paste with required amount of Miller's SLUGSPRA-50 and small amount of water, then add balance of water.
2. Agitate sufficiently to maintain uniform suspension.
3. Spray all surfaces, plant and ground, over which slugs may crawl. Apply only to non-food crops.
4. Apply in the evening for best results.
5. Repeat applications as often as necessary, at about 7 to 10 day intervals, to control slugs hatching from eggs.
6. **Important**—moist soil conditions are essential for good results. An ideal time would be after a rainy day or after irrigation. If necessary sprinkle or irrigate before treating.
7. **NOTE** . . . Repeated very light applications are necessary to control slugs hatching from eggs. Metaldehyde volatilizes readily when exposed to the air. Keep container tightly closed to maintain full strength.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MP 4H

USE DIRECTIONS

HOSE ON TYPE OF APPLICATOR

1. Use one tablespoon Miller's SLUGSPRA-50 to each gallon delivered by applicator.
2. Apply 1 gallon dilution to approximately 100 sq. ft. soil or plant area.

SPRINKLING CAN APPLICATION

1. Use one tablespoon Miller's SLUGSPRA-50 to each gallon of water.
2. Sprinkle evenly area to be treated, using about one gallon dilution per 100 sq. ft. soil or plant area.

WARNING: May be fatal if swallowed. Harmful dust. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

Keep away from heat and open flame. Do not allow children and pets to play on treated areas until residues have been washed off and into the ground.

This product is toxic to birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

ANTIDOTE . . . Give a tablespoon of salt in glass of warm water, and repeat until vomit fluid is clear. Then give two tablespoons of Epsom Salts in water. Have patient lie down and keep warm. Give strong tea or coffee or one teaspoonful of aromatic spirits of ammonia in water. Call a Physician.