

ACCEPTED
802-376
AUG 01 1980
EPA Est. No. 802-376

Milton's

SLUGSPRA-50

(50% Metaldehyde Spray Powder)

ACTIVE INGREDIENT
Metaldehyde..... 50%
INERT INGREDIENTS..... 50%
Total..... 100%

Kills Slugs

FOR COMMERCIAL USE ONLY

ORNAMENTALS - FLOWERS - LAWNS - SHRUBS

KILL SLUGS and all Slug Eggs Contacted


KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for Statement of Practical Treatment
and additional Precautionary Statements.

NET WEIGHT 4 LBS.

THE CHAS. H. LILLY CO., PORTLAND, OREGON 97218 EPA Est. 802-OR-1 EPA Reg. No. 802-376



ACCEPTED
802-376
AUG 01 1980

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse (or equivalent) and dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

NOTE: Follow directions carefully. Timing and method of application and other factors such as weather conditions, soil conditions, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

LC-6P

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful dust. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat and open flame. Do not allow children and pets to play on treated areas until residues have been washed off and into the ground.

STATEMENT OF PRACTICAL TREATMENT

ANTIDOTE: Drink one or two glasses of water and induce vomiting by sticking back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARD

This product is toxic to birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



10-2-16

USE DIRECTIONS

HOSE-ON TYPE OF APPLICATOR

1. Use one tablespoon Miller's SLUGPRE-80 to each gallon delivered by applicator.
2. Apply 1 gallon dilution to approximately 100 sq. ft. soil or plant area.

SPRINKLING CAN APPLICATION

1. Use one tablespoon Miller's SLUGPRE-80 to each gallon of water.
2. Sprinkle evenly over area to be treated, using about one gallon dilution per 100 sq. ft. soil or plant area.

APPLICATION DIRECTIONS

1. Make thin paste with required amount of Miller's Slugpre-80 and small amount of water, then add balance of water.
2. Agitate sufficiently to maintain uniform suspension.
3. Spray all surfaces, plant and ground, over which slugs may crawl. Apply only to non-food crops.
4. Apply in the evening for best results.
5. Repeat applications as often as necessary, at about 7 to 10 day intervals, to control slugs hatching from eggs.
6. **IMPORTANT** — moist soil conditions are essential for good results. An ideal time would be after a rainy day or after irrigation. If necessary sprinkle or irrigate before treating.
7. **NOTE** . . . Repeated very light applications are necessary to control slugs hatching from eggs. Metaldehyde volatilizes readily when exposed to the air. Keep container tightly closed to maintain full strength.

