

PM 12 0 RC 807-176

5

APR 20 1990

Ms. Molly Klattke  
The Chas. H. Lilly Company  
7737 N.E. Killingsworth  
Portland, Or 97218

Dear Ms. Klattke:

Subject: Review of Labeling in response to field letter  
Registration No. 10000  
Mills' Pesticide-50  
EPA Registration No. 816-100  
Your submission of 10/20/89, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes given below before you release the product for shipment using the proposed labeling.

1. Place the following statement on the front panel:

"This pesticide may be fatal to you or your livestock if you do not follow the directions on the label."

.....

.....

.....

.....

CONTINUE ON PRACTICAL TREATMENT

.....

.....

.....

.....

**BEST AVAILABLE COPY**

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

24  
-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide Rodenticide Branch  
Registration Division (H7505C)

Colors: Yellow background, black type.  
Type: As Indicated, all other 6 pt. minimum

Front panel:

MILLER'S SLUGSPRA-50  
(50% Metaldehyde Spray Powder)

For Commercial Use Only  
Ornamentals - Flowers - Lawns - Shrubs  
Kill slugs and all slug eggs contacted

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated**

ACTIVE INGREDIENT:  
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-  
tetraoxycyclo-octane) . . . . . 50%  
INERT INGREDIENTS . . . . . 50%

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
802-376

Keep out of reach of children (12 pt. type)  
WARNING (18 pt. type)

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

WARNING: May be fatal if swallowed. Harmful dust. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat and open flame. Do not allow children and pets to play on treated area until residues have been washed off and onto the ground.

**STATEMENT OF PRACTICAL TREATMENT**

ANTIDOTE: Drink one or two glasses of water and induce vomiting by sticking back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

**ENVIRONMENTAL HAZARD**

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Completely empty container by shaking and tapping sides and bottom to

**BEST AVAILABLE COPY**

4

loosen clinging particles. Empty residue into application equipment. Then dispose of bag in a sanitary landfill or by incineration if allowed by State and local authorities.

#### HOSE ON TYPE OF APPLICATOR

1. Use one tablespoon Miller's Slugspra-50 to each gallon delivered by applicator.
2. Apply 1 gallon dilution to approximately 100 sq. ft. soil or plant area.

#### SPRINKLING CAN APPLICATION

1. Use one tablespoon Miller's Slugspra-50 to each gallon of water.
2. Sprinkle evenly area to be treated, using about one gallon dilution per 100 sq. ft. soil or plant area.

#### APPLICATION DIRECTIONS

1. Make thin paste with required amount of Miller's Slugspra-50 and small amount of water, then add balance of water.
2. Agitate sufficiently to maintain uniform suspension.
3. Spray all surfaces, plant and ground, over which slugs may crawl. Apply only to non-food crops.
4. Apply in the evening for best results.
5. Repeat applications as often as necessary at about 7 to 10 day intervals, to control slugs hatching from eggs.
6. IMPORTANT - moist soil conditions are essential for good results. An ideal time would be after a rainy day or after irrigation. If necessary sprinkle or irrigate before treating.
7. NOTE ... Repeated very light applications are necessary to control slugs hatching from eggs. Metaldehyde volatilizes readily when exposed to the air. Keep container tightly closed to maintain full strength.

NOTE: Follow directions carefully. Timing and method of applications, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

#### LIMIT OF WARRANTY AND LIABILITY

The Chas. H. LILLY Co. (LILLY) warrants that this product conforms to the chemical or other description on the label (and/or instructions) and is reasonably fit for the purposes set forth on the label (and/or instructions) when used strictly in accordance with the label (and/or instructions) under the conditions described there. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the following conditions:

\*Buyer and all users shall promptly notify LILLY of any claims whether based in contract, negligence, strict liability, other tort, or otherwise.

\*THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF LIABILITY OF LILLY FOR ANY LOSS, INJURY OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (including claims based upon contract, negligence, strict liability, other tort, or otherwise) SHALL BE:

**BEST AVAILABLE COPY**

1. The purchase price paid for the product; or at the election of LILLY  
2. The replacement of such quantity of the product as is involved.  
IN NO EVENT SHALL LILLY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL  
DAMAGES.

\*LILLY agents have no authority to give warranties or make  
representations on its behalf, concerning the use, quality or  
performance of this product, or in any other respect.

\*The use, handling, storage, and other influencing factors are beyond  
the control of LILLY. Buyer assumes all risk of loss, injury, or damage  
due to use, handling, storage and other influencing factors, including  
but not limited to, incompatibility with other products, and weather  
conditions.

NET WEIGHT 25 LBS.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-376  
EPA Est. 802-OR-1