

Colors: Yellow and white background, black type.
Type Size: as indicated, all other 6 pt minimum.

Front panel label text:

Miller's M and M SPRAY 22E
INSECTICIDE FOR
ALFALFA, CLOVER and PEAS

Alternate Name: Lilly/Miller M and M Spray 22E

ACTIVE INGREDIENTS:

✓ Malathion: 0,0-dimethyl phosphorodithioate
of diethyl mercaptosuccinate 23.2%
*Methoxychlor, Technical 23.2%
INERT INGREDIENTS 53.6%

*Equivalent to 20.416% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane
and 2.784% other isomers and reaction products.


NET CONTENTS _____ GALLONS

Keep out of reach of children (10 pt)
CAUTION (14 pt)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin.
Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.
Wash skin thoroughly after handling. Remove and wash contaminated
clothing before reuse.



STATEMENT OF PRACTICAL TREATMENT

If On Skin: Wash with plenty of soap and water. If In Eyes: Flush with
water for 15 minutes. Get medical attention. Note To Physician:
Malathion is an acetyl cholinesterase inhibitor. Atropine is
antidotal.

✓ ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic
life stages of amphibians. Do not apply directly to water or wetlands
(i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be
hazardous to aquatic organisms in areas near the application site. Do
not contaminate water when disposing of equipment washwaters.

✓ This product is highly toxic to bees exposed to direct treatment on
blooming crops or weeds. Do not apply this product or allow it to
drift to blooming crops or weeds if bees are visiting the treatment
area.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat and open flame.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

RE-ENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until spray has dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.


Written or oral warnings must be given to workers who are expected to be in a treated area or an area about to be treated. Oral warnings must be given if written warnings cannot be understood by workers and must be in a language they understand. Give specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, the period of time field must be vacated, and appropriate actions to take in case of accidental exposure. Written warnings must include the following information: CAUTION. Area treated with M and M Spray 22E on (date and time of application). Do not enter without full protective clothing until sprays have dried. If accidental exposure occurs, get medical attention.

STORAGE AND DISPOSAL

STORAGE: Keep in a locked storage area. Do not contaminate water, food or feed by storage or disposal. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State and local procedures. Metal Drums: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Please read entire label. Use only as directed, noting all cautions. Shake well before using.



ALFALFA

For control of Alfalfa Weevil, Alfalfa Caterpillar, Spittlebugs, Leafhoppers, Pea Leaf Weevil, Western Spotted Cucumber Beetle and Aphids. Use amount required in 10 gal. of water by air, or 20 gal. of water with ground equipment.

BEST AVAILABLE COPY

First Cutting-Apply 2 to 3 quarts per acre as soon as weevil damage appears in the field. Early application is desired to control the weevil when they are small. Do not apply within 7 days of harvest. Do not apply after full bloom.

Stubble Spraying-in areas where weevil appears at cutting time. Remove first cutting and apply 2 to 3 qts. per acre to stubble to control weevil larvae and aphids.

Second Cutting-Apply 2 to 3 qts. per acre to control alfalfa weevil and other insects as they appear. Do not apply within 7 days of harvest. Do not apply after full bloom.

CLOVER

For the control of Clover Leaf Weevil, apply 2 qts. (in approximately 25 gal. of water) per acre. Apply in spray when clover is 2 to 6 inches tall.

For the control of Meadow Spittlebug, apply 2 qts. (in approximately 25 gal. water) per acre. Apply in spring within a week after eggs begin to hatch. As a fall treatment, apply 3 qts. (in approximately 25 gal. of water) per acre. Make application in early September.

Treat clover in bloom only when bees and other pollinators are not visiting plants. Do not apply closer than 7 days of harvest.

PEAS

For the control of Pea Aphid, Pea Leaf Weevil, Alfalfa Looper.

Apply at the rate of 2 to 3 qts. per acre for Pea Aphid and Pea Leaf Weevil. For Alfalfa Looper, apply at the rate of 1 gal. per acre.

Use sufficient water to insure thorough coverage (5 to 10 gal. by air; 20 gal. by ground application). Repeat applications as needed to maintain control.

For the control of Pea Weevil, apply at the same rates as above Pea Aphid during early bloom period before eggs are laid. Repeat in 5 days.

Do not apply within 7 days of harvest.

LIMIT OF WARRANTY AND LIABILITY

The Chas. H. LILLY Co. (LILLY) warrants that this product conforms to the chemical or other description on the label (and/or instructions) and is reasonably fit for the purposes set forth on the label (and/or instructions) when used strictly in accordance with the label (and/or instructions) under the conditions described there. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the following conditions:

*Buyer and all users shall promptly notify LILLY of any claims whether based in contract, negligence, strict liability, other tort, or

BEST AVAILABLE COPY

otherwise.

*THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF LIABILITY OF LILLY FOR ANY LOS, INJURY OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (including claims based upon contract, negligence, strict liability, other tort, or otherwise) SHALL BE:

1. The purchase price paid for the product, or at the election of LILLY
2. The replacement of such quantity of the product as is involved.

IN NO EVENT SHALL LILLY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

*LILLY agents have no authority to give warranties or make representations on its behalf, concerning the use, quality or performance of this product, or in any other respect.

*The use, handling, storage, and other influencing factors are beyond the control of LILLY. Buyer assumes all risk of loss, injury, or damage due to us handling, storage and other influencing factors, including but not limited to, incompatibility with other products, and weather conditions.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-398
EPA Est. 802-OR-1

