

Miller's MOSQUITOCIDE B-2G

A RESIDUAL MOSQUITO LARVICIDE CONTAINING 2% BAYTEX*

FOR USE ONLY BY MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH OFFICIALS AND OTHER TRAINED PERSONNEL OF PUBLIC MOSQUITO CONTROL PROGRAMS

E.P.A. Reg. No. 802-411-AA

Active ingredient

Baytex (2% BAYTEX)	2%
Inert ingredients	98%
U.S. Patent No. 3,042,703	Total 100%

DIRECTIONS FOR USE

Miller's Mosquito B-2G is a residual larvicide for use in mosquito control programs. It is applied to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

For use in mosquito control programs, apply B-2G to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

For use in mosquito control programs, apply B-2G to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

For use in mosquito control programs, apply B-2G to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

For use in mosquito control programs, apply B-2G to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

For use in mosquito control programs, apply B-2G to breeding areas of mosquitoes in the form of a dust or spray. It is effective against the larvae of the common house mosquito, the yellow fever mosquito, and the malarial mosquito.

CAUTION – Keep out of reach of children

Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use.

Avoid contamination of feed and food. Birds feeding on treated areas will be killed. If poisoning occurs, obtain prompt medical aid. Note to Physician: Atropine sulfate is antidotal. Destroy empty container. Do not re-use for any purpose.

RESTRICTIONS

1. This product is toxic to juvenile shrimp and crabs. Do not apply where these are important resources.
2. Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.
3. Do not use on crops used for food or forage.
4. Do not use treated manure on land in which food crops are to be grown.

NET WEIGHT
50 POUNDS

— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
Portland, Ore. 97214

