


RESTRICTED USE PESTICIDE
 For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



POISON
 See Back Panel
 for Antidote &
 Precautions

DANGER
 Keep Out of
 Reach of
 Children

Miller's

PARATHION 25W (25% Parathion
 Spray Powder)


AGRICULTURAL INSECTICIDE

ORGANOPHOSPHORUS INSECTICIDE
 ACTIVE INGREDIENT 25.0%
 Parathion
 INERT INGREDIENTS 75.0%
 *O-1,6-dimethyl-0-p-nitrophenyl thiophosphate


NOT FOR HOME USE
 See back panel for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.
 NOTICE: Read and re-read carefully. Timing and method of application, weather and other conditions, mixture with other materials, and type of spray recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use. All usage or handling of this material must conform to the label and directions given hereon.

Read Label Under for additional use precautions, directions for use, recommendations and container disposal.


DANGER - POISON - PRECAUTIONS ☠



POISONOUS IF SWALLOWED
 Even in small amounts!



POISONOUS BY SKIN CONTACT
 Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).



POISONOUS IF BREATHED
 Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion or in parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH & WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

NET WT. 4 LBS.

Manufactured for . . .
THE CHAS. H. LILLY CO.
 Portland, Oregon 97218

EPA Reg. No. 802-412

EPA Est _____

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

POISON
ACCEPTED

JUN 10 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA registration number 412.

Miller's



DANGER

Keep Out of
Reach of
Children

DOCUMENT AVAILABLE

PARATHION 25W (25% Parathion Spray Powder)

AGRICULTURAL INSECTICIDE

ORGANOPHOSPHORUS INSECTICIDE

NOT FOR HOME USE

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

POSTING TREATED AREA Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to parathion; describe his condition. **Until medical help is available take following steps.**

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

After first aid is given and physician can not come, take victim to clinic or hospital. Bring "Label Folder" Give to physician.

LC 211


NOTE TO PHYSICIAN

ANTIDOTE—Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAM chloride** is also antidotal and may be administered in conjunction with atropine. **Do not give morphine or tranquilizers.**


Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated, for at least 48 to 72 hours.


DANGER – POISON – PRECAUTIONS ☠



POISONOUS IF SWALLOWED
Even in small amounts!



POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).



POISONOUS IF BREATHED
Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion or in parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH & WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators under their direct supervision and only for those uses for which the Certified Applicator's certification is required.

POISON
See Side Panels for Antidote & Precautions



Miller's

PARATHION 25
AGRICULTURAL INSECTICIDE

ORGANOPHOSPHORUS INSECTICIDE NOT FOR HUMAN USE
ACTIVE INGREDIENT: *Parathion 25.0%
INERT INGREDIENTS 75.0%
*O,O-diethyl O-p-nitrophenyl thiophosphate

See side panels for symptoms, first aid, and first aid kit information for phy areas.

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal.

NOTICE: Follow method of application for mixtures with other pesticides recommended, and do not use this product in areas where Buyer assumes responsibility of this material. See instructions given here.

ACCEPTED
JUN 23 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under Reg. No. 802-412

Manufactured for . . .
THE CHAS. H. LILLY CO.
Portland, Oregon 97218
E.P.A. Reg. No. 802-412

RESTRICTED USE PESTICIDE

Use and use only by Certified Applicators or persons under direct supervision and only for those uses covered by the label's certification.



DANGER

Keep Out of
Reach of
Children

THION 25W

(25% Parathion
Spray Powder)

AGRICULTURAL INSECTICIDE

INSECTICIDE

NOT FOR HOME USE

See side panel for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

10/74

Manufactured for ...

THE CHAS. H. LILLY CO.
Portland, Oregon 97218

E.P.A. Reg. No. 802-412

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pinpoint pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooping or frothing of mouth and nose, muscle spasms and coma.

POSTING TREATED AREAS: Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to parathion; describe his condition. Until medical help is available, take following steps.

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. First give soapy water or strong salty water to drink then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

After first aid is given and physician can not come, take victim to clinic or hospital. Bring "Label Folder." Give to physician.

NOTE TO PHYSICIAN

ANTIDOTE—Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also an antidotal and may be administered in conjunction with atropine. Do not give morphine or tranquilizers.

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.