

Ms. Molly Klettke  
The Chas. H. Lilly Company  
7737 NE. Killingsworth  
Portland, OR 97218

Dear Ms. Klettke:

Subject: Revised Labeling  
Lilly/Miller Superior Type Spray Oil  
EPA Registration No. 802-415  
Your Application Dated July 19, 1990

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
2. Change the Environmental Hazards section to read:

This product is toxic to fish. Do not apply directly to water. ~~Do not apply when weather conditions favor drift from areas treated.~~ Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

54292: I:CR-44:WP5.0:Andreasen:C.Disk:KEVRIC:01/04/91:CT:WO:EK:CT:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

387

LILLY/MILLER  
Superior Type  
SPRAY OIL

ACTIVE INGREDIENT:  
Petroleum Oil . . . . . 99%  
INERT INGREDIENTS . . . . . 1%

Minimum Unsulfonated Residue 92%  
Petroleum Oils Classification - unclassified  
A 70 second viscosity type oil

For Dormant & Summer use  
Controls Red Spider Mites

Keep out of reach of children  
CAUTION  
See right side panel for additional cautions

NET CONTENTS 1 QUART

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin.  
Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately. If In Eyes: Flush with plenty of water. If Irritation persists, get medical attention. If On Skin: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning or disposing of equipment or wastes. Apply this product only as specified on the label. Washwaters.

*This product is toxic to fish.*

ACCEPTED  
with COMMENTS  
to EPA Letter Dated

JAN 16 1991

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

802-415

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Please read entire label. Use only as directed, noting all cautions. Consult State Agricultural Experiment Station or State Extension Authorities for exact timing and spacing of sprays in your area.

FIELD TO USE	WHEN TO USE	Tablespoons per gal. of water	Amount per 100 gal. of water
APPLES - East Hill & Sids in control of	Dormant or Summer Use	4	1 1/2 to 2 gallons
		3	1 to 1 1/2 gallons
APPLES, PEARS - San Jose Scale, Italian Pear Scale,	Dormant or Dormant	3	2 gallons

497

Eggs of Aphids, Red Spider Mites

Red Spider Mites	Summer Use	2	3 to 4 quarts
San Jose & Italian Pear Scales (Summer forms)	Summer Use	3	1 to 1 1/2 gallons
PEARS - Pear Psylla	Delayed Dormant*	5	2 gallons
	Summer Use	3	1 to 1 1/2 gallons
Red Spider Mites	Delayed Dormant* & Fall Spray	5	2 gallons
APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS, PRUNES, WALNUTS and ALMONDS - Scales: Brown Apricot, Black, San Jose, Olive (Parlatoria), (Blender, Frosted, Italian Free, European Fruit Lecanium, Putnam, Soft Brown Eggs of Aphids, Red Spider Mites	Dormant or Delayed Dormant*	5	2 gallons
Red Spider Mites	Summer Use	2	3 to 4 quarts
Brown Apricot & San Jose Scales (Summer stages)	Summer Use	2 1/2	1 gallon
ORNAMENTALS AND SHADE TREES - Birch, Cherry (flowering), Dogwood, Evergreens (see notes), Hawthorn, Holly, Magnolia, Maple, Oak, Peach (flowering), Privet, Pyracantha, Sycamores	Dormant or Delayed Dormant* Spray on Deciduous Varieties	5	2 gallons
	Dormant or Delayed Dormant* Spray on Evergreen Varieties	2 1/2	1 gallon
Red Spider Mites and Eggs, Scales: Soft Brown, Oyster Shell, Brown Apricot, Black, and San Jose.	NOTE: May cause discoloration of Blue Spruce. Do not use on Evergreens or Ferns not tolerant to oil sprays.		
FIGS - Fig Scale	Dormant or Delayed Dormant*	7 1/2	3 gallons
OLIVES - Spider Mites, Scales: Parlatoria, (Blender and Black)	* Pre-bloom or post bloom up to budshot**	2 1/2	1 gallon
ORANGES (Valencia) Red	Do not use later than	7 1/2	1 gallon

597  
Spider Mites, Scale:  
Red, Black, Yellow &  
Purple

Sept. 1st

\*Delayed Dormant - The period just before blossom buds break open.  
\*Indicated - Young olives about the size of peas.

NOTE: This product may be combined with Lilly/Hiller Polysul Summer &  
Dormant Spray for use as a dormant combination spray. Refer to the  
Lilly/Hiller Polysul label for recommended rates.

#### PEARS - DORMANT APPLICATION ONLY

To Control Adult Pear Psylla and Suppress Egg Depositing: Spray 8 to 10  
gallons Superior Type Spray Oil per acre. This dosage may be applied  
undiluted by aircraft, or mixed with water to apply 25 to 100 gallons of  
solution per acre with concentrated ground equipment. Make application  
just before adult psylla begin to deposit eggs. Temperature should be 40  
degrees F or higher with no frost or wind expected. Caution: Do not use  
on trees weakened by disease, wind, drought or high nitrogen  
applications. Do not apply to frozen trees covered with ice, snow or  
when dripping wet.

#### USE PRECAUTIONS

For foliage application the spray tank must be free of any sulfur residue  
before using this material. Do not combine sulfur sprays with this  
material on foliage during spring and summer months and do not follow a  
previous application of sulfur or apply sulfur following an application  
of this material until sufficient time has elapsed for safety (at least  
30 days). If in doubt, spray a portion of one tree previously treated  
with sulphur using 2 1/2 tbsp. oil to 1 gallon of water (1 quart of oil  
to 25 gallons of water). If sufficient time has not elapsed, burn will  
show in several days.

Do not use oil spray when temperatures are above 90 degrees F. When  
temperatures drop below 32 degrees F during night, do not spray tree and  
vine crops until daytime temperatures have warmed to a point above 35  
degrees F and crops are free from moisture due to melting frost or heavy  
dew.

Do not use on foliage closer than 60 days after or 90 days before using  
CAUTION or PHALIAN products. Do not use in combination with SEVIN.  
Application to trees weakened by disease, drought, drying winds, or high  
nitrogen applications may result in die injury.

PHALIAN is the registered trademark for phthalimide fungicide.  
SEVIN is the reg. I.N. of Rhodé-Politénc for carbaryl insecticide.

#### STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage  
area out of reach of children and domestic animals. Do not reuse  
container. Rinse thoroughly before discarding and securely wrap original  
container in several layers of newspaper and discard in trash.

NOTE: Follow directions carefully. Timing and method of application.

862-23 (Sunspray<sup>®</sup> GE Plus)  
was 4-6 gal/acre

whether or not conditions, mixtures with other chemicals not specified, the recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions on the label.

FOR THE USE OF THE USER  
FOR THE USE OF THE USER  
FOR THE USE OF THE USER  
FOR THE USE OF THE USER

WARRANTY OF QUALITY AND LIABILITY STATEMENT, OBLIGATION, RESERVE  
WARRANTY OF QUALITY AND LIABILITY STATEMENT, OBLIGATION, RESERVE  
WARRANTY OF QUALITY AND LIABILITY STATEMENT, OBLIGATION, RESERVE

In order to use this product through a complete registration system.

FOR THE USE OF THE USER

When applying this product to such a machine, it is directly or through direct or indirect means to other persons. The areas being treated must be protected by appropriate persons. Do not enter treated areas without proper clothing until sprays have dried. Because certain studies in various countries have shown that certain individuals for various crops treated with this material, contact your State Department of Agriculture for further information.

When applying this product to such a machine, it is directly or through direct or indirect means to other persons.

When using this product, warnings must be given to workers who are expected to be in the area of the area about to be treated. Oral warnings must be given to workers who cannot be understood by workers and must be in a language they understand. Give specific oral warnings which inform workers of areas of fields that may not be entered without specific protective clothing. The period of time fields must be vacated, and appropriate clothing to be worn, is of accidental exposure. Written warnings must include the following information: "DANGER: Avoid contact with skin, eyes, nose, mouth, and clothing. Do not eat, drink, or smoke. Do not apply to food crops until sprays have dried."

When using this product, warnings must be given to workers who are expected to be in the area of the area about to be treated.

FOR THE USE OF THE USER

When using this product, warnings must be given to workers who are expected to be in the area of the area about to be treated. Oral warnings must be given to workers who cannot be understood by workers and must be in a language they understand. Give specific oral warnings which inform workers of areas of fields that may not be entered without specific protective clothing. The period of time fields must be vacated, and appropriate clothing to be worn, is of accidental exposure. Written warnings must include the following information: "DANGER: Avoid contact with skin, eyes, nose, mouth, and clothing. Do not eat, drink, or smoke. Do not apply to food crops until sprays have dried."

FOR THE USE OF THE USER

The manufacturer warrants that this product conforms to the description (either description on the label and/or instructions) and is reasonably fit for the purpose set forth on the label (and/or instructions) under the conditions described there. DO NOT USE UNLESS ON

2  
1

IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the following conditions:

Buyer and all users shall promptly notify LILLY of any claims whether based in contract, negligence, strict liability, other tort, or otherwise.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF LIABILITY OF LILLY FOR ANY LOSS, INJURY OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (including claims based upon contract, negligence, strict liability, other tort, or otherwise) shall be:

1. The purchase price paid for the product, or 2. The election of LILLY.

The replacement of such quantity of the product as is involved. LILLY SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES.

LILLY and its agents do not have authority to give warranties or make representations on its behalf, concerning the name, quality or performance of this product, or on any other respect.

Transport, handling, storage, and other intervening factors are beyond the control of LILLY. Buyer assumes all risk of loss, injury, or damage due to use, handling, storage and other intervening factors, including but not limited to, incompatibility with other products, and weather conditions.