

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (with X in Other)

OPP Identifier Number 278637

Application for Pesticide - Section I

1. Company/Product Number: 802-415
2. EPA Product Manager: Jim Tompkins
3. Proposed Classification: [X] None [] Restricted
4. Company/Product (Name): Lilly Miller Superior Type Spray Oil
5. Name and Address of Applicant: Central Garden & Pet dba Lilly Miller Brands
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated submission of latest labels. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below. NOTIFICATION OCT 19 2001

Explanation: Use additional page(s) if necessary. (For section I and Section II.) This notification is consistent with PRN 98-10 and 40CFR152.46 and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 USC 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN 98-10 and 40CFR152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under FIFRA sec 12

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other (Specify). 3. Location of Net Contents Information: Label, Container. 4. Size(s) Retail Container. 5. Location of Label Directions: On Label, On Labeling accompanying product. 6. Manner in Which Label is Affixed to Product: Lithograph, Paper glued, Stenciled, Other.

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name: Molly E. Hickman, Title: Technical Services Manager, Telephone No. (Include Area Code): 503-451-4436

Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 2. Signature: Molly E. Hickman, 3. Title: Technical Services Manager, 4. Typed Name: Molly E. Hickman, 5. Date: 10-2-2001, 6. Date Application Received (Stamped)



CCC File # P-9977 P-11 448823

reduction



LILLY MILLER BRANDS
 11111 Street
 Clackamas, Oregon 97015
 EPA Reg. No. 802-415
 EPA Est. No. 033518-CN-001
 09 50 5070 - 08/01
 Printed in U.S.A.
 Product of Canada

- Contains highly refined horticultural oil
- Smothers listed pests and their eggs
- A traditional, time-tested product

Superior **SPRAY OIL**
 Type **SPRAY OIL**

PULL HERE TO OPEN
 PRESS TO RESEAL

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

NOTIFICATION
 OCT 19 2001

WHERE TO USE	WHEN TO USE	Tablespoons per gal. of water
APPLES —Rust Mite (aids in control of)	Delayed Dormant:	4
	Summer Use	2 1/2
APPLES, PEARS —San Jose Scale, Italian Pear Scale, Eggs of Aphids, Red Spider Mites	Dormant or Delayed Dormant*	5
	Summer Use	2 1/2
Red Spider Mites	Summer Use	2
San Jose & Italian Pear Scales (Summer forms)	Summer Use	2 1/2
PEARS —Pear Psylla	Delayed Dormant*	5
	Summer Use	2 1/2
Blister Mite	Delayed Dormant* & Fall Spray	5
APRICOTS, CHERRIES, NECTARINES PEACHES, PRUNES, WALNUTS and ALMONDS —Scales: Brown Apricot, Black, San Jose, Olive (Parlatoria), Oleander, Frosted, Italian Pear, European Fruit Lecanium, Putnam, Soft Brown, Eggs of Aphids, Red Spider Mites	Dormant or Delayed Dormant*	5
	Summer Use	2 1/2
Red Spider Mites	Summer Use	2
Brown Apricot & San Jose Scales (Summer stages)	Summer Use	2 1/2

WHERE TO USE	WHEN TO USE	Tablespoons per gal. of water
ORNAMENTALS and SHADE TREES such as: Birch, Cherry (flowering), Dogwood, Evergreens (see note), Hawthorn, Holly, Magnolia, Maple, Oak, Peach (flowering), Privet, Pyracantha, Roses, Sycamores—Red Spider Mites and Eggs, Scales: Soft Brown, Oyster Shell, Brown Apricot, Black, and San Jose	Dormant or Delayed Dormant* Spray on Deciduous Varieties	5
	Dormant or Delayed Dormant* Spray on Evergreen Varieties	2 1/2
FIGS —Fig Scale	Dormant or Delayed Dormant*	7 1/2
	Pre-bloom or post bloom up to buckshot**	2 1/2
ORANGES (Valencia) —Red Spider Mites, Scale: Red, Black, Yellow & Purple	Do not use later than September 1st	2 1/2

* Delayed Dormant—The period just before blossom buds break open.
 ** Buckshot—Young olives about the size of peas.

NOTE: This product may be combined with Lilly Miller Polysul Summer & Dormant Spray for use as a dormant combination spray. Refer to the Lilly Miller Polysul label for recommended rates.

USE PRECAUTIONS
 For foliage application the spray tank must be free of any sulfur residue before using this material. Do not combine sulfur sprays with this material on foliage during spring and summer months and do not follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has elapsed for safety (at least 30 days); if in doubt, spray a portion of one tree previously treated with sulfur using 2 1/2 Tbsp oil to 1 gallon of water (1 quart of oil to 25 gallons of water). If sufficient time has not elapsed, burn will show in several days.

Do not use oil spray when temperatures are above 90° F. When temperatures drop below 32° F during night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35° F and crops are free from moisture due to melting frost or heavy dews.

Do not use on foliage closer than 60 days after or 90 days before using CAPTAN or PHALTAN* products. Do not use in combination with SEVIN*. Application to trees weakened by disease, drought, drying winds, or high nitrogen applications may result in oil injury.

* PHALTAN is the registered trademark for phthalimide fungicide.
 * SEVIN* is the registered trademark of Rhône-Poulenc Ag Co. for carbaryl insecticide.

Minimum Unsulfonated Residue 92% Petroleum Oils Classification—Unclassified
 A 70 second viscosity type oil

STORAGE AND DISPOSAL
 Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT
 If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.
 If in Eyes: Flush with plenty of water. If irritation persists, get medical attention.
 If On Skin: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

NOTICE Follow directions carefully. Timing and method of application, weather or other conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

LILLY MILLER BRANDS
 15201 SE 9th
 CLACKAMAS, OREGON 97015
 EPA Reg. No. 802-415
 EPA Est. No. 033518 (FN 001)
 09 50 5070 - 08/01


reduction

273

Pre-Season
Protection

Lilly
Miller

DORMANT INSECTS SPRAY FOR INSECTS



Protects roses, fruits
and ornamental shrubs
Kills spider mites, scale
and aphid eggs

ACTIVE INGREDIENT:
Petroleum Oil 99%
INERT INGREDIENTS 1%

NET CONTENTS
1 QUART (946 ml)

Keep out of reach of children
CAUTION

09 60 3136 - 08/01

LILLY MILLER® DORMANT INSECTS SPRAY FOR INSECTS

- Contains highly refined horticultural oil
- Smothers listed pests and their eggs
- A traditional, time-tested product

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. SHAKE WELL BEFORE USING.

LILLY MILLER BRANDS
16201 SE 98th
CLACKAMAS, OREGON 97015
EPA Reg. No. 802-415
EPA Est. 33518-CN-01
09 60 3136 -08/01
Printed in U.S.A.
Product of Canada



PULL HERE TO OPEN
PRESS TO RESEAL

HOW DO I USE THIS SPRAYER?

1. Shake container well.
2. Remove the child-resistant closure and save it for resealing the container when you are finished.
3. Insert the dip tube of the hose-end applicator into the bottle and seal the applicator head tightly to the bottle.
4. Connect spray nozzle to garden hose.
5. Turn on the water from the faucet.
6. When you are ready to spray, turn the knob on top so that it points to the MIX position on the spray head. (Fig. 1)
7. The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray. (Fig. 2)

TO STOP SPRAYING:

1. When you are finished spraying or if you have to stop spraying at any time, turn the knob back to the OFF position. (Fig. 3)
2. Turn off the water from the faucet.
3. Turn the knob to H2O than OFF, to drain the water from the hose. (Fig. 4)
4. Unscrew spray nozzle from hose. Remove hose end from container.
5. Reseal the container with the child-resistant closure. Rinse the hose-end applicator.




Figure 1




Figure 2




Figure 3




Figure 4

USE PRECAUTIONS

Do not use oil spray when temperatures are above 90° F. When temperatures drop below 32° F during night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35° F and crops are free from moisture due to melting frost or heavy dews.

Application to trees weakened by disease, drought, drying winds, or high nitrogen applications may result in oil injury.

This product is only for dormant and delayed sprays as listed on this label. Spraying at any other time can cause plant injury.

For best results, completely cover all twigs, branches and trunk with spray.

DORMANT SPRAY (After leaves fall, buds dormant)

WHERE TO USE	WHEN TO USE
APPLES—Rust Mite (aids in control of)	Delayed Dormant
APPLES, PEARS—San Jose Scale, Italian Pear Scale, Eggs of Aphids, Red Spider Mite	Dormant or Delayed Dormant*
PEARS—Pear Psylla	Delayed Dormant*
Bistler Mite	Delayed Dormant* & Fall Spray**

APRICOTS, CHERRIES, NECTARINES, PEACHES, PRUNES, WALNUTS and ALMONDS—Scales: Brown Apricot, Black, San Jose, Olive (Parlatoria), Cleaner, Frosted, Italian, Pear, European, Fruit Lecanium, Putnam, Soft Brown, Eggs of Aphids, Red Spider Mites	Dormant or Delayed Dormant*
--	-----------------------------

ORNAMENTALS and SHRUB TREES: such as Birch, Cherry (flowering), Dogwood, Hawthorn, Holly, Magnolia, Maple, Oak, Peach (flowering), Privet, Pyracantha, Roses, Sycamores—Red Spider Mites and Eggs, Scales, Soft Brown, Oyster Shell Brown, Apricot, Black, and San Jose	Dormant or Delayed Dormant* Spray on Deciduous Varieties
---	---

NOTE: Do not use on evergreens or ferns.

*Delayed Dormant—The period just before blossom buds break open.
**Fall Spray—The period after harvest as leaves start to drop.

To control both insects and diseases LILLY MILLER DORMANT SPRAYS can be used together. Spray LILLY MILLER DORMANT SPRAY FOR DISEASE first and allow it to dry completely, usually 24 hours. Then spray LILLY MILLER DORMANT SPRAY FOR INSECTS.

Minimum Unsulfonated Residue 92%
Petroleum Oils Classification—unclassified
A 70 second viscosity type oil

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

5-CX File # 40911 Part 4488922

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately. If In Eyes: Flush with plenty of water. If irritation persists, get medical attention. If On Skin: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

LILLY MILLER BRANDS
16201 SE 98th
CLACKAMAS, OREGON 97015

EPA Reg. No. 802-415
EPA Est. 33518-CN-01

09 60 3136 -08/01

3
7
3