

Miller's 2,4-DICHLOROPHENOXY- ACETIC ACID, SODIUM SALT

ACCEPTED
August 21, 1973
802-422

RECEIVED
AUG 15 973
Pesticides Regulation
Division EPA

ACTIVE INGREDIENTS:
2,4-DICHLOROPHENOXYACETIC ACID, SODIUM SALT, MONOHYDRATE ----- 95%
(2,4-DICHLOROPHENOXYACETIC ACID EQUIVALENT 80.5%)
INERT INGREDIENTS ----- 5%

DIRECTIONS

WEED CONTROL IN ASPARAGUS: To control wild morning glory and certain other broad-leaved weeds in asparagus plantings, use 2 to 2 1/2 lbs. per acre in approximately 60 gals. of water. In airplane applications, use 2 lbs. in approximately 12 gals. of water per acre. A wetting agent can be added if desired in both ground and airplane sprays. Apply on actively growing weeds, usually in April or May. If spears are present, treat immediately after cutting. Make no more than 2 applications, and these should be spaced at least 1 month apart during the harvest season. Spears contacted by the spray may be malformed; these spears should be cut immediately and discarded. Post-harvest spraying should be only by ground rig, using drop nozzles to avoid spraying the fern.

CAUTION! IRRITATING DUST

Keep out of reach of children

HARMFUL IF SWALLOWED, AVOID INHALING DUST, AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

DO NOT STORE NEAR SEEDS, INSECTICIDES, FUNGICIDES, OR FERTILIZERS.

USE PRECAUTIONS

Do not apply 2,4-Dichlorophenoxyacetic Acid, Sodium Salt, directly to, or otherwise permit it to come into contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants which are sensitive to 2,4-D Sodium Salt and similar materials, and do not permit spray mist containing it to drift onto them, since even minute quantities of the spray may cause severe injury during both growing and dormant periods. (Coarse sprays are less likely to drift.) Accordingly, applications by airplane, ground rigs and hand dispensers should be carried out only when there is no hazard from drift. Do not apply by airplane in the vicinity of cotton, grapes or other desirable 2,4-D Sodium Salt susceptible vegetation. Do not contaminate irrigation ditches or water used for domestic purposes.

Do not store near fertilizers, seeds, insecticides or fungicides. Excessive amounts of 2,4-Dichlorophenoxyacetic Acid in the soil may temporarily inhibit seed germination or plant growth.

To avoid injury to desirable plants, do not store, handle or apply other agricultural chemicals with the same containers or equipment used for 2,4-D Sodium Salt.

Local conditions may affect the use of herbicides. State agricultural authorities in many states issue recommendations to fit local conditions.

Be sure that use of this product conforms to all applicable regulations.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by breaking or by punching holes in them and burying with wastes.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

U. S. Patents No. 2,390,941; 2,396,513; 2,453,983; Re. 23,115

E.P.A. REG. No. 802-422-AA

MP-2H

NET WEIGHT
50 POUNDS

THE CHAS. H. LILLY CO.
Portland, Oregon.

