

NET CONTENTS
ONE QUART

\$6.98

USE DIRECTIONS

MULTI-USE **Diazinon**[®]
insect spray

WHERE TO USE	CONTROL THESE PESTS	AMOUNT TO USE	REMARKS
ROSES, FLOWERS, SHRUBS Roses, Azaleas, Arborvitas, Camellias, Carnations, Chrysanthemums, Holly, Juniper, Pine, Lilac, Hawthorn, Birch, Willow, Rhododendron.	Aphids, Mites, Scale Crawlers (Cottony-Cushion, Lecanium, San Jose, Pine Needle, Soft Brown Scale), Leafhoppers, Leaf Miners, Bagworms, Thrips	1 tablespoon per gallon of water and apply as a thorough foliage spray.	Be sure to wet undersides of leaves as well as the tops. Spray all leaves and branches to the dripping point. Repeat as necessary.
FRUITS, BERRIES* Apples (14), Peaches (20), Plums (10), Grapes (10), Cherries (10), Strawberries (5), Blueberries (7), Cranberries (7).	Aphids, Mites, Codling Moth, Cherry Fruit Fly, Strawberry Fruitworms (Omnivorous Leaf Tier)	1 tablespoon per gallon of water and apply as a thorough foliage spray.	Begin spraying after blooming and repeat full coverage sprays at 7 to 10 day intervals or as necessary.
CITRUS FRUIT (all 21)* Oranges, Lemons, Limes, Grapefruit, Tangerines, Kumquats	Aphids, Leaf Rollers, Thrips	1 tablespoon per gallon of water and apply as a thorough foliage spray.	Apply first spray after bloom period (do not apply during bloom). Repeat as necessary.
VEGETABLES* Beans (7), Cabbage (7), Cucumbers (7), Melons (3), Squash (Summer 7, winter 3), Onions (10), Peas (0), Potatoes (35), Tomatoes (1).	Aphids, Beetles (Cucumber, Flea & Mexican Bean), Imported Cabbage Worms, Leaf Miners, Thrips	1 tablespoon per gallon of water and apply as a thorough foliage spray.	Apply sprays as necessary for insect control, usually at 7 to 10 day intervals.
SOIL TREATMENT IN VEGETABLE GARDENS Cabbage, Carrots, Corn, Lettuce, Peas, Beans, Radishes, Beets, Tomatoes, Turnips	Cutworms (surface and subterranean), Root Maggots, Garden Symphylans	1 pint per 750 sq. ft. soil area in sufficient water for complete coverage.	Make application to soil before planting. Thoroughly work into the top 4 to 8 inches of soil.
LAWNS Bluegrass, Bentgrass, Merion Bluegrass, Fescues, St. Augustine, Dichondra, Bermuda.	Sod Webworm, Chinch Bugs, Bermuda Mites, Clover Mites, Ants, Ticks, Bill Bugs	3 tablespoons per gallon of water to cover 125 sq. ft. of lawn (¾ cup in 4 gallons of water for 500 sq. ft.).	Thoroughly water lawn before treatment, except for Bill Bugs—water after treatment.
NUISANCE PEST CONTROL IN OUTDOOR AREA	Flies, Ants, Cockroaches, Clover Mites, Spiders, Earwigs	8 fl. oz. (½ cup) in 2 gallons of water.	Thoroughly spray window frames, doors, sills, screens, porch or patio walls and ceilings, eaves, foundations, cracks, crevices, garbage cans, and other places where insects may hide or gather. NOTE: Do not spray plants with this dosage.

***USE PRECAUTIONS**
Observe number of days before harvest for last application noted in parenthesis by each food crop. Do not apply when honey bees are foraging in the garden.

FEB 11 1974
REGISTERED UNDER THE FEDERAL INSECTICIDE AND ROBOTICIDE ACT
ECONOMIC POISON CONTROL ACT
UNL-ER NO. 302-144
MAKES UP TO 64 GALLONS
O-G-diethyl O-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate... 18.780%
Aromatic Petroleum Derivative Solvents... 75.80%
Inert Ingredients... 7.78%

E.P.A. Reg. No. 802-444-AA

© DIAZINON IS THE REG. T.M. OF CIBA-GEIGY

WARNING — Keep out of reach of children
See side panels for additional warnings.