

For control of			
Bluegrass	Barley	Goldenrod	and certain
Bermudagrass	Wild Carrot	Mustard	weeds
Johnsongrass	Buttercup	Figweed	and many
Crackgrass	Buckhorn Plantain	Leafy Spurge	weeds
Richardgrass	Wild Primrose	Russian Knopweed	
Alfalfa	Morning Glory		

ONE  
QUART

\$1.98



# Systemic Grass & Weed Killer

**in such areas as**  
**Driveways, Walkways, Parking areas, under Fences, around Garages**  
**and other buildings and in other areas where vegetation is not wanted.**  
 May also be used for edging various areas.

Miller's Systemic Noxall GRASS AND WEED KILLER is a non-selective herbicide which acts by root and leaf absorption and leaves a temporary residue on the soil for control of weeds as they germinate. Action is slow under dry conditions and several days may be required before effects become fully apparent. Control is normally maintained for extended periods up to a full season.

**IMPORTANT**

Do not attempt to apply Miller's Systemic Noxall GRASS AND WEED KILLER when weeds are young and succulent or even before weed seeds begin germination and before they get large. This usually means late May or early June. In some areas, the best time to apply is just before or as fall rains start and weeds are beginning to grow. In California a timing of early winter or midwinter when soil moisture is high. Spot treatment may be necessary for plants missed in initial application or for the few resistant species which may re-grow.

**Storage Directions:** Keep out of reach of children. Do not store at temperatures above 100°F. For water and paint containers, use the original labeled containers.

**CAUTION**

CAUSES SKIN IRRITATION. MAY CAUSE EYE IRRITATION. Avoid eye contact. Avoid skin contact. In case of contact, wash skin with soap and plenty of running water. Flushes to the mouth, take plenty of drinking water. Do not eat, drink, or smoke and get medical attention.

Do not wear contaminated clothing or shoes.

**WARNING**

Do not apply directly to the face. Do not spray directly into the eyes. Do not inhale. Do not get on clothing. Do not get on children. Do not get on pets. Do not get on food.

Do not contaminate water, swimming water, or water used for drinking purposes. Do not contaminate water used for irrigation purposes.

Do not use in areas where it may be harmful to plants or animals. Do not use in areas where it may be harmful to fish or other aquatic life.

**MILLER PRODUCTS** Portland, Oregon 97218

**Active Ingredients**  
**Erbon [2-(2,4,5-Trichlorophenoxy)**  
**ethyl 2,2-Dichloropropionate 3.8%**  
**Related Compounds .....1.3%**  
**Inert ingredients .....94.9%**  
**Contains 0.4 pound active**  
**ingredient per gallon.**  
**U.S. Pat. No. 2,754,324.**

**CAUTION** Keep out of the reach of children  
 See left side panel for additional cautions

**DIRECTIONS FOR USE**

**MIXING THE SPRAY:** Mixes readily in water with agitation. Add the required amount to the water and stir until a uniform mixture is obtained. If mixture is allowed to stand, stir before using.

**FOR SPRAYER APPLICATION:** Add one quart to five quarts of water. Spray vegetation to wet. Also spray on gravel to prevent new weed seedlings from germinating. Use 3 quarts of spray mixture on 100 sq. ft. of area for top kill of weeds and temporary prevention of the germination of new weed seedlings. Where weeds are large or it is desired to maintain control for extended periods, use one quart of spray mixture on 40 sq. ft. of area.

**FOR SPRINKLING CAN APPLICATION:** Add one quart to one gallon of water. Use this amount on 100 sq. ft. of area for top kill of weeds and temporary prevention of the germination of new weed seedlings. Where weeds are large or it is desired to maintain control for extended periods, use one quart of spray mixture on 40 sq. ft. of area. Sprinkle evenly from a distance, wetting both the soil and the growing plants. For uniform distribution, the sprinkler can rapidly over the area to be treated. Do not spray on wet ground or on other vegetation.

**CERTAIN HOSE PROPORTIONERS** can be used to spray a greater amount of material in a given area than one quart to one gallon of water.

**FOR EDGING Walkways, Driveways, Curbs and similar areas:** Spray or sprinkle evenly and uniformly along the curb or edge of the area to be treated. Repeat in 10 to 15 days if necessary. Do not apply to wet areas where heavy rainfall could wash the material away. Do not spray on other vegetation.

**NOTE:** With any application method, it is important to apply the right amount to the area to be treated. Do not apply more than the amount indicated. Do not apply more than the amount indicated.

**FOR WEEDS REAPPEARING**

**NOTE 1:** If weeds reappear after treatment, it may be necessary to re-apply the product. Do not apply more than the amount indicated. Do not apply more than the amount indicated.