

[802-476]

# ROTENONE 1D

(1% Rotenone Dust)

## AGRICULTURAL INSECTICIDE

Active ingredient	
Rotenone .....	1.0%
Other Cube Resins.....	1.0%
Inert ingredients .....	98.0%

E.P.A. Reg. No. 802-476-AA

### CAUTION — Keep out of reach of children

Avoid inhalation of dust. Avoid contact with skin. In case of contact, wash with soap and water. Avoid contamination of feed and foodstuffs.

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.


### GENERAL DIRECTIONS

Apply on foliage on first appearance of insect or insect damage unless otherwise directed. Repeat applications as necessary for control. Do not apply to food crops within one day of harvest.

### SPECIFIC DIRECTIONS

Crop and Pest	Pounds per Acre
ASPARAGUS - Asparagus Beetle .....	30

NET WT. **50** POUNDS



THE CHAS. H. LILLY CO  
PORTLAND, OREGON

Crop and Pest	Pounds per Acre
<u>BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, CABBAGE</u> - Flea Beetles, Imported Cabbage Worm...	35
<u>SWISS CHARD</u> - Flea Beetles .....	30
<u>TOMATOES, PEPPERS</u> - Spotted Cucumber Beetles, Flea Beetles .....	50
<u>TURNIPS</u> - Flea Beetles .....	30

<u>BLACKBERRY, BOYSENBERRY, DEWBERRY, LOGANBERRY</u> <u>Raspberry Fruitworm</u> .....	30
Apply when blossom buds first appear and just before buds open.	
<u>Red-necked Cane Borer</u> .....	30
Apply just before plants bloom. Make 2nd application in 3 weeks.	

<u>CURRENTS and GOOSEBERRIES</u> <u>Gooseberry Fruitworm</u> .....	30 to 40
Apply when webbing is observed and 7 to 10 days later.	
<u>Imported Currant Worm</u> .....	25 to 40
Apply when worms appear.	

<u>RASPBERRIES</u> <u>Raspberry Fruitworms</u> .....	30
Apply when blossom buds appear and just before blossoms open.	

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MP-4J

