

802-485

10-19-2001

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
278637

Application for Pesticide - Section I

1. Company/Product Number 802-485	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lilly Miller Lawn Weed Killer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet dba Lilly Miller Brands 16201 SE 98th Clackamas OR 97015 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION OCT 19 2001
<input type="checkbox"/> Resubmission in response to Agency letter dated _____ addition of marketing copy and submission of _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below. latest label	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
This notification is consistent with PRN 98-10 and 40CFR152.46 and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 USC 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN 98-10 and 40CFR152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under FIFRA sec 12

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Molly E. Hickman	Title Technical Services Manager	Telephone No. (Include Area Code) 503-451-4436
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature <i>Molly E. Hickman</i>	3. Title Technical Services Manager	
4. Typed Name Molly E. Hickman	5. Date 10-12-01	


CONTROLS MORE
THAN 200 WEEDS!

Lilly
Miller®

Covers Up to
9,600 sq. ft.

LAWN WEED KILLER

KILLS LAWN WEEDS WITHOUT HARMING LAWN GRASSES



*Kills Dandelions
Clover, Plantain
Chickweed
Also Kills Hard to
Control Weeds
Begins Working
Overnight*

ACTIVE INGREDIENTS:
*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 9.41%
**Dimethylamine Salt of 2,2-methyl-4-chlorophenoxypropionic acid 14.54%
***Dimethylamine Salt of Dicamba (3,6-dichloro-p-anisic acid) 71.04%
INERT INGREDIENTS 95.01%
*2,4-Dichlorophenoxyacetic acid equivalent 17.82% (0.68 lbs. per gallon Isomer Specific by ADAC method)
**2,2-methyl-4-chlorophenoxypropionic acid equivalent 3.76% (0.125 lbs. per gallon)
***3,6-dichloro-p-anisic acid equivalent 0.075 lbs. per gallon

Keep out of reach of children

CAUTION

See back panel for additional
precautionary statements

**NET CONTENTS
1 QUART (946 ml)**

09 60 6326 - 7 01

NOTIFICATION

OCT 19 2001

Lilly
Miller®

LAWN WEED KILLER

- Kills lawn weeds without harming lawn grasses
- Covers up to 9,600 sq. ft.
- Kills dandelions, clover, plantain, chickweed
- Also kills hard to control weeds such as spurge, oxalis, and Japanese clover
- Begins working overnight
- Controls more than 200 weeds!
- Contains TRIMEC® Herbicide

TRIMEC is a registered trademark of PBI/Gordon Corporation.

Lilly Miller Brands
16201 SE 98th
Clackamas, OR 97015
EPA Reg. No. 802-485
EPA Est. 33518-CN-1
Form LM108-01
09 60 6326-7/01
Printed in U.S.A.
Product of Canada
www.lillymiller.com



PULL HERE TO OPEN
PRESS TO RESEAL

2/3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The maximum number of broadcast applications per treatment site is two per year. For household use only. KEEP FROM FREEZING.

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

LAWN WEED KILLER will kill even the worst lawn weeds - roots and all - without harming the grass.

For lawns containing bentgrass, use the special rate on the chart below. In California and the Southwest, do not use this product on dichondra, St. Augustinegrass, bahia grass, centipedegrass, carpetgrass, bermudagrass, buffalograss or Zoysia lawns.

Controls more than 200 weeds!

Annual yellow sweetclover	Burdock	Dichondra
Aster	Burning nettle	Dogbane
Austrian fieldcress	Burweed	Dogfennel
Bedstraw	Buttercup	Dollarweed
Beggarticks	Buttonweed	Elderberry
Betony, Florida	Canada thistle	False dandelion
Bindweed, field	Carolina geranium	False flax
Bird vetch	Carpetweed	False sunflower
Bitter wintercress	Catchweed bedstraw	Fiddleneck
Bittercress, hairy	Catnip	Florida pusley
Bitterweed	Catsear	Frenchweed
Black-eyed Susan	Chickweed, common	Galinsoga
Black medic	Chickweed, mouseear	Goathead
Black mustard	Chicory	Goldenrod
Blackseed plantain	Cinquefoil	Ground ivy
Blessed thistle	Clover, crimson	Gumweed
Bloodflower milkweed	Clover, hop	Hairy fleabane
Blue lettuce	Clover, red	Hawkweed
Blue vervain	Clover, strawberry	Healall
Bracted plantain	Clover, sweet	Heartleaf drymary
Brassbuttons	Clover, white	Heathaster
Bristly oxtongue	Cockle	Hedge bindweed
Broadleaf dock	Cocklebur	Hedge mustard
Broadleaf plantain	Common mullein	Hemp
Broomweed	Creeping jenny	Henbit
Buckhorn	Cudweed	Hoary cress
Buckhorn plantain	Curly dock	Hoary plantain
Bulbous buttercup	Daisy, English	Hoary vervain
Bull thistle	Daisy fleabane	Horsenettle
Bullnettle	Daisy, oxeye	Jimsonweed
Burclover	Dandelion	Knawel

Knotweed	Prostrate pigweed	Trailing arweed
Kochia	Prostrate spurge	Tumble mustard
Lambsquarters	Prostrate vervain	Tumble pigweed
Lespedeza	Puncturevine	Velvetleaf
Mallow	Purslane, common	Vernice mallow
Matchweed	Ragweed	Virginia buttonweed
Mexicanweed	Red sorrel	Virginia creeper
Milk vetch	Redroot pigweed	Virginia pepperweed
Morningglory	Redstem filaree	Water pennywort
Mouseear hawkweed	Rough cinquefoil	Wavyleaf bullthistle
Mugwort	Rough fleabane	Western clematis
Musk thistle	Russian pigweed	Western salsify
Mustard	Russian thistle	White mustard
Narrowleaf plantain	Scarlet pimpernel	Wild aster
Narrowleaf vetch	Scotch thistle	Wild buckwheat
Nettle	Sheep sorrel	Wild carrot
Orange hawkweed	Shepherdspurse	Wild four-o'clock
Oriental cocklebur	Slender plantain	Wild garlic
Oxalis	Smallflower galinsoga	Wild geranium
Parsley-piert	Smooth dock	Wild lettuce
Parsnip	Smooth pigweed	Wild marigold
Pearlwort	Sorrel	Wild mustard
Pennycress	Sowthistle	Wild onion
Pennywort	Spanishneedles	Wild parsnip
Peppergrass	Speedwell	Wild radish
Pepperweed	Spiny amaranth	Wild rape
Pigweed	Spiny cocklebur	Wild strawberry
Pineywoods	Spiny sowthistle	Wild sweet potato
bedstraw	Spotted catsear	Wild vetch
Plains coreopsis	Spotted spurge	Woodsorrel
(tickseed)	Spurweed	Woolly croton
Plantain	Stinging nettle	Woolly morningglory
Poison ivy	Strawberry, India	Woolly plantain
Poison oak	mock	Wormweed
Pokeweed	Tall nettle	Yarrow
Poorjoe	Tall vervain	Yellow rocket
Prairie sunflower	Tansy ragwort	Yellowflower
Prickly lettuce	Tansy mustard	pepperweed
Prickly sida	Tanweed	And other broadleaf
Prostrate knotweed	Thistle	weeds

HOW DO I USE THIS PRODUCT?

When to use: Spray any time weeds are actively growing - spring and fall are the best. Do not spray when temperatures will go above 85 degrees F or when rain is expected within 24 hours.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. When handling this product, wear chemical resistant gloves. Wear long pants, long-sleeved shirt, socks, shoes, gloves, face shield or goggles when mixing, loading or applying this product. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

ENVIRONMENTAL HAZARDS

Do not apply when weather conditions favor drift from target area. This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling when such use and/or handling is contrary to label instructions.

TRIMEC is a registered trademark of PBI/Gordon Corporation.

What to do: Spray the lawn evenly, using a coarse droplet spray. Wait for 24 hours after spraying to water the lawn. Continue to water and feed the lawn, to help fill in places where weeds have died. After 4 weeks, you may re-seed any remaining bare areas.

What not to do: Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray LAWN WEED KILLER in areas where shrub or tree roots may be located.

Mixing and Measuring - Shake Well Before Using

It's a good idea to have a separate sprayer just for weed killers, to avoid mix-ups.

Amount of Lawn Weed Killer	Fill to this level with water (gallons)	Spray to cover (square feet)
----------------------------	---	------------------------------

Hose-end Sprayers - Use a hose-end sprayer designed for lawns.
 2 Tbsp. (1 fl. oz.) 1 300 (15' x 20')
 1-1/4 cups (10 fl. oz.) 10 3000 (50' x 60')

Tank Sprayer - Use a spray pattern which gives small droplets without fine mist. Over-pumping the sprayer will make a fine mist.
 2 Tbsp. (1 fl. oz.) 1 300 (15' x 20')
 6 Tbsp. (3 fl. oz.) 3 900 (30' x 30')

New lawns and lawns containing Bentgrass - This is a special concentration; use it until grass has thickened up (6 - 8 weeks after seed has come up).
 1 Tbsp. (1/2 fl. oz.) 1 200 (10' x 20')

'Spot' Spray - To spray individual weeds, use any type of tank or trigger sprayer. Do not use a hose-end sprayer.
 4 Tbsp. (2 fl. oz.) 1 Wet each weed

WHAT WILL I SEE?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Keep from freezing. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

EPA Reg. No. 700-01-001-001