

802-485

12/04/2009

Jacket 1/8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

802-485

DEC - 4 2009

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Lilly Miller Lawn Weed Killer

Name and Address of Registrant (include ZIP Code):

Central Garden & Pet
c/o Lilly Miller Brands
1340 Treat Blvd., Ste. 650
Walnut Creek, CA 94597

~~Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.~~

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you:

1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
2. Make all the following changes to the product label:
 - a. Due to primary eye irritation toxicity, **child resistant packaging (CRP)** is required for this product.
 - b. Revise the **Hazards to Humans and Domestic Animals** statement to read as follows:
"DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), long-sleeved shirt, long pants, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse."
 - c. It is recommended that the **First Aid** section be enclosed in a box for prominence.
 - d. It is recommended that an emergency contact number be included in the **First Aid** section.

Continued on Page 2

Signature of Approving Official:

Joanne I. Miller
Senior Registration Specialist
Herbicide Branch
Registration Division (7505P)

/s/

Date:

DEC - 4 2009

- e. A **Note to Physician** section must be added with the statement "Probable mucosal damage may contraindicate the use of gastric lavage." preferably under the First Aid section.
- f. It is recommended that additional text be added to the **Note to Physician** section that addresses eye irritation concerns. The following are some suggested types of information that could be included, if applicable: Technical information on symptomatology; Use of supportive treatments to maintain life functions; Medicine that will counteract the specific physiological effects of the pesticide; Company telephone number to specific medical personnel who can provide specialized medical advice.
- g. Revise the first paragraph in the **Environmental Hazards** section to read as follows:
"This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems."
- h. Make the following changes under the **General Precautions and Restrictions** section:
 - i. Revise the heading from "General Precautions and Restrictions" to "Precautions and Restrictions".
 - ii. It is recommended that advisory precautions be distinguished from the mandatory restrictions by placing them under separate subsections.
 - iii. Add the restriction "Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only."
 - iv. Add the restriction "Do not apply as a fine mist because of potential for injury to desirable plants."
 - v. Add the restriction "Wait a minimum of 30 days between applications."
 - vi. Revise the restriction from "For household use only." to "For residential use only."
- i. Remove or revise the following claims, as they are false and misleading:
 - i. "Lawn Weed Killer will kill even the worst lawn weeds – roots ~~and all~~ – without harming the grass."
 - ii. "Lawn Weed Killer will kill all these weeds, ~~plus many more:~~

iii. "Controls ~~more than~~ 200 weeds!"

iv. Combine the "Pesticide Disposal" and "Container Disposal" sections to read as follows:

"Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain."

A stamped copy of your label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after twelve (12) months from the date of this notice or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure

Stamped 5-11-09 4/8

LILLY MILLER® LAWN WEED KILLER

[Additional Brand Name(s): Lilly Miller® Spurge & Oxalis Killer]

Optional Marketing Statements:

- Kills lawn weeds without harming lawn grasses
- Covers up to 9,600 sq. ft.
- Kills dandelions, clover, plantain, chickweed
- Also kills hard to control weeds such as spurge, oxalis, and Japanese clover
- Begins working overnight
- Controls more than 200 weeds!
- Contains TRIMEC® Herbicide

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

DEC - 4 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

802-485

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	9.41%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	2.27%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	1.04%
OTHER INGREDIENTS	<u>87.28%</u>
Total	100.00%

This product contains:


- 0.68 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 7.82%
- 0.17 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.87%
- 0.075 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 0.86%
- Isomer Specific by AOAC Methods.

Keep out of reach of children

DANGER

See back/side/other panel(s) for additional precautionary statements and First Aid

NET CONTENTS 1 QUART (946 ml)



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Causes irreversible eye damage. Harmful if swallowed. Avoid breathing spray mist. Do not get in eyes or on skin or clothing. When handling this product, wear face shield or goggles and chemical resistant gloves, long pants, long-sleeved shirt, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking chewing gum, using tobacco or using the toilet. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.


This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow



people or pets to enter the treated area until sprays have dried. The maximum number of broadcast applications per treatment site is two per year. For household use only. KEEP FROM FREEZING.

What is this product? And what will it do?

Lawn Weed Killer will kill even the worst lawn weeds--roots and all--without harming the grass.

For lawns containing bentgrass, use the special rate on the chart below. In California and the Southwest, do not use this product on dichondra, St. Augustinegrass, bahia grass, centipedegrass, carpetgrass, bermudagrass, buffalograss or Zoysia lawns.

Lawn Weed Killer will kill all these weeds, plus many more:

Controls more than 200 weeds! Including any or all of the following:

- | | | | |
|---------------------------|---------------------|-----------------------------|------------------------|
| Annual yellow sweetclover | Chickweed, mouseear | Henbit | Prickly sida |
| Aster | Chicory | Hoary cress | Prostrate knotweed |
| Austrian fieldcress | Cinquefoil | Hoary plantain | Prostrate pigweed |
| Bedstraw | Clover, crimson | Hoary vervain | Prostrate spurge |
| Beggarticks | Clover, hop | Horsenettle | Prostrate vervain |
| Betony, Florida | Clover, red | Jimsonweed | Puncturevine |
| Bindweed, field | Clover, strawberry | Knawel | Purslane, common |
| Bird vetch | Clover, sweet | Knotweed | Ragweed |
| Bitter wintercress | Clover, white | Kochia | Red sorrel |
| Bittercress, hairy | Cockle | Lambsquarters | Redroot pigweed |
| Bitterweed | Cocklebur | Lespedeza | Redstem filaree |
| Black-eyed Susan | Common mullein | Mallow | Rough cinquefoil |
| Black medic | Creeping jenny | Matchweed | Rough fleabane |
| Black mustard | Cudweed | Mexicanweed | Russian pigweed |
| Blackseed plantain | Curly dock | Milk vetch | Russian thistle |
| Blessed thistle | Daisy, English | Morningglory | Scarlet pimpernel |
| Bloodflower milkweed | Daisy fleabane | Mouseear hawkweed | Scotch thistle |
| Blue lettuce | Daisy, oxeye | Mugwort | Sheep sorrel |
| Blue vervain | Dandelion | Musk thistle | Shepherdspurge |
| Bracted plantain | Dichondra | Mustard | Slender plantain |
| Brassbuttons | Dogbane | Narrowleaf plantain | Smallflower galinsoga |
| Bristly oxtongue | Dogfennel | Narrowleaf vetch | Smooth dock |
| Broadleaf dock | Dollarweed | Nettle | Smooth pigweed |
| Broadleaf plantain | Elderberry | Orange hawkweed | Sorrel |
| Broomweed | False dandelion | Oriental cocklebur | Sowthistle |
| Buckhorn | False flax | Oxalis | Spanishneedles |
| Buckhorn plantain | False sunflower | Parsley-piert | Speedwell |
| Bulbous buttercup | Fiddleneck | Parsnip | Spiny amaranth |
| Bull thistle | Florida pusley | Pearlwort | Spiny cocklebur |
| Bullnettle | Frenchweed | Pennycress | Spiny sowthistle |
| Burclover | Galinsoga | Pennywort | Spotted catsear |
| Burdock | Goathead | Peppergrass | Spotted spurge |
| Burning nettle | Goldenrod | Pepperweed | Spurweed |
| Burweed | Ground ivy | Pigweed | Stinging nettle |
| Buttercup | Gumweed | Pineywoods bedstraw | Strawberry, india mock |
| Buttonweed | Hairy fleabane | Plains coreopsis (tickseed) | Tail nettle |
| Canada thistle | Hawkweed | Plantain | Tall vervain |
| Carolina geranium | Healall | Poison ivy | Tansy ragwort |
| Carpetweed | Heartleaf drymary | Poison oak | Tansy mustard |
| Catchweed bedstraw | Heathaster | Pokeweed | Tanweed |
| Catnip | Hedge bindweed | Poorjoe | Thistle |
| Catsear | Hedge mustard | Prairie sunflower | Trailing crownvetch |
| Chickweed, common | Hemp | Prickly lettuce | Tumble mustard |

Tumble pigweed	Western salsify	Wild marigold	Woodsorrel
Velvetleaf	White mustard	Wild mustard	Woolly croton
Venice mallow	Wild aster	Wild onion	Woolly morningglory
Virginia buttonweed	Wild buckwheat	Wild parsnip	Woolly plantain
Virginia creeper	Wild carrot	Wild radish	Wormweed
Virginia pepperweed	Wild four-o'clock	Wild rape	Yarrow
Water pennywort	Wild garlic	Wild strawberry	Yellow rocket
Wavyleaf bullthistle	Wild geranium	Wild sweet potato	Yellowflower pepperweed
Western clematis	Wild lettuce	Wild vetch	And other broadleaf weeds

How do I use this product?

When To Use: Spray any time weeds are actively growing--spring and fall are the best. Do not spray when temperatures will go above 85 degrees F or when rain is expected within 24 hours.

What To Do: Spray the lawn evenly, using a coarse droplet spray. Wait for 24 hours after spraying to water the lawn. Continue to water and feed the lawn, to help fill in places where weeds have died. After 4 weeks, you may re-seed any remaining bare areas.

What Not To Do: Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Lawn Weed Killer in areas where shrub or tree roots may be located.

Mixing and Measuring - Shake Well Before Using

It's a good idea to have a separate sprayer just for weed killers, to avoid mix-ups.

Amount of Lawn Weed Killer	Fill to this level with water (gallons)	Spray to cover (square feet)
-------------------------------	--	---------------------------------

Hose-end Sprayers - Use a hose-end sprayer designed for lawns.

2 Tbsp. (1 fl. oz.)	1	300 (15'x 20')
1-1/4 cups (10 fl. oz.)	10	3000 (50'x 60')

Tank Sprayer - Use a spray pattern which gives small droplets without fine mist. Over-pumping the sprayer will make a fine mist.

2 Tbsp. (1 fl. oz.)	1	300 (15'x 20')
6 Tbsp. (3 fl. oz.)	3	900 (30'x 30')

New lawns and lawns containing Bentgrass - This is a special concentration; use it until grass has thickened up (6 - 8 weeks after seed has come up).

1 Tbsp. (1/2 fl. oz.)	1	200 (10'x 20')
-----------------------	---	----------------

'Spot' Spray - To spray individual weeds, use any type of tank or trigger sprayer. Do not use a hose-end sprayer.

4 Tbsp. (2 fl. oz.)	1	Wet each weed
---------------------	---	---------------

8/8

What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container out of reach of children and domestic animals. Keep from freezing. **PESTICIDE DISPOSAL:** If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **CONTAINER DISPOSAL:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

Lilly Miller is a registered trademark of Central Garden & Pet.



NOTICE: To the extent consistent with applicable law, seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling when such use and/or handling is contrary to label instructions.

[Lot no. to be added at production]

LILLY MILLER BRANDS
1340 Treat Blvd., Ste. 650
Walnut Creek, CA 94597
Printed in USA
Product of Canada
www.lillymiller.com

