

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1068
PM 15
802-491

JUL 31 1989

Ms. Molly Klettke
The Chas. H. Lilly Company
7737 NE Killingsworth
Portland, OR 97218

Dear Ms. Klettke:

Subject: Amendment - Revised Labeling
Miller's Mosquitocide 700
EPA Registration No. 802-491
Your Applications Dated April 14, September 21,
and October 11, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

1. Delete "Alternate Name: Lilly/Miller Mosquitocide 700."
2. Change "le etiqueta" to "la etiqueta" in the Spanish precaution.
3. Add "See additional PRECAUTIONARY STATEMENTS on side panel."
4. The statement should read "Administer atropine sulfate by injection . . ." under the Statement of Practical Treatment.
5. We assume the net contents will appear on the container.
6. Insert the following into the Reentry Statement:

FOR EARLY REENTRY INTO TREATED AREAS BEFORE
SPRAYS HAVE DRIED wear all protective clothing
specified on this label for an applicator.

7. We have no objection to the addition of the "shake well" and Spanish warning statements proposed in your submission of April 14, 1988.

57475:I:Richards:LLR-09;KENCO;07/25/89;09/06/89;aw:gj;vo:ek:dg

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

8. Revise the environmental hazards paragraph as follows:

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply directly to water or wetlands (including swamps, marshes, bogs, and potholes) except for mosquito larvae control. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

Mosquito Larvae Control

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply where these are important resources. Drift and aquatic transport from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate untreated water when disposing of equipment washwaters.

Note that the lower limit of the active ingredient must be the same as the label claim in pure active ingredient. Thus, the label should declare 72.07% active ingredient (i.e., $77.5 \times 93\% = 72.07$). Either change the label or Confidential Statement of Formula.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (N7505C)

Enclosure

Colors: Yellow and white background, black type.
Type Sizes: As indicated, all other 6 pt minimum.

Front panel copy:

RESTRICTED USE PESTICIDE (14 pt type)
Due to Very High Acute Toxicity to Birds, Fish, and Aquatic Invertebrates

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

MILLER'S MOSQUITOCIDE 700

Alternate Name: Lilly/Miller Mosquitocide 700 (Emulsifiable Concentrate)

For Effective Control of Mosquitoes

ACCEPTED
with COMMENTS
in EPA Letter Dated:
JUL 31 1989

ACTIVE INGREDIENT:
Fenthion (0,0-dimethyl 0-[4-(methylthio)-m-tolyl] phosphorothioate) 72.82%
INERT INGREDIENTS 27.18%


Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 802-491

Contains 7 lbs. BAYTEX* per gallon

*BAYTEX is a Reg. T.M. of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen

Keep out of reach of children (10 pt type)
WARNING - AVISO (14 pt type)
See side panel for additional precautionary statements
PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

NET CONTENTS _____ GALLON(S)



Side and back panel copy:

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, or skin, or on clothing. Do not breathe spray mist.

PERSONAL PROTECTIVE EQUIPMENT AND WORK SAFETY

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: protective suit of one or two pieces that covers all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If the pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower with soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Clothing that becomes heavily contaminated or drenched with fenthion must be destroyed according to State and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer

second dose. If syrup of ipecac is not available, induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Get medical attention immediately. If On Skin: Wash skin immediately with soap and water. If In Eyes: Wash with plenty of water for at least 15 minutes. Get medical attention. If Inhaled: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply where these are important resources. Drift and aquatic transport from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate untreated water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not allow it to drift to blooming crops or weeds while bees are visiting the treatment area.

PHYSICAL/CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

AREA MOSQUITO APPLICATIONS TO POPULATED AND RURAL AREAS ARE TO BE MADE ONLY BY MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH OFFICIALS, PUBLIC MOSQUITO CONTROL OFFICIALS AND COMMERCIAL PEST CONTROL OPERATORS.

REENTRY STATEMENT

Reentry into treated area is prohibited for 24 hours (1 day) after the end of application, unless the protective clothing specified on this label for early reentry is worn. FOR EARLY REENTRY INTO TREATED AREAS AFTER SPRAYS HAVE DRIED wear protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots).

USE PRECAUTIONS

Do not apply oil mixtures to forage crops. Do not apply when weather conditions favor drift of spray. Do not use inside homes or in buildings where food is processed or stored. Do not apply oil sprays

directly to flowers, or other ornamental plants which may be damaged by the oil. Fog applications will not cause plant injury. Do not apply directly to animals, except livestock grazing in alfalfa and pasture grass at time of application to these crops. Do not use or allow spray to drift to water supplies. Do not contaminate feed, drinking water, milk or milk handling equipment. Do not apply as an ultra low volume (ULV) spray. Allow at least 3 weeks between treatments.

MIXING DIRECTIONS: This material forms an emulsion when diluted with water, or a solution when diluted with oil*. The resulting mixture is suitable for use in hand or power operated sprayers or thermal foggers as well as with aircraft sprayers or air mist-type applicators. To mix with water or oil, pour required amount of Mosquitocide 700 into full amount of water or oil and then agitate.

***OIL SPECIFICATIONS:** Use Kerosene-type oils, Fuel Oils, Diesel Oils, or other base oils suitable for insecticide use.

CARRIER, AMOUNT TO USE: The type of equipment used will determine the concentration required. Use sufficient to give uniform coverage.

MOSQUITO LARVAE CONTROL

Use 0.9 fl. oz. Mosquitocide 700 (0.05 lb. active) per acre in sufficient water or oil* to obtain uniform coverage. For localized applications, use specified amount in 1 1/2 gal. of water or oil*. Apply as a light uniform spray. Allow 3 weeks between applications. Apply to moist areas, standing water pools, marshes, swamps, and tidal areas. Do not apply to ponds, lakes, streams, or other bodies of water where shrimp, crabs, crayfish or other fish are of value. Also spray around and in catch basins and similar areas where mosquitoes breed. **CONSERVE USE PRECAUTIONS.**

MOSQUITO (ADULT) CONTROL

For large area mosquito control, applications should be made to wet grass, bushy or woody areas.

THERMAL FOG APPLICATION - Use 5/8 to 1 1/8 gal. Mosquitocide 700 (80 to 144 fl. oz.) per 100 gal. of oil*. Apply with standard fogging machines calibrated to deliver 40 gal. per hour at a machine speed of 5 mph to cover a swath of up to 350 feet. Repeat as necessary. **CONSERVE USE PRECAUTIONS.**

PRECAUTIONARY NOTE: DO NOT STORE FINISHED OIL SOLUTIONS. This material is suitable for use in thermal foggers, however, under some circumstances, emulsifiers in this formulation could form a solid material which may plug the fine screens in certain fogging equipment. A primary factor in hastening the formation of these solids is the storage of finished solutions, hence **STORAGE OF FINISHED SOLUTIONS SHOULD BE AVOIDED.**

MIST SPRAY APPLICATION - Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb. active) per acre. For mist-blower machines calibrated to deliver 100 gal. per hour traveling at a speed of 4 mph to cover a swath width of up to 350 feet, use 1.2 to 2.4 gals. Mosquitocide 700

per 100 gal. of water. Allow at least 3 weeks between applications. OBSERVE USE PRECAUTIONS.

AIRPLANE APPLICATION - Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb. active) per acre in water or oil* and apply 1 gal. of this mixture per acre. Allow at least 3 weeks between applications. OBSERVE USE PRECAUTIONS.

MOSQUITO (ADULT) CONTROL ON ALFALFA AND PASTURE GRASS

Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb active) per acre in water emulsion. Apply once per cutting on alfalfa and up to 4 times per year on pasture grass without removal of livestock. OBSERVE USE PRECAUTIONS.

MOSQUITOES AND HOUSE FLIES

RESIDUAL SPRAY APPLICATION: For residual control of mosquitoes and for residual fly control, use 1 1/8 fl. oz. to 2 1/4 fl. oz. in 1 gallon of water for application per 500 sq. ft. or to run-off in localized areas on outdoor surfaces of buildings including dairy and beef barns and poultry houses. Do not apply directly to animals. Do not apply as a space spray. Do not use inside homes or in buildings where food is processed or stored. Residual control lasts 7 to 8 weeks for the lower rate and even longer at the higher rate. Repeat as necessary. For House Fly Control, spray around windows, and on other surfaces frequented by flies on or in buildings (not inside homes) except where food or feed products are present.

STORAGE AND DISPOSAL (14 pt type)

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or, if allowed, by burning. If burned, stay out of smoke.

LIMIT OF WARRANTY AND LIABILITY

The Chas. H. LILLY Co. (LILLY) warrants that this product conforms to the chemical or other description on the label (and/or instructions) and is reasonable fit for the purposes set forth on the label (and/or instructions) when used strictly in accordance with the label (and/or instructions) under the conditions described there. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the following conditions:

*Buyer and all users shall promptly notify LILLY of any claims whether based in contract, negligence, strict liability, other tort, or otherwise.

*THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF LIABILITY OF LILLY FOR ANY LOSS, INJURY OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (including claims based upon contract, negligence, strict liability, other tort, or otherwise) SHALL BE:

1. The purchase price paid for the product; or at the election of LILLY
2. The replacement of such quantity of the product as is involved.


IN NO EVENT SHALL LILLY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

*LILLY agents have no authority to give warranties or make representations on its behalf, concerning the use, quality or performance of this product, or in any other respect.

*The use, handling, storage, and other influencing factors are beyond the control of LILLY. Buyer assumes all risk of loss, injury, or damage due to use, handling, storage and other influencing factors, including but not limited to, incompatibility with other products, and weather conditions.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-491
EPA Est. 802-OR-1



Colors: Yellow and white background, black type.
Type Sizes: As indicated, all other 6 pt minimum.

Front panel copy:

RESTRICTED USE PESTICIDE (14 pt type)
Due to Very High Acute Toxicity to Birds, Fish, and Aquatic
Invertebrates

For retail sale to and use only by certified applicators or persons
under their direct supervision and only for those uses covered by the
certified applicator's certification. Certified applicators must also
ensure that all persons involved in these activities are informed of the
precautionary statements.

MILLER'S MOSQUITOCIDE 700

Alternate Name: Lilly/Miller Mosquitocide 700 (Emulsifiable
Concentrate)

For Effective Control of Mosquitoes

ACCEPTED
with COMMENTS
in EPA Letter Dated:
JUL 31 1989

ACTIVE INGREDIENT:

Fenthion (0,0-dimethyl 0-[4-(methylthio)-m-tolyl]
phosphorothioate) 72.82%
INERT INGREDIENTS 27.18%

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.
802-491

Contains 7 lbs. BAYTEX* per gallon

*BAYTEX is a Reg. T.M. of the Parent Company of Farbenfabriken Bayer
GmbH, Leverkusen

Keep out of reach of children (10 pt type)

WARNING - AVISO (14 pt type)

See side panel for additional precautionary statements

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto
hasta que le etiqueta haya sido explicado ampliamente.

NET CONTENTS _____ GALLON(S)


Side and back panel copy:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled, or absorbed through the
skin. Rapidly absorbed through the skin. Do not get in eyes, on skin,
or on clothing. Do not breathe spray mist.

PERSONAL PROTECTIVE EQUIPMENT AND WORK SAFETY



USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: protective suit of one or two pieces that covers all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If the pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Clothing that becomes heavily contaminated or drenched with fenthion must be destroyed according to State and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Vomiting should be induced. Administer water freely, and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer

9/6

second dose. If syrup of ipecac is not available, induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never give anything my mouth to an unconscious person. Get medical attention immediately. If On Skin: Wash skin immediately with soap and water. If In Eyes: Wash with plenty of water for at least 15 minutes. Get medical attention. If Inhaled: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Administer atropine sulfate in large therapeutic doses. Repeat as neccessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply where these are important resources. Drift and aquatic transport from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate untreated water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not allow it to drift to blooming crops or weeds while bees are visiting the treatment area.

PHYSICAL/CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

AREA MOSQUITO APPLICATIONS TO POPULATED AND RURAL AREAS ARE TO BE MADE ONLY BE MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH OFFICIALS, PUBLIC MOSQUITO CONTROL OFFICIALS AND COMMERCIAL PEST CONTROL OPERATORS.

REENTRY STATEMENT

Reentry into treated area is prohibited for 24 hours (1 day) after the end of application, unless the protective clothing specified on this label for early reentry is worn. FOR EARLY REENTRY INTO TREATED AREAS AFTER SPRAYS HAVE DRIED wear protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots).

USE PRECAUTIONS

Do not apply oil mixtures to forage crops. Do not apply when weather conditions favor drift of spray. Do not use inside homes or in buildings where food is processed or stored. Do not apply oil sprays

4/6

directly to flowers, or other ornamental plants which may be damaged by the oil. Fog applications will not cause plant injury. Do not apply directly to animals, except livestock grazing in alfalfa and pasture grass at time of application to these crops. Do not use or allow spray to drift to water supplies. Do not contaminate feed, drinking water, milk or milk handling equipment. Do not apply as an ultra low volume (ULV) spray. Allow at least 3 weeks between treatments.

MIXING DIRECTIONS: This material forms an emulsion when diluted with water, or a solution when diluted with oil*. The resulting mixture is suitable for use in hand or power operated sprayers or thermal foggers as well as with aircraft sprayers or air mist-type applicators. To mix with water or oil, pour required amount of Mosquitocide 700 into full amount of water or oil and then agitate.

***OIL SPECIFICATIONS:** Use Kerosene-type oils, Fuel Oils, Diesel Oils, or other base oils suitable for insecticide use.

CARRIER, AMOUNT TO USE: The type of equipment used will determine the concentration required. Use sufficient to give uniform coverage.

MOSQUITO LARVAE CONTROL

Use 0.9 fl. oz. Mosquitocide 700 (0.05 lb. active) per acre in sufficient water or oil* to obtain uniform coverage. For localized applications, use specified amount in 1 1/2 gal. of water or oil*. Apply as a light uniform spray. Allow 3 weeks between applications. Apply to moist areas, standing water pools, marshes, swamps, and tidal areas. Do not apply to ponds, lakes, streams, or other bodies of water where shrimp, crabs, crayfish or other fish are of value. Also spray around and in catch basins and similar areas where mosquitoes breed. OBSERVE USE PRECAUTIONS.

MOSQUITO (ADULT) CONTROL

For large area mosquito control, applications should be made to wet grass, bushy or woody areas.

THERMAL FOG APPLICATION - Use 5/8 to 1 1/8 gal. Mosquitocide 700 (80 to 144 fl. oz.) per 100 gal. of oil*. Apply with standard fogging machines calibrated to deliver 40 gal. per hour at a machine speed of 5 mph to cover a swath of up to 350 feet. Repeat as necessary. OBSERVE USE PRECAUTIONS.

.....

PRECAUTIONARY NOTE: DO NOT STORE FINISHED OIL SOLUTIONS. This material is suitable for use in thermal foggers, however, under some circumstances, emulsifiers in this formulation could form solid material which may plug the fine screens in certain fogging equipment. A primary factor in hastening the formation of these solids is the storage of finished solutions, hence STORAGE OF FINISHED SOLUTIONS SHOULD BE AVOIDED.

.....

MIST SPRAY APPLICATION - Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb. active) per acre. For mist-blower machines calibrated to deliver 100 gal. per hour traveling at a speed of 4 mph to cover a swath width of up to 350 feet, use 1.2 to 2.4 gals. Mosquitocide 700

per 100 gal. of water. Allow at least 3 weeks between applications. OBSERVE USE PRECAUTIONS.

AIRPLANE APPLICATION - Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb. active) per acre in water or oil* and apply 1 gal. of this mixture per acre. Allow at least 3 weeks between applications. OBSERVE USE PRECAUTIONS.

MOSQUITO (ADULT) CONTROL ON ALFALFA AND PASTURE GRASS

Use 0.9 to 1.8 fl. oz. Mosquitocide 700 (0.05 to 0.1 lb active) per acre in water emulsion. Apply once per cutting on alfalfa and up to 4 times per year on pasture grass without removal of livestock. OBSERVE USE PRECAUTIONS.

MOSQUITOES AND HOUSE FLIES

RESIDUAL SPRAY APPLICATION: For residual control of mosquitoes and for residual fly control, use 1 1/8 fl. oz. to 2 1/4 fl. oz. in 1 gallon of water for application per 500 sq. ft. or to run-off in localized areas on outdoor surfaces of buildings including dairy and beef barns and poultry houses. Do not apply directly to animals. Do not apply as a space spray. Do not use inside homes or in buildings where food is processed or stored. Residual control lasts 7 to 8 weeks for the lower rate and even longer at the higher rate. Repeat as necessary. For House Fly Control, spray around windows, and on other surfaces frequented by flies on or in buildings (not inside homes) except where food or feed products are present.

STORAGE AND DISPOSAL (14 pt type)

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or, if allowed, by burning. If burned, stay out of smoke.

LIMIT OF WARRANTY AND LIABILITY

The Chas. H. LILLY Co. (LILLY) warrants that this product conforms to the chemical or other description on the label (and/or instructions) and is reasonable fit for the purposes set forth on the label (and/or instructions) when used strictly in accordance with the label (and/or instructions) under the conditions described there. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the following conditions:

*Buyer and all users shall promptly notify LILLY of any claims whether based in contract, negligence, strict liability, other tort, or otherwise.

*THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF LIABILITY OF LILLY FOR ANY LOSS, INJURY OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (including claims based upon contract, negligence, strict liability, other tort, or otherwise) SHALL BE:

- 1. The purchase price paid for the product; or at the election of LILLY
- 2. The replacement of such quantity of the product as is involved.

IN NO EVENT SHALL LILLY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

*LILLY agents have no authority to give warranties or make representations on its behalf, concerning the use, quality or performance of this product, or in any other respect.

*The use, handling, storage, and other influencing factors are beyond the control of LILLY. Buyer assumes all risk of loss, injury, or damage due to use, handling, storage and other influencing factors, including but not limited to, incompatibility with other products, and weather conditions.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-491
EPA Est. 802-OR-1

