


STOP — READ THE LABEL



DANGER

Keep Out of Reach of Children

EMULSIFIABLE LIQUID



METHYL PARATHION 4E

(4 lbs. Methyl Parathion per gallon)

THORUS INSECTICIDE

AGRICULTURAL CHEMICAL
NOT FOR HOME USE

nitrophenyl
ate* 45.50%
Derivative Solvents . 47.62%
. 6.88%

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

Keep away from heat &

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

der for additional use pre-
ons for use, recommenda-
r disposal.

802-498-AA

Manufactured for . . .
— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way, STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. DO NOT wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth or nose, muscle spasms and coma.

POSTING TREATED AREAS: Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to methyl parathion; describe his condition. Until medical help is available, take following steps.

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

After first aid is given and physician can not come, take victim to clinic or Hospital. Bring "Label Folder." Give to physician.

NOTE TO PHYSICIAN


ANTIDOTE— Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Do not give morphine or tranquilizers.

Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.


DANGER - POISON - PRECAUTIONS ☠

DON'T SWALLOW




POISONOUS IF SWALLOWED
Even in small amounts!

DON'T TOUCH



POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).

DON'T BREATHE



POISONOUS IF BREATHED
Poisonous if vapors or mists from sprays are breathed. Vapors are not visible. Never work with methyl parathion or in methyl parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH AND WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STOP — READ THE LABEL

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

EMULSIFIABLE LIQUID

Miller's

METHYL PARATHION 4E

(4 lbs. Methyl Parathion per gallon)

ORGANOPHOSPHORUS INSECTICIDE

**AGRICULTURAL CHEMICAL
NOT FOR HOME USE**

Active ingredients:

O,O-dimethyl O-p-nitrophenyl
phosphorothioate* 45.50%
Aromatic Petroleum Derivative Solvents . 47.62%
Inert ingredients: 6.88%
*Methyl Parathion

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

COMBUSTIBLE—Keep away from heat & open flame.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal.

E.P.A. Reg. No. 802-498-AA

Manufactured for . . .
— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON

NET CONTENTS: Gallon(s)

STOP — READ THE LABEL



DANGER

Keep Out of Reach of Children

EMULSIFIABLE LIQUID

ACCEPTED

1/4 L PARATHION 4E

(4 lbs. Methyl Parathion per gallon)

S INSECTICIDE

**AGRICULTURAL CHEMICAL
NOT FOR HOME USE**

nyl
..... 45.50%
tive Solvents . 47.62%
..... 6.88%

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

way from heat &
additional use pre-
r use, recommenda-
sal.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

1B-AA

Manufactured for . . .
— **MILLER PRODUCTS** —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

1. Rubber boots, rubber gloves, and a respirator. Wear mask or respirator and goggles. 2. Methyl parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Free, long-sleeved shirt and long pants. Do not wear where there is danger of fire.

Do not eat, drink, or smoke while working. Wash hands, face, and neck with soap and water after work. Wash the work clothes and water. In any way, STOP work and get the clothing away from you. If you have some time, wash the clothes in a separate cycle immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes, blow using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth or nose, muscle spasms and coma.

POSTING TREATED AREAS: Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

1. If inhaled, get victim to fresh air. If breathing is difficult, give artificial respiration. If unconscious, give artificial respiration. If breathing has stopped, give artificial respiration.

2. If swallowed, give 1-2 glasses of water. If unconscious, give artificial respiration. Never give anything by mouth to an unconscious person. Do not induce vomiting.

3. If in contact with eyes, flush eyes with water for at least 15 minutes.

4. If in contact with skin, remove wet clothing and wash with water for at least 15 minutes. If in contact with clothing, remove clothing and wash with water for at least 15 minutes. Never give anything by mouth to an unconscious person. Do not induce vomiting.

IN CASE OF SKIN CONTACT: Remove wet clothing and wash with water for at least 15 minutes.

EYE CONTACT: Flush eyes with water for at least 15 minutes.

After first aid is given and physician can not come, take victim to clinic or hospital. Bring "Label Folder." Give to physician.

NOTE TO PHYSICIAN

ANTIDOTE— Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Do not give morphine or tranquilizers.

Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.

RESEALABLE POUCH
↑ Pull flaps apart to open.
Press along ridge to close.

**LABEL FOLDER CONTAINS
ALL DIRECTIONS FOR USE**

Miller's
**METHYL
PARATHION 4E**

**Organophosphorus Insecticide
Emulsifiable Liquid**

E.P.A. Reg. No. 802-498-AA

**POISON
DANGER**



**NOT FOR
HOME USE**

**Before Using Read All Precautions
and Directions for Use**

In California, Permit for Purchase or
use required from County Agricultural
Commissioner.

USE PRECAUTIONS

**DO NOT USE, POUR, SPILL OR STORE NEAR
HEAT OR OPEN FLAME.**

**READ ALL PRECAUTIONS AND DIRECTIONS
BEFORE USING.** Use only for crops and claims
recommended.

This product is toxic to fish and wildlife. Keep
out of lakes, streams and ponds. Birds and other
wildlife in treated areas may be killed. Do not
apply when weather conditions favor drift from
areas treated.

This product is highly toxic to bees exposed to
direct treatment or residues on crops. Protective
information may be obtained from your Coopera-
tive Agricultural Extension Service.

In order that pesticidal residues on food and for-
age crops will not exceed tolerances established
by the Federal Food and Drug Administration,
use only at recommended rates and intervals,
and do not apply closer to harvest than specified.
Do not apply or allow to drift to areas occupied
by unprotected humans or beneficial animals or
onto adjoining food, fiber or pasture crops. **The
grower is responsible** for residues on his crops
as well as for damages caused by drift from his
property to that of others.

Consult state agricultural extension service or
state agricultural experiment stations for addi-
tional information, as the timing, number and
rate of applications needed will vary with local
conditions.

CONTAINER DISPOSAL

Destroy Empty Container—Never Re-Use

Completely empty contents and bury unused
chemical 18 inches deep in an isolated location
away from water supplies.

Glass Container: Break container and bury 18
inches deep.

Metal Containers: 1 gal. drum: Pour 1 qt. of water
into empty drum. Add 1 tablespoon of household
detergent. Rotate drum carefully until all inner
surfaces are wet. Bury rinse solution 18" deep.
Punch holes in top and bottom of container, crush
and bury. **5 gal. drum:** Pour 2 qt. of water into
empty drum. Slowly add ½ cup caustic soda (lye)
and 2 tablespoons of household detergent. Fol-
low the same rinsing, destruction and burial
procedures given for 1 gal. drum. **55 gal. drum:**
Follow same procedures as for 5 gal. drum ex-
cept use 5 gal. of water, 2 lb. of lye and cup of
detergent.

CAUTION: Do not get rinse solution on hands,
in eyes or on clothing. Wear protective clothing
and equipment. In case of contact, wash immedi-
ately with soap and water.

DIRECTIONS

Application can be made
power equipment by train
approved protective
with hand equipment. P
product into nearly filled
of water to fill tank. Keep
filling and spraying open
not mix readily, but tend
layer, do not use as inju
Do not combine with
previous use of the mixt
ally compatible and s
thoroughly emulsify th
half of total water befor
der.

**SUGGESTED WATER R
AND GROUND APPLICA**
required to provide th
varies with plant growth
Except as specified for c
ing rates are therefore in
range of conditions .)

**Crop
Vegetable and Field Crop**

Maximum permissible rate
Methyl Parathion 4E is
after each crop claim.

May 13, 1973
802-498-AA

LINER DISPOSAL

Container—Never Re-Use

Empty contents and bury unused liner deep in an isolated location with supplies.

Break container and bury 18

1 gal. drum: Pour 1 qt. of water into drum carefully until all inner liner is wet. Bury rinse solution 18" deep. 5 gal. drum: Pour 2 qt. of water into drum and bottom of container, crush drum. Pour 2 qt. of water into drum and bottom of container, crush drum. Add 1/2 cup caustic soda (lye) and 1/2 cup of household detergent. Follow with rinsing, destruction and burial. 55 gal. drum: Follow procedures as for 5 gal. drum except use 2 qt. of water, 2 lb. of lye and cup of

Do not get rinse solution on hands, face or clothing. Wear protective clothing. In case of contact, wash immediately with water.

DIRECTIONS FOR USE

Application can be made by aircraft or ground power equipment by trained personnel only using approved protective equipment. Do not apply with hand equipment. Pour specified amount of product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. If mixture does not mix readily, but tends to separate as an oily layer, do not use as injury to plants may result. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half of total water before adding wettable powder.

SUGGESTED WATER RATES FOR AIRCRAFT AND GROUND APPLICATION. (The actual rate required to provide thorough, uniform coverage varies with plant growth at time of application. Except as specified for certain uses, the following rates are therefore intended to cover a broad range of conditions.)

Crop	Gal. Water / Acre	
	Aircraft	Ground
Vegetable and Field Crops	1-20	5-125

Maximum permissible rate per acre expressed as Methyl Parathion 4E is given in parenthesis () after each crop claim.

RECOMMENDATIONS

VEGETABLE AND FIELD CROPS

(Also Read Directions for Use)

Unless otherwise indicated, dosages are given in pints Methyl Parathion 4E per acre in sufficient water to provide thorough coverage. Begin application when insects first appear and repeat at 7 to 10 day intervals as needed to maintain control, but observe use limitations given for specific crops.

ALFALFA, CLOVER, VETCH

ALFALFA HAY: Alfalfa weevil larvae, Aphids, Armyworms (up to 3rd instar): Use 1 pt. (Calif. use 3/4 pt.) per acre. For weevil control, apply when 75% of terminals show feeding damage. Do not apply within 15 days of harvest. Areas other than Calif.: (1 pt.), Calif.: (3/4 pt.)

ALFALFA FOR SEED: Aphids, Armyworms (up to 3rd instar): Use 1 pt. per acre by aircraft or ground equipment at first sign of infestation. Apply in early morning or late evening to avoid injury to pollinators. Do not apply within 15 days of harvest.

Water rates per acre: Aircraft—5-10 gal.; ground—25-100 gal. (1 pt.)

BEANS, DRY: Aphids, Armyworms (up to 3rd instar): Use 2 to 3 pts. Do not apply within 15 days of harvest. (3 pts.)

BEANS, GREEN AND LIMA: Aphids, Mites: Use 2 to 3 pts. Do not apply within 21 days of harvest. (3 pts.)

BEETS: Aphids: Use 1 pt. per acre. Do not apply within 15 days of harvest (21 days if tops are to be used as food or feed.) (1 pt.)

CARROTS: Aphids: Use 2 pt. Do not apply within 15 days of harvest. Do not use treated tops for food or feed. (2 pts.)

COLE CROPS (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi): Aphids: Use 1 pt. Do not apply this rate within 7 days of harvest on Broccoli, Brussels Sprouts, Cauliflower and Kohlrabi; 10 days of harvest on Cabbage, Collards and Kale. (1 pt.)

GOOSEBERRIES: Aphids: Use 1/2 pt. Do not apply within 15 days of harvest. (1/2 pt.)

LETTUCE: Aphids, Armyworms (up to 3rd instar), Cabbage Looper: Use 2 pt. Do not apply within 21 days of harvest. (2 pt.)

PEAS: Aphids: Use 1 to 2 pt. Do not apply within 15 days of harvest. (2 pt.)

PEPPERS: Aphids: Use 1 to 2 pt. Do not use within 15 days of harvest. (2 pt.)

SMALL GRAINS (Barley, Oats, Wheat): Aphids, Green Bugs, Brown Wheat Mite (Petrobia): Use 1/2 to 1 pt. Use Limitations: 1/2 pt. per acre—none, over 1/2 to 1 pt. - 15 days of harvest (1 pt.)

SPINACH: Aphids: Use 1 pt. Do not apply within 21 days of harvest. (1 pt.)

TOMATOES: Aphids: Use 2 pt. Do not apply within 15 days of harvest. (2 pt.)

TURNIPS: Cabbage Aphids: Use 1 pt. when aphids are present and colonies are abundant. Repeat as necessary to maintain control but do not apply within 15 days of harvest. (21 days if tops are to be used for food or feed.) (1 pt.)

FOREST AND CHRISTMAS TREE PLANTINGS: To control European Pine Shoot Moth and Nantucket Pine Tip Moth: Use 2 pints per acre in 5 to 50 gal. of water. Repeat applications if necessary.


IMPORTANT


SEE REVERSE SIDE OF FOLDER CONTAINS SAFETY LABELING INFORMATION


- Active Ingredient Statement
- Primary Statements of Hazard, Precautionary Instructions
- Fish and Wildlife Precautions
- Work Safety Rules
- Poison Symptoms
- First Aid Treatment
- Note to Physician

**- MILLER PRODUCTS -
THE CHAS. H. LILLY CO.
Portland, Oregon**

DANGER – POISON – PRECAUTIONS ☠

DON'T SWALLOW  **POISONOUS IF SWALLOWED**
Even in small amounts!

DON'T TOUCH  **POISONOUS BY SKIN CONTACT**
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).

DON'T BREATHE  **POISONOUS IF BREATHED**
Poisonous if vapors or mists from sprays are breathed. Vapors are not visible. Never work with methyl parathion or in methyl parathion treated areas without protective clothing and equipment.

POISONOUS TO FISH AND WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STOP — READ THE LABEL

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

**EMULSIFIABLE
LIQUID**

Miller's

METHYL PARATHION 4E

(4 lbs. Methyl Parathion per gallon)

ORGANOPHOSPHORUS INSECTICIDE

AGRICULTURAL CHEMICAL

Active Ingredients:

O,O-dimethyl O-p-nitrophenyl
phosphorothioate* 45.50%
Aromatic Petroleum Derivative Solvents 47.62%
Inert ingredients: 6.88%

NOT FOR HOME USE

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

*Methyl Parathion

COMBUSTIBLE—Keep away from heat & open flame.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Read Label Folder for additional use precautions, directions for use, recommendations and container disposal.

E.P.A. Reg. No. 802-498-AA

Manufactured for . . .
— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON

NET CONTENTS: Gallon(s)

STOP — READ THE LABEL



DANGER

Keep Out of Reach of Children

EMULSIFIABLE LIQUID

L PARATHION 4E

(4.5 lbs. Methyl Parathion per gallon)

INSECTICIDE

AGRICULTURAL CHEMICAL
NOT FOR HOME USE

..... 45.50%
Solvents . 47.62%
..... 6.88%

See side panels for poison precautions, symptoms, first aid treatment, information for physician and posting treated areas.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

-AA

Manufactured for . . .
— MILLER PRODUCTS —
THE CHAS. H. LILLY CO.
PORTLAND, OREGON

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way, STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth or nose, muscle spasms and coma.

POSTING TREATED AREAS: Consult state regulatory agencies for posting regulations and requirements.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to methyl parathion; describe his condition. Until medical help is available, take following steps.

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

After first aid is given and physician can not come, take victim to clinic or Hospital. Bring "Label Folder." Give to physician.

NOTE TO PHYSICIAN

ANTIDOTE— Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **Do not give morphine or tranquilizers.**

Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.