UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JIN 18 1993

Molly Hickman

The Chas. H. Lilly Co. 7737 N.E. Killingsworth Portland, OR 97218

Subject: Lilly/Miller Super Rich Lawn Food With Moss Control

EPA Req. No. 802-504

Label Amendment

Your Letter Dated June 10, 1993

Dear Ms. Hickman:

The above mentioned amendment submitted in connection with registration under FIFRA is acceptable with the following revision:

The Environmental Hazard statement will have to be changed. The statement should read: "For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 156, subpart K, section 156.200(c)(3), you are prohibited from distributing or selling any products within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

A stamped copy of your label is enclosed for your records.

Sincerely,

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
CONCUMRAGESTRATION DIVISION (H7505C)

SYMBOL
SURNAME
DATE

Robert J. Taylor
Product Manager (25)

Fungicide-Herbicide Branch
CONCUMRAGESTRATION DIVISION (H7505C)

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

LILLY/MILLER SUPER RICH LAWN FOOD WITH MOSS CONTROL 15-3-6

Fertilizer Coverage: 5000 sq. ft. For Moss Control: 2500 sq. ft.

New and improved Contains Polyon controlled release nitrogen

ACTIVE INGREDIENTS:

*Ferrous sulphate monohydrate . . . 8.80%

*Ferrous sulphate (7H2O) 4.78%

*Equivalent to 10% Ferrous Sulfate Anhydrous

Keep out of reach of children CAUTION

See back panel for additional precautionary statements.

WNET WT. 33.3 LBS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Induce vomiting if swallowed. Wash hands after use. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Give one to two glasses of water and induce vomiting by touching back of throat with finger. Get medical attention. If On Skin: Wash thoroughly with soap and water. If In Eyes: Flush with plenty of water for 15 minutes. Get medical attention if irritation versists.


VENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.


Magnified view of ingredients in this quality Lilly/Miller lawn care blend, now with Polyon.

NITROGEN, water soluble

Just add water and it goes to work feeding your lawn immediately. Nitrogen is a protein builder, helping grass to grow vigorous and strong, and giving your lawn its rich green color.



ACCEPTED with CONSTENTS in EPA Letter Dated:





.

PHOSPHORIC ACID

This important nutrient helps early growth and root formation. Helps young plants grow strong.

:

POTASH

Potash encourages a strong root system. Builds up your lawn's resistance to disease.

POLYON coated nitrogen

Polyon is a breakthrough in fertilizer technology. Soil temperature and moisture trigger the gradual release of nitrogen through the state-of-the-art polymer coating. This steady feeding builds the strength and rich color of your lawn for weeks and weeks.

SULFUR

An essential element for protein movement. Helps nitrogen promote strong, sturdy plant growth.

IRON

Iron is necessary for chlorophyll production. This important element helps turn your lawn that deep emerald green.

SUPER RICH LAWN FOOD with Moss Control is carefully formulated to contain five essential growing elements. It helps turn your lawn into a lush green carpet of vigorous, strong turf.

A regular feeding of SUPER RICH LAWN FOOD with Moss Control nourishes your lawn with Nitrogen for 6 to 8 weeks, keeping it green and developing strong, hardy turf.

A full feeding with SUPER RICH LAWN FOOD with Moss Control feeds your lawn with Nitrogen for up to 12 weeks plus adds other nutrients. This helps to green your lawn and nourish it completely. This full feeding also eliminates moss in your lawn, leaving it rich, green and thriving. If lawn moss isn't a problem, the extra iron in a full feeding will help green your lawn thoroughly and help make it lush, emerald turf.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse bag. Securely wrap in several layers of newspaper and discard in trash.

BEST AVAILABLE COPY

•••••

DIRECTIONS

A. Regular Feeding

For a 6 to 8 week nitrogen feeding of established lawns at any time of year.

- 1. Mow lawn so fertilizer will enter soil readily.
- 2. Water lawn the day before application.
- 3. Apply SUPER RICH LAWN FOOD with Moss Control at the rate of 33.3

lbs. per 5,000 sq. ft. See Spreader Chart below.

- 4. Water regardless of temperature.
- B. Full Feeding with moss control

For up to 12 weeks of nitrogen feeding of established lawns at any time of year.

- 1. Mow lawn so fertilizer will enter soil readily.
- 2. Water lawn the day before application.
- 3. Apply SUPER RICH LAWN FOOD with Moss Control at the rate of 33.3 lbs. per 2,500 sq. ft. See Spreader Chart below.
- 4. Water regardless of temperature.

HOW TO SPREAD LAWN FERTILIZER

Lawns must be thoroughly watered the day before application.

Begin spreading by laying down two strips of lawn food at each end of lawn. Fill in remaining area as shown here.

Close the spreader when you stop walking or make turns to avoid uneven coverage. Stopping and starting with the spreader box open will waste lawn food.

Overlap previous wheel track slightly, as shown, to avoid gaps in coverage.

Water in after application to start the greening process.

SPREADER SETTINGS:

APPLICATION RATE SPREADER SPREADER MODEL NO. (300)

& PF-1

Regular feeding 33.3 Lb. per 5,000 Sq. Ft.

Moss Control Feeding 33.3 Lb. per 2,500 Sq. Ft. To be determined

NOTICE: The spreader settings given on this bag have been carefully determined by actual test in new equipment. Incorrect dial settings, walking speed, wear, spreader calibration and general condition of spreader can materially affect the rate of flow. Since these conditions are beyond our control, neither The Chas. H. Lilly Co. nor the retail dealer can guarantee exact coverage as indicated by the recommended dial settings.

USE PRECAUTION: Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron for plant nutrition and moss control which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

GUARANTEED FERTILIZER ANALYSIS:

- 11.7% Ammoniacal Nitrogen
- 0.3% Urea Nitrogen
- 1.5% Coated Slow Release Urea Nitrogen

Primary and secondary nutrients from Ammonium Sulfate, Polymer Coated Urea, Sulfur-Coated Urea, Diammonium Phosphate, Muriate of Potash, Iron Sulfate.

*Slowly Available Urea Nitrogen from Polymer Coated Urea.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Polyon is a registered trademark of Pursell Industries.

THE CHAS. H. LILLY CO. PORTLAND, OREGON 97218 EPA Est. 802-WA-1 EPA Reg. No. 802-504 204

BEST AVAILABLE COPY