
ACCEPTED

JUN 18 1973

FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PUISON, REGISTERED UNDER NO SUCCESSION SUBJECT
TO ATTACLES COMMENTS.



Go-West Slug killer



kills slugs and snails

TREATS 1600 SQ. FEET SHAKE BEFORE USING

WARNING: Keep out of reach of children.
See other warnings on back panel.



DIRECTIONS:

SPRINKLING CAN: Mix 1 ounce (2 tablespoons) GO-WEST per gallon of water. Apply to 100 sq. ft.

HOSE SPRAYER: Use 1 ounce (2 tablespoons) GO-WEST for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft.

For complete control, cover entire area. GO-WEST liquid should be applied in the evening as slugs feed mostly at night. Re-apply after two weeks or after heavy rain.

WARNING: Keep out of reach of children. May be fatal if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of feed, foodstuffs, water supplies and fish ponds. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using. Keep out of reach of children, pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied. Birds feeding on treated area may be killed. Do not reuse container. Destrey when empty.

Do not allow children and pets to play on treated areas until residues have been washed off and into the soil.

ANTIDOTE: Large amounts of lime water or weak salt solution, stimulants of strong coffee or aromatic spirits of ammonia. Artificial respiration; keep chest and lower extremeties warm. Digitalis hypodermically: 10 gr. calcium glucomate intravenously.

WARRANTY: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, express or implied, concerning the effects of this product, when not used in accordance with directions.

Mfg. for THE CHAS. H. LILLY CO., PORTLAND, OREGON 97214