

PM 12 REG 852 507

APR 20 1990

Ms. Molly Klettke
The Chas. H. Lilly Company
7737 N.E. Killingsworth
Portland, Or 97218

Dear Ms. Klettke:

Subject: Revised labeling in response to Methyldehys
Registration Standard
Lilly's Go West Mail
EPA Registration No. 807-507
Your submission of November 15, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change given below before you release the product for shipment bearing the amended labeling.

Add a statement of practical treatment using the following format:

STATEMENT OF PRACTICAL TREATMENT

IF CHALKED _____
IF UNCHALKED _____
IF ON PVP _____
IF ON CUP _____

BEST AVAILABLE COPY

Please file 10 copies of this label printed in accordance with the subject to the product or shipment.

Copy 6 copy of the labeling is enclosed for your records.

Dennis P. Edwards, Jr.
Subject Manager (22)
Insecticide, Fungicide, and Rodenticide Division (977-33)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

Colors: White and green background, multi-color illustration, black and red type.

Type sizes: As indicated, all other 6 pt. minimum.

Front panel:

LILLY'S GO WEST MEAL

Controls Root Weevils
NEW FORMULA

ACTIVE INGREDIENTS:

Sodium Fluosilicate	5.00%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	3.00%
INERT INGREDIENTS	92.00%
Fluorine Equivalent	3.03%

ACCEPTED
with COMMENTS
in EPA Letter ~~Date~~

APR 20 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
808-507

KILLS SLUGS & SNAILS, Strawberry Root Weevils, Cutworms, Earwigs, Sowbugs

Keep out of reach of children (12 pt. type)

CAUTION (18 pt. type)

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See left side panel for additional precautionary statements.

NET WEIGHT 3 1/2 LBS.

Side and back panels:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by administration of syrup of ipecac or under medical supervision, call a physician.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

DIRECTIONS FOR USE

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KILLS all these garden pests

Slugs

Sowbugs

Strawberry Root Weevils: Larvae, Adult (illustration)

Cutworms

Earwigs

Snails

READ THE ENTIRE LABEL BEFORE USE, NOTING ALL PRECAUTIONS. Do not use this product on edible feed or food crops.

GO-WEST MEAL is a multi-purpose product designed not only for control of slugs and snails but also strawberry root weevils (larvae and adult), cutworms, earwigs and sowbugs. Since the ingredients are an integral part of the bait and not merely mixed together, GO-WEST MEAL will remain effective longer and will resist washing away by rain and watering.

TO CONTROL LISTED PESTS AROUND ORNAMENTALS, ON LAWNS AND GROUND COVERS

SLUGS AND SNAILS: Since these pests feed on your plants at night and are not generally seen during the day, you may not realize you have an infestation unless you are able to recognize slug damage.

For best results begin applications as early as February and continue baiting into the fall. Apply by broadcast method using 1 lb. GO-WEST MEAL to 250 sq. ft. of area. Scatter bait lightly on ground so that it is barely visible. Do not place in piles.

Re-apply at two-week intervals as long as slugs are present. The aroma of the metaldehyde will attract slugs from a surprising distance. Moist soil increases effectiveness. For effective control of slug eggs, use Lilly/Miller Go-West Slug Killer.

EARWIGS - CUTWORMS - STRAWBERRY ROOT WEEVILS - SOWBUGS:

Control these damaging pests by broadcasting GO-WEST MEAL on the ground where insects are seen or damage to plants is noted. Begin baiting for these insects in April.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, expressed or implied, concerning the effects of this product when not

BEST AVAILABLE COPY

used in accordance with directions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Est. 802-WA-1
EPA Reg. No. 802-507
1505

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100