

1. **Small Areas**—Use 1 tablespoon to 2 gallons of water and apply this amount over 400 sq. ft. of weedy area
2. **Large Areas**—Use 1 1/2 qts. in 25 to 40 gallons of water per acre. (Up to 100 gallons of water per acre may be used to minimize drift.)
3. Apply in fall or early spring. Hot weather use may cause excessive damage to grass or turf.
4. Do not apply to new turf of any variety or to Bent, Bermuda, Dichondra, or St. Augustine grasses.

USE PRECAUTIONS . . . TURFS

To avoid damage to grass or turf, do not spray in any manner which will cause excessive dosages. Avoid overlapping and double coverage when backing up and at turns. In large areas, avoid spraying when nozzles and boom are not moving, such as when cleaning or testing nozzles. Use a positive quick shut-off valve on boom spraying equipment.

AS A BRUSH KILLER

Effective in controlling Vine and Big Leaf Maple; Blackjack, Northern White, and Scrub Oaks; Mesquite; Wild Blackberry; Poison Oak; along right-of-ways, fence rows and on drainage ditch banks.

1. **General Foliage Treatment:** Use 3 to 4 qts. per 100 gallons of water. Use 2 qts. per 100 gals. of water on Wild Blackberry and Poison Oak. (For Spot Treatment, use 1/2 cupful in 3 gallons of water.)
2. Make application when plants have adequate soil moisture and foliage is nearing full development.
3. Spray to thoroughly drench all portions of plant, including leaves and stems. Spray is most effective when applied to growth not exceeding 6 to 8 feet tall.

NOTICE: Follow directions carefully. Timing and method of application, weather and soil conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material. Do not store in container with directions printed thereon.

SILVI

BRUSH AN

**Bigleaf Maple
Blackjack Oak
Mesquite
Northern White Oak**

**Poison Oak
Scrub Oak
Vine Maple
Wild Blackberry**

ACTIVE INGREDIENTS
*Butoxypropyl Esters of
(2,4,5-Trichlorophenoxy) Propionic Acid
INERT INGREDIENTS

*2-(2,4,5-Trichlorophenoxy) Propionic Acid
45.7%, Silica

E.P.A. Reg. No. 100-100-01

Nov. 19, 1974

CAUTION —
See right side of label

507-57A **NET CONTENTS**

THE CHAS. H. ANDERSON CO.
PORTLAND, OREGON
EPA Est. 80

SILVEX 4BP

BRUSH AND WEED KILLER

Controls

Bigleaf Maple
Blackjack Oak
Mesquite
Northern White Oak

Poison Oak
Scrub Oak
Vine Maple
Wild Blackberry

Broadleaf Plantain
Buckhorn
Chickweed (Common
and Mouse-eared)

Dandelions
Japanese Clover
White Clover

ACTIVE INGREDIENT:

* Butoxypropyl Esters of Silvex [2-(2,4,5-Trichlorophenoxy) Propionic Acid] 68.0%

INERT INGREDIENTS 32.0%

Total 100.0%

* 2-(2,4,5-Trichlorophenoxy) propionic acid equivalent
45.7% Silvex acid equiv. 4.0 lbs. per gal.

E.P.A. Reg. No. 802-521-AA

Nov. 19, 1974

CAUTION — Keep out of reach of children
See right side panel for additional cautions.

802-521 NET CONTENTS _____ GALLON (S)

THE CHAS. H. LILLY CO.
PORTLAND, OREGON
EPA Est. 802-OR-1



Miller's

skin, and may cause skin irritation.

Avoid contact with eyes, skin and clothing. In case of contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention; for skin, flush with plenty of soap and water. Wash clothing before re-use.

DO NOT USE AROUND THE HOME OR RECREATION AREAS.

Do not store near fertilizers, seed, insecticides or fungicides.

Do not apply directly to or otherwise permit spray to come in contact with any crop plant or ornamental plant including soybeans, beans, peas, tomatoes, cotton, melons, okra, sweet potatoes, peppers, celery, flowers, ornamentals, grapes, fruit trees and do not permit spray mists to drift onto them since even minute quantities may cause severe damage during both growing and dormant period. Coarse sprays are less likely to drift.

Applications should be made only when there is no hazard from drift. At higher temperatures vaporization may cause injury to susceptible plants growing nearby. Do not contaminate water used for irrigation or domestic purposes. Do not store near fertilizers, seeds, insecticides or fungicides. To avoid injury to desirable plants use separate sprayer, sprinkling can or other spray equipment for weed killing only. Do not use this material in spray equipment contaminated with 2,4-D if the 2,4-D will increase the hazard to desirable plants.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Be certain that the use of this product conforms to all local and state regulations.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

Do not burn.