

[802-526]

DIRECTIONS FOR USE

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

HOUSE PLANTS AND HOME GREENHOUSES

For control of Aphids, Two-spotted Spider Mites and adult White Flies on African Violet, Aralia, Christmas Cherry, Chrysanthemum, Cineraria, Dieffenbachia, Fuchsia, Gloxinia, Ivy, Lantana, Nerve Plant, Peace Lily, Petunia, Rose and Spider Plants. Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary.

OUTDOOR PLANTS

For control of Aphids, Two-spotted Mites, adult White Flies, Tent Caterpillars, Cankerworms, and Garden Webworms on Azalea, Chrysanthemum, Euonymus, Ivy, Marigold, Petunia, Rose, Spider Plant, Zinnia and on Ornamental Crabapple, Cherry and Plum Trees. Spray as directed under House Plants. Repeat as necessary. When using outdoors, spray when air is still. Do not spray bearing fruit trees.

FOR CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and small flying Moths) direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows. Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs) - Spray into cracks or woodwork, walls, floors, and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

NET WT.
6.5 OZ.



**Multi-purpose
house plant
insect spray**



CAUTION Keep out of reach of children
See right side panel for additional cautions

E.P.A. Reg. No. 802-526-AA

DIRECTIONS FOR USE

WASPS AND HORNETS - Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

CAUTION

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.


ACTIVE INGREDIENTS

- * Tetramethrin 0.250%
- and related compounds 0.034%
- ** (C-benzyl-3-furyl)
methyl 2,2-dimethyl-3-
(2-methylpropenyl)
cyclopropane-carboxylate ... 0.106%
- and related compounds 0.014%
- Petroleum Distillate 9.000%
- INERT INGREDIENTS 90.596%

- * 1-Cyclohexane-1,2-dicarboximidomethyl
2,2-dimethyl-3-(2-methylpropenyl)
cyclopropanecarboxylate
- ** Cis/trans isomer content: Max. 30% (±)
cis and Min. 70% (±) trans.
U.S. Pat. No. 3,465,007.
- NEO-PYNAMIN Reg. U.S. Pat. Off.
SUMITOMO CHEMICAL CO., LTD.

WARRANTY: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, express or implied, concerning the effects of this product, when not used in accordance with directions. MP-1K

Manufactured for
THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Est. 10800-CA-1



4 3 3 3 3

[802-526]

DIRECTIONS FOR USE

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 18 inches from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

HOUSE PLANTS AND HOME GREENHOUSES

For control of Aphids, Two-spotted Spider Mites and adult White Flies on African Violet, Begonia, Christmas Cherry, Chrysanthemum, Geranium, Diffenbachia, Fuchsia, Gloxinia, Ivy, Nerve Plant, Neenthe Bella Palm, Petunia, Rose of Sharon and Snapdragons. Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary.

OUTDOOR PLANTS

For control of Aphids, Two-spotted Mites, adult White Flies, Tent Caterpillars, Cankerworms, and Garden Webworms on Azalea, Chrysanthemums, Euonymus, Ivy, Marigold, Petunia, Rose, Snapdragon, Zinnia and on ornamental Crabapple, Cherry and Plum trees. Spray as directed under House Plants. Repeat as necessary. When using outdoors, spray when air is still. Do not spray bearing fruit trees.

FOR CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and small flying Moths) - direct spray at flying insects using short bursts (1 to 2 seconds) to treat unoccupied areas as follows. Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying.

CRAWLING PESTS (Ants, Boxelder Bugs, Cockroaches, Earwigs and Sowbugs) - Spray into cracks or woodwork, walls, floors, and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

NET WT.
6.5 OZ.



**Multi-purpose
house plant
insect spray**



CAUTION Keep out of reach of children
See right side panel for additional cautions

E.P.A. Reg. No. 802-526-AA

DIRECTIONS FOR USE

WASPS AND HORNETS - Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

CAUTION

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

ACTIVE INGREDIENTS

- * Tetramethrin 0.250%
- and related compounds 0.034%
- ** (5-benzyl-3-furyl)
methyl 2,2-dimethyl-3-
(2-methylpropenyl)
cyclopropane-carboxylate ... 0.106%
- and related compounds ... 0.014%
- Petroleum Distillate 9.000%
- INERT INGREDIENTS 90.596%

- * 1-Cyclohexene-1,2-dicarboximidomethyl
2,2-dimethyl 3-(2-methylpropenyl)
cyclopropanecarboxylate
- ** Cis/trans isomer content: Max. 30% (±)
cis and Min. 70% (±) trans.
- U.S. Pat. No. 3,465,007
- NEO-PYNAMIN Reg. U.S. Pat. Off.
SUMITOMO CHEMICAL CO., LTD.

WARRANTY: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, express or implied, concerning the effects of this product, when not used in accordance with directions. MP-1K

Manufactured for
THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Est. 10900-CA-1