

MAR 18 1991

Ms. Molly Klettke
The Chas. H. Lilly Company
7737 NE Killingsworth
Portland, OR 97218

Dear Ms. Klettke:

Subject: Resmethrin Standard
Miller's Multi-Purpose House Plant Insect Spray
EPA Registration No. 802-526
Your Submission Dated May 23, 1989 and Further Review
of Our Letter Dated February 13, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

We have rechecked our figures and conclude that the formula dated December 6, 1988 does support the label ingredient statement. We withdraw comment 1 of our letter of February 13. You should respond appropriately to points 2 and 3 of that letter.

As new labels are prepared, revise the ENVIRONMENTAL HAZARD statement to be consistent with the Resmethrin Standard for outdoor uses (not RESTRICTED USE).

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

62474;I:A-4:Mountfort:L10-3:KEVRIC:03/14/91,PERM:CL:WO:DD:CL

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

Front Panel:

COLORS: yellow and white background, black type, full color illustration

MILLER'S MULTI-PURPOSE HOUSE PLANT INSECT SPRAY

Alternate Brand Name: Lilly/Miller House Plant Insect Spray

TYPE SIZE: As indicated, all other 6 pt minimum

House Plant Formula
Contains Neo-Pyramin

ACCEPTED
with COMMENTS
In EPA Letter Dated
MAR 18 1991

ACTIVE INGREDIENTS:

Tetramethrin	0.250%	Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 802-526
and related compounds	0.034%	
Resmethrin	0.166%	
and related compounds	0.014%	
INERT INGREDIENTS	99.52%	

Keep out of reach of children (8 pt min)
DIRECTION (12 pt min)

See side panel for additional precautionary statements

Net Wt. 6.5 oz.

Side Panels:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

HOUSE PLANTS AND HOME GREENHOUSES

For control of Aphids, Twospotted Spider Mites and adult Whiteflies on African Violet, Aralia, Christmas Cherry, Chrysanthemum, Cineraria, Diffenbachia, Fuchsia, Gloxinia, Ivy, Lantana, Meanthe Bella Palm, Petunia, Rose and Snapdragons. Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary.

OUTDOOR PLANTS

For control of Aphids, Twospotted Mites, adult Whiteflies, Tent Caterpillars, Cankerworms, and Garden Webworms on Azalea, Chrysanthemum, Eunonymus, Ivy, Marigold, Petunia, Rose, Snapdragon, Zinnia and on Ornamental Crabapple, Cherry and Plum Trees. Spray as directed under House Plants. Repeat as necessary. When using outdoors, spray when air is still. Do not spray bearing fruit trees.

CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and small flying Moths) - direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows. Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs) - Spray into cracks or woodwork, walls, floors, and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

STORAGE AND DISPOSAL

Store this product in its original container in a locked storage area out of reach of children and domestic animals. Replace cap and discard container in trash. Do not incinerate or puncture. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

U.S. Pat. No. 3,465,007

GENE-PYRAMIN Reg. U.S. Pat Off SUMITOMO CHEMICAL CO. LTD.

THE CHAS. H. LILLY CO.

PORTLAND, OREGON 97218

EPA Reg. No. 802-526

EPA Est. 10900-CA-1

47753