

LILLY/MILLER
CHLORBAN INSECT GRANULES

ACTIVE INGREDIENT:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 0.5%
INERT INGREDIENTS 99.5%

DURSBAN is a trademark of DowElanco

Fast-Acting, Ready-To-Use Insect Control Granules
Create an effective barrier around your house

Kills Ants, Fleas, Sowbugs, Crickets, Earwigs, Chinch Bugs, Grasshoppers, Brown Dog Ticks, Root Maggots and many other insects.

Keep out of reach of children

CAUTION

See left side panel for Statement of Practical Treatment and additional Precautionary Statements.

NET WEIGHT 1 LB. (454 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid eye contact. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep children and pets off treated areas until this material is washed into the soil and treated area is dry.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victim to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately. If On Skin: Flush with plenty of water. If In Eyes: Flush with plenty of water. Get medical attention. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

ACCEPTED
FEB 22 1995
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 802-532

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

FOR ROOT MAGGOT CONTROL

IN DIRECT SEEDED CROPS: Apply only at seeding. Do not make more than one application per season.

BEST AVAILABLE COPY

2 4 3

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Rutabagas*, Chinese Cabbage, Turnips*: Use 1 to 2 pounds of product per 100 linear feet of row by placing over the seed in a 2 to 4 inch wide band at time of planting. Sprinkle or irrigate with water after planting.

*With Rutabagas and Turnips, it would be realistic to expect only early season protection because of their extended growing season.

Restrictions: Do not apply more than 1 pound of DURSBAN INSECT GRANULES per 100 sq. ft. Do not use rutabaga tops for food or feed purposes.

Radishes: Use 9.9 ounces of product per 100 linear feet of row by application in the seed furrow with the seed at planting time.

Restriction: Do not apply more than 1 pound of DURSBAN INSECT GRANULES per 80 sq. ft.

1 cup of CHLORBAN INSECT GRANULES equals approximately 4 ounces.

FOR LAWNS AND OTHER ORNAMENTAL TURF AREAS

To control Ants (including foraging fire ants), Armyworms, Billbugs, Centipedes, Chiggers, Chinch Bugs, Crickets, Cutworms, Earwigs, Fiery Skipper Larvae, Flea Beetles, Fleas, Gnats, Grasshoppers, Greenbugs, June Beetles, Leafhoppers, Lucerne Moth, Millipedes, Mites (Clover, Formula Grass, Winter Grain), Mosquitoes, Sod Webworms (Lawn Moth Larvae), Sowbugs (Pillbugs), Spittlebugs, Springtails, Ticks, and Tropical Grass Webworms.

Apply CHLORBAN INSECT GRANULES at the rate of 1 lb. per 200 sq. ft. of area.

Treat when insects first appear. Immediately after application, sprinkle the turf with 6 gallons of water per 200 sq. ft. so as to wash the granules into the zone of insect infestation.

WHITE GRUB CONTROL (Larvae of European Chafer and Japanese Beetle) Apply 1 lb. CHLORBAN INSECT GRANULES per 50 - 100 sq. ft. Apply the granules uniformly over the area to be treated, followed immediately by a thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service for proper time to treat in your area.

EUROPEAN CRANE FLY LARVAE CONTROL

Apply 1 lb. CHLORBAN INSECT GRANULES per 140 sq. ft. Immediately after application, sprinkle the turf with 3 gallons of water per 100 sq. ft. For timing of applications you should consult your local Agricultural Extension Service.

HYPERODES (Turfgrass) WEEVIL CONTROL

BEST AVAILABLE COPY

3 4 3

Apply CHLORBAN INSECT GRANULES at the rate of 1 lb. per 100 sq. ft. of area. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service Specialist for best time to treat in your area.

NUISANCE PESTS AROUND HOMES AND BUILDINGS - OUTDOORS

To help prevent infestation of homes and buildings by Ants (including foraging fire ants), Bees, Boxelder Bugs, Carpenter Ants, Chiggers, Clover Mites, Crickets, Earwigs, Fleas, Flies, Hornets, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs (Pillbugs), Spiders, Ticks, Wasps and Yellowjackets:

Treat a band of soil 6 to 10 feet around and adjacent to the building where pests are active and may find entrance. Apply CHLORBAN INSECT GRANULES at the rate of 1 lb. per 200 sq. ft. (10' x 20'). Mosquitoes coming to rest on treated areas will be killed for varying periods of time. For Scorpions, remove debris such as lumber, firewood and other materials which serve as shelter for these insects.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97283
EPA Reg. No. 802-532
EPA Est. 802-OR-1
30213

.....
.....
.....
.....
.....