

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before application

1. Remove existing weeds.
2. Thoroughly work and smooth the area to be treated.
3. Carefully measure area to be treated and determine the number of square feet.
4. If area to be treated is large, it should be divided into smaller sections and each treated individually.

Application and rate

1. Shake CASORON GRANULES uniformly on the soil at the rate of 1/4 ounce (2 level tablespoons) for each 10 sq. ft. to be treated. 20 oz. treats 270 sq. ft.
2. As a guide for the proper application rate and uniformity of distribution of the granules, consult the diagram below.



Application rate (actual size). Sprinkle evenly as shown.

3. Rates higher than those indicated may cause injury.

4. More accurate and uniform application can be obtained by applying one-half of the required material over the entire treatment area and repeating the application with the remaining material.

5. CASORON should not be used on sloping areas, as run off may result in injury to lawn or other plants in adjacent areas.

After application

1. Unless the soil is wet, sprinkle lightly to moisten the soil 1/4 to 1/2 inch deep. Do not flood, avoid puddling and washing.
2. Avoid disturbing soil in the treated area as long as weed control is being maintained.

NOTE: Use only on the ornamental plants listed on the label. Do not apply to transplant or cutting beds or to newly set transplants, and do not seed or transplant into treated areas. Do not use on extremely light sandy soils. Do not use on plants, any part of which is used for human or animal consumption.

NOTICE: This product contains no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and of handling of this material when instructions are not followed.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97208
EPA Reg. No. 622-536

LILLY/MILLER

Casoron[®] Granules

ACTIVE INGREDIENT:
Dichlobenil[®] 2.0%
INERT INGREDIENTS 98.0%

¹Research Society of
Pharm. Dupont BV,
Amsterdam, Holland
²2, 6-Dichloroben-
zenes
(U.S. Pat.
No. 3,077,248)



CONTROLS
WEEDS & GRASSES
IN EVERGREENS,
ROSES & OTHER
SHRUBS

TREATS 270 SQ. FT.

Keep out of reach of children

CAUTION

See rights of sale for additional cautions

NET WT. 1 1/4 LBS.

CASORON GRANULES when applied to the soil as directed will give selective control of annual grassy and broadleaved weeds and certain perennial weeds such as:

Annual Bunchgrass	Foral	Plantain
Barnyard	Gnaphalium	Purslane
Bull Thistle	Groundsel	Ragweed
Cat's Paw	Hebe	Redroot Pigweed
Catchweed	Hesperis	Roxbury
Chenopod	Jerusalem oak	Russian Thistle
Cottonwood	Groundfoot	Shepherdspurse
Cupress	Knapweed	Smartweed
Cyperus	Lamb's ears	Spachthistles
Cytisus	Mixed Vine	Spruce
Dandelion	(Murena)	Tansy
Echinochloa	Odorata	Texas Panicle
Fat Hen	Nasturtium	(Humulus)
Florida Purslane	Paspalum	Wild Mustard
(Pulse)	Pineapple Weed	Yellow Woodchick

WOODY ORNAMENTALS

CASORON GRANULES are to be applied only to established woody plants -- those which have been planted for at least four months. CASORON GRANULES may be used for weed control on the following plants:

Almond	Flowering Almond	Mountain Ash
Alder	Flowering Quince	Nandina
Ash	Forsythia	Oak
Azalea	Gardenia	Osmunda
Bamboo	Glossy Star	(Holy Olive)
Berry Bush	Holly	Pachistima
Birch	Hollyhock	Pecan
Boragin	Heather	Photinia
Bowwood	Holly	Pine
Camelia	Honeysuckle	Pittosporum
Caucasian	Ivy (Hedera)	Poplar
Ceylon Laurel	Juniper	Privet
Celastrus	Kalmia	Pyracantha
Cornus	Laurel	Rhododendron
Croton	Leucodermis	Rose
Daphne	Lilac	Russian Olive
Dogwood	Linden	Spiraea
Eastern Red Cedar	Locust	Squawbush
Elm	Magnolia	Waxleaf
Flowering Cypripedium	Maple	Willow
Engelmann	Musk Orange	Yew (Taxus)

1 Kurume, M. Hardy Hybrid types and sturdy native species only.

2 Except 1. Chamaelirium, 1. Yucca, 1. Yucca.

Precautionary Statements

Hazards to Humans & Domestic Animals

CAUTION
Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin. In case of contact, flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

STORAGE AND DISPOSAL

Keep container tightly closed when in storage. Do not reuse empty container. Wrap container and put in trash collection.