

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 802-536	2. EPA Product Manager Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lillv/Miller Casoron Granules	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Central Garden & Pet 15750 N. Lombard Street, Suite 200 Portland, OR 97203 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
MAR 31 2006

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification of addition of maximum application rate statement as requested in acceptance letter dated 12/31/2003 (copy of letter attached). This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Molly Hickman	Title House Counsel	Telephone No. (Include Area Code) 503-205-2242
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp/d)
2. Signature <i>Molly Hickman</i>	3. Title House Counsel	
4. Typed Name Molly Hickman	5. Date 3-9-06	



2/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Ms. Molly E. Hickman  
Central Garden & Pet  
dba Lilly Miller Brands  
P.O. Box 2289  
Clackamas, OR 97015

Dear Ms. Hickman:


Subject: Label Amendment  
Lilly Miller Casoron Granules  
EPA Reg. No. 802-536  
Your submission dated September 23, 2003

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable. It is recommended that you make the following changes.

Clearly state that the applications are limited to one (1) application per year at 18 oz/100 sq ft.

Your directions for use for "Version B" make no reference to one application and "Version A" only says one (1) application is generally enough.

Sincerely,

  
James A. Tompkins  
Product Manager (25)  
Herbicide Branch  
Registration Division (7505C)

LILLY MILLER  
CASORON GRANULES

ACTIVE INGREDIENT:

Dichlobenil: 2,6-Dichlorobenzonitrile . . . . 2.0%

INERT INGREDIENTS . . . . . 98.0%

Casoron is a registered trademark of Crompton Corporation or a subsidiary of Crompton Corporation.

Keep out of reach of children  
CAUTION  
See back panel for additional cautions

NET WEIGHT 10 LBS. (4.5 kg)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin. Get medical attention if irritation persists. Wash thoroughly after handling. Avoid contamination of feed and foodstuff. Do not enter or allow persons or pets to enter treated area until granules are thoroughly watered in and treated soil has dried. Do not apply this product in a way that will contact any person or pets, either directly or through drift. Keep people and pets out of the area during application.

FIRST AID

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS

Cover, collect, or incorporate granules spilled on the soil surface. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

**USER SAFETY RECOMMENDATIONS**

Users should: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should wear long-sleeved shirt and long pants, shoes and socks when applying this product. Users should remove clothing if pesticide gets inside, then wash and put on clean clothing.

=====

**DIRECTIONS FOR USE (Version A)**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

Prevents Weeds and Grasses Around Roses and Listed Shrubs and Trees  
Treats over 2,000 square feet

CASORON GRANULES will selectively control annual grassy and certain perennial weeds around established ornamental trees and shrubs, fruit and nut trees, and berries, listed on this label. One application, made as directed, is generally enough to give season-long control. If a second application is made, do not apply more than 18 oz. per 100 sq. ft. in total per treatment site per year.

CASORON GRANULES when applied to the soil as directed will give selective control of annual grassy and broadleaf weeds and certain perennial weeds such as:

Annual Bluegrass  
Artemesia  
Bluegrass  
Bull Thistle  
Camphorweed  
Canada thistle  
Carpetweed  
Chickweed  
Citronmelon  
Climbing milkweed  
Coffeeweed  
Crabgrass  
Cudweed  
Curly Dock  
Dandelion  
Dogfennel  
Evening Primrose  
Falsedandelion  
Fescue  
Fiddleneck  
Florida betony (Rattle snake weed)  
Florida purslane (Pusley)  
Foxtail  
Gisekia  
Groundsel

Henbit  
 Horsetail  
 Jerusalem oak goosefoot  
 Knotweed  
 Leafy spurge  
 Lambsquarter  
 Maypop passionflower  
 Morningglory  
 Natalgrass  
 Orchardgrass  
 Pepperweed  
 Pineappleweed  
 Plantain  
 Purslane  
 Quackgrass (from seed)  
 Ragweed  
 Red deadnettle  
 Redroot pigweed  
 Rosarypea  
 Russian knapweed  
 Russian thistle  
 Shepherdspurse  
 Smartweed  
 Smooth brome  
 Spanishneedles  
 Spurge  
 Stranglevine  
 Teaweed  
 Texas panicum  
 Timothy  
 Wild artichoke  
 Wild carrot  
 Wild mustard  
 Wild radish  
 Witchgrass  
 Yellow rocket  
 Yellow woodsorrel

CASORON GRANULES are to be applied only to established woody plants - those which have been planted for at least four months.

CASORON GRANULES can be used for weed control on the following Ornamental Woody Shrubs:

Amur corktree  
 Arborvitae  
 Ash  
 Azalea 1  
 Barberry  
 Beauty bush  
 Birch  
 Box elder

- Boxwood
- Camellia
- Caragana
- Ceanothus prostratus
- Cleyera japonica
- Cotoneaster
- Cottonwood
- Crabapple
- Deutzia
- Dogwood
- Eastern red cedar
- Elm
- Elmwood cypress
- English ivy 2
- English walnut
- Euonymous
- Filbert
- Flowering almond
- Flowering quince
- Forsythia
- Gardenia
- Goldenraintree
- Hackberry
- Heather
- Holly 3
- Honeysuckle
- Juniper
- Kinnikinnick
- Laurel
- Leucothoe
- Lilac
- Linden
- Locust
- Magnolia
- Maple
- Mock Orange
- Mountain Ash
- Nandina
- Oak
- Osmanthus
- Pachistima
- Pecan
- Photinia
- Pittosporum
- Poplar
- Privet
- Pyracantha
- Rhododendron
- Rockrose
- Rose
- Russian olive
- Spirea

Weigela  
Willow  
Yew (*taxus*)

- 1 Kurume, Mollis, Hardy Hybrid types and hardy native species only.
- 2 Only ivy plants that have been planted for at least 12 months.
- 3 Except *I. Crenata*, *I. Rotunda*, *I. Vomitoria*.

CASORON GRANULES may injure or kill plants not listed on this label.

CASORON GRANULES may be used for weed control on the following edible fruits and nuts:

Apple  
Blackberry  
Blueberry  
Cherry  
Filbert  
Grape  
Pear  
Raspberry

#### Before Application

1. Remove existing weeds.
2. Thoroughly work and smooth the area to be treated.
3. Carefully measure area to be treated and determine the number of square feet.
4. If area to be treated is large, it should be divided into smaller sections and each treated individually.

#### Application Timing

For annual weeds: Apply in early spring before weeds emerge or after removing weeds.

For perennial weeds: For best control, apply after a killing frost from late fall to early winter.

#### Application and Rate

Shake CASORON GRANULES uniformly on the soil at the rates specified. Rates higher than those indicated may cause injury.

ORNAMENTAL WOODY SHRUBS: Use at rate of 3/4 ounce (2 level tablespoons) for each 10 sq. ft. to be treated. 10 pounds treats 2,133 sq. ft.

FRUIT TREES, NUTS, BLUEBERRIES, GRAPES: Apply 2-3 level tablespoons per 10 sq. ft. Use the higher rate - 3 tablespoons per 10 sq. ft. if weed infestation is heavy or if most weeds are perennial. Wait 30 days after making application before harvesting cherries or nuts.

BLACKBERRIES, RASPBERRIES: Use 2 level tablespoons per 10 sq. ft. Use only on established plantings. Apply before new shoots emerge in spring.

Use the diagram below as a guide for uniform distribution of granules. [DIAGRAM]

More accurate and uniform application can be obtained by applying one-half of the required material over the entire treatment area and repeating the application with the remaining material.

CASORON GRANULES should not be used on sloping areas, because runoff may result in injury to lawn or other plants in adjacent areas.

**After Application**

1. Unless the soil is wet, sprinkle lightly to moisten the soil 1/4 to 1/2 inch deep. Do not flood, avoid puddling and washing away the granules.
2. Avoid disturbing soil in the treated area as long as weed control is being maintained.

NOTE: Use only on the plants listed. Do not apply to transplant or cutting beds or to newly set transplants, and do not seed or transplant into treated areas for one year after application. Do not use on extremely light sandy soils.



**DIRECTIONS FOR USE (Version B)**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only. Not for use indoors.

**Ready To Use**

- Covers up to 1,000 sq. ft.
- Kills Weeds and Grasses Roots and All
- Kills Existing Vegetation
- Prevents Regrowth for Up To One Year
- Use in Locations Where No Plant Growth is Desired

This product may be used in many places around your yard where you do not want anything to grow; such as driveways, gravel parking areas, walkways and paths, along fences, around buildings, and under decks.

**FOR COMPLETE, NONSELECTIVE WEED & GRASS CONTROL** - Apply 15 to 18 oz. (3-1/3 to 4 cups) per 100 square feet. The lighter rate may be used if the weed infestation is primarily annuals. For perennial weeds and in dry soil areas the higher rate should be used. Dead weeds from previous seasons' growth do not need to be removed.

Apply this product from late fall through early spring. Applications in the Northeast and upper Midwest should be made in early spring after the ground has thawed. Do not apply to frozen ground or over the top of snow. For prompt and effective results, rainfall or other precipitation should occur within a few days of application. If air temperatures are expected to rise above 70 degrees F within one week following application, immediately scratch or water the granules into the soil. Do not seed or transplant into the treated area for 24 months.

Control of existing vegetation, such as shallow-rooted grasses and annual weeds, will occur two to three weeks after application.

Application is limited to once per year at a maximum rate of 18 oz. per 100 square feet.



USE PRECAUTIONS: This product is nonselective in action and may destroy all types of vegetation. The treated area may be totally or partially non-productive for one or more years. Apply only to areas where complete plant control is desired. Do not apply to areas on slope above lawns or susceptible crops as runoff water from treated area could cause injury.

=====

**STORAGE AND DISPOSAL**

Store this product in its original container out of reach of children and domestic animals. If empty: Do not reuse this container, except as directed for refilling. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate instructions for a refillable applicator container: Refillable applicator! Refillable! Reuse this handy applicator container by refilling it with Lilly Miller Casoron Granules.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Filled by weight not by volume. Product may settle after packaging.

CENTRAL GARDEN & PET  
1340 Treat Blvd., Suite 650  
Walnut Creek, CA 94597  
EPA Reg. No. 802-536  
EPA Est. 2217-KS-2  
[www.lillymiller.com](http://www.lillymiller.com)

EPA notification 3/9/2006