

LILLY/MILLER  
PESTKIL  
RHODODENDRON & ROSE DUST

**BEST AVAILABLE COPY**

New! No unpleasant odor!

Kill root weevils on rhododendrons fast with effective easy to use dust

Can be used under rugs and furniture cushions.

**ACTIVE INGREDIENT:**

Bendiocarb: (2,2-dimethyl-1,3-benzodioxol-4-Methylcarbamate) . . . . 1%  
INERT INGREDIENTS . . . . 99%  
TOTAL . . . . 100%

**ACCEPTED**  
AUG 24 1987  
Under . . . . .  
Fungi . . . . .  
as . . . . .  
registered under  
EPA Reg No. 802-537

+Protected by U.S. Patent No. 3,736,338

Keep out of reach of children

**CAUTION**

See left side panel for additional precautionary statements and first aid.

NET WEIGHT 1 LB. (10 oz. squeeze duster)

**IMPORTANT:**

Read the entire Directions for Use and Notice before using this product.

**ORNAMENTAL PESTS**

PESTKIL RHODODENDRON & ROSE DUST is a ready-to-use insecticide dust which gives effective knock-down and residual control of specified pests on non-edible flowers, shrubs and trees. For effective control of root weevil on rhododendrons and other plants, sprinkle dust on the ground at the base of plant, on stems, trunks and branches, and on the underside and upper surface of leaves.

{ NOTE: PESTKIL RHODODENDRON & ROSE DUST has demonstrated excellent plant safety, however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

CAUTION: This product is highly toxic to bees exposed to direct treatment or to residues on plants.

**FOR BEST RESULTS**

1. Lightly apply dust to underside as well as top of all plants. Treat when pests first appear.
2. Repeat applications as necessary.
3. If rain occurs within 24 hours after application of dust, repeat treatment.

To control the following pests on non-edible FLOWERS, SHRUBS AND SMALL TREES:

- |                    |                              |
|--------------------|------------------------------|
| Azalea caterpillar | Mealy bugs                   |
| Bagworm            | Mimosa webworm               |
| Black vine weevil  | Obscure root weevil (adults) |

Citrus blackfly (larvae)  
 Chrysanthemum aphid  
 Eastern tent caterpillar  
 Elm leaf beetle  
 Fall webworm  
 Green apple aphid  
 Greenhouse whitefly  
 Japanese beetle  
 Lace bugs

Pine spittlebug  
 Poplar tent maker  
 Scale (Florida Wax, Soft brown, Tea, Euonymus)  
 Spirea aphid  
 Spring cankerworm  
 Strawberry root weevil  
 Willow leaf beetle (larvae)  
 Yellownecked caterpillar

Black vine weevil, obscure root weevil and strawberry root weevil (adults) control:

Begin treatment for the adult weevil in May or June or as soon as weevil is present. Treat every two weeks or more often for severe infestation.

Outdoor Use - Use PESTKIL RHODODENDRON & ROSE DUST as a residual treatment for control of ants, bees, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area.

PESTKIL RHODODENDRON & ROSE DUST can also be used for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include houses and apartment buildings.

Apply PESTKIL RHODODENDRON & ROSE DUST to hiding and runway areas and those places where pests are found. (Directions for application with squeeze duster) To apply, tap bottom of duster and shake lightly. Then, remove cap and squeeze container. Replace cap after use. Apply lightly and uniformly to infested areas. Pay particular attention to: cracks and crevices; wall voids; around electrical fittings; around water pipes; under and behind cabinets, refrigerators and sinks; around window and door frames; along baseboards; and in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 2-4 teaspoons per square yard. Repeat treatments as necessary to maintain adequate control.

**BEST AVAILABLE COPY**

For Carpenter Ants: Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Also force dust into infested wood through existing openings or newly drilled small holes. When possible locate and treat nests and surrounding areas.

Brown Dog Ticks and Fleas (Indoors): Apply dust to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not treat animals or their bedding with this product. Treat pets with an EPA approved product

registered for direct application to pets, such as Lilly/Miller SEVIN brand carbaryl insecticide 5% Dust.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Wasps and Bees:** It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening, with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. Check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

**Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions:** Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

**Cockroaches (including both non-resistant and organophosphate and organochlorine resistant strains), Ants, Crickets, Silverfish and Firebrats:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

**BEST AVAILABLE COPY**

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

**FIRST AID:** If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. If inhaled, keep patient strictly at rest and transfer to hospital immediately to get medical attention.

**NOTE TO PHYSICIAN:** Contains anti-cholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate - 2 mg (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

##### ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, birds and other wildlife.

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on

70009

149 01

this label.

**PRECAUTIONS**

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals.

Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-537  
EPA Est. 802-OR-1

