DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection. Keep pesticide in original container. Keep container closed when not in use. Do not store in contact with seeds or other pesticides. Do not store near feed or food stuffs.

USE PRECAUTIONS

2,4-D, MCPP and Banvel are injurious to most plants other than grasses, so this material should be applied carefully on a day with low wind velocity to avoid drift onto valuable plants. Do not use on St. Augustine grass, Dichondra, carpetgrass or clover lawns. Can cause possible injury to bentgrass. Do not apply within the drip line of desirable trees and shrubs. Rinse spreader with clear water after use.

NOTICE: Follow directions carefully. Timing and method of application, weather conditions, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

LC-1S

The Chas. H. Lilly Co. Portlnd, Oregon 97218

EPA Reg. No. 802-

EPA Est. No. 802-OR-1

7

J - 614

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	EPA REGISTRATION NO.	DEC 28 1982	
REGIS' RATION DIVISION (HH-567) AFSHINGTON, D.C. 20460	TERM OF ISSUANCE		
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODU	CT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
г	7		
Section 18 Section 18 Section 18	•		
L	٦		
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division pri product always refer to the above U.S. EPA registration nu	or to use of the label in commen		
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered under	
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is re	twned herewith.	
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motificide in accordance with the Act. The acceptance of any note is not to be construed as giving the registrant a right by others.	on, may at any time suspend or ame in connection with the regi to exclusive use of the name or	cancel the registration of a pest- istration of a product under this to its use if it has been covered	
the state of the control of			
The property of the second sec		A Company of the Comp	
 Control of the second of the se		· · · · · · · · · · · · · · · · · · ·	
• •			
		· Comment of the second	
	•		
ATTACHMENT IS APPLICABLE			
SIGNATURE OF APPROVING OFFICIAL		DATE	
		DEC 28 1982	

EPA Form \$570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

ULTRA GREEN

WEED & FEED

Illustration

Performance formula controls weeds and provides a thick, healthy lawn in one application

21.3.5

CONTAINS TRIMEC HERBICIDE

COVERAGE Up to 4,000 sq. ft.

ACCEPTED

WITE Commence

DEC 28 1982

Under the Friend Interesticide,
Fring Suice, and Exclusives Act
as a commissed, for the pesticide
registered under
EPA Reg. No. 800-545

ACTIVE INGREDIENTS:
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid* 0.445%

Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic

acid**

0.284%

Dimethylamine Salt of Dicamba (3-6-dichloro-Q-anisic acid)*** 0.143%

INERT INGREDIENTS:

99.14%

2,4-Dichlorophenoxyacetic acid isomer specific by AOAC Method 6.D02-5. 0.370%

**2-(2-methyl-4-chlorophenoxy) propionic acid

0.236%

***3,6-Dichloro-o-anisic acid

0.119%

TRIMEC Reg. TM of PBI/Gordon Corp, U.S. Pat. No. 3,284,186

NET WT. 20 lbs.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

LILLY/MILLER

ULTRA GREEN WEED & FEED Illustration

The performance story.

Ultra Green Weed & Feed is a specially selected combination of plant foods and herbicide formulated to provide satisfactory results with one application.

<u>Water Soluble Nitrogen</u> goes to work immediately after watering. Nitrogen works as a protein builder and helps grass to grow healthy and strong with a rich green color.

Time release Nitrogen works slowly and continuously over time as it is released by bacterial action in the soil. It builds protein and color through steady feeding.

Phosphoric acid is an important nutrient in early growth and root formation. It helps young plants grow strong.

Potash encourages a strong root system and helps build resistance to disease.

Sulphur is an essential element for protein movement. It helps nitrogen promote strong, sturdy growth.

<u>Iron</u> is important for chlorophyll production. It helps turn your lawn that incredibly deep shade of green.

Zinc helps regulate plant growth. Zinc works with nitrogen to build plant protein.

TRIMEC *Herbicide is a patented combination of three proven weed killers that, together, control a wide range of broadleaf lawn weeds. Including dandelions, plantain, chickweed, clover, Japanese clover, henbit, buttercup, spurge, lawn daisy, puncture vine and others.

For Best Results:

- 1. Do not mow lawn for two days prior to application.
- 2. Do not apply to new lawns under 3 months old.
- 3. Apply to moist soil and foliage using an accurate spreader and the appropriate dial setting from chart below. Do not water for at least 24 hours after application.
- 4. A second application can be applied after one month to control any particularly hard-to-kill weeds.

HOW TO SPREAD LAWN FERTILIZER (Illustrations)

- 1. Begin spreading by laying down two strips of lawn food at each end of your lawn. Fill in remaining area as shown here.
- 2. Make turns with the spreader CLOSED to avoid uneven coverage.
- Overlap previous wheel track slightly, as shown above to avoid gaps in coverage.
- 4. Close the spreader when you stop walking to avoid uneven coverage. Stopping and starting with spreader box open will waste your lawn food.

SPREADER SETTINGS

	Lilly/Miller Spreader	Central Spreader	Turf King	Scotts Model 35 & 75
Lilly/Miller Ultra Green Weed & Feed	8½	7½	8	8½

NOTICE

The spreader settings given on this bag have been carefully determined by actual test in new equipment. Incorrect dial settings, walking speed, wear, spreader calibration and general condition of spreader can materially affect the rate of flow. Since these conditions are beyond our control, neither The Chas. H. Lilly Co., nor the retail dealer can guarantee exact coverage as indicated by the recommended dial settings.

Guaranteed Fertilizer Analysis: Total Nitrogen (N) 7.8% Ammoniacal Nitrogen (from Ammonium Sulphate & Ammonium Phosphate) 11.1% Other Water Soluble Nitrogen (from Urea & Sulphur-coated Urea) 2.1% Controlled Release Nitrogen (from Sulphur-coated Urea)	21%
Available Phosphoric Acid (P ₂ 0 ₅)	3%
Soluble Potash (K ₂ 0) (from Muriate of Potash)	5%
Sulphur, expressed as elemental	10%
Iron, expressed as elemental	4%
Zinc, expressed as elemental	0.12%

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Harmful if swallowed. Avoid breathing dust.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water.

ENVIRONMENTAL CAUTIONS

Do not apply directly to water. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of waste.