

PM 2.7 802-547 Page 1 of 4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 10 1995

Molly Hickman
The Chas H. Lilly Co.
P.O. Box 83179
Portland, OR 97283

Dear Ms. Hickman:

Subject: Revised Labeling and Confidential Statement of Formula
Lilly/Miller Ultragreen Weed & Feed
EPA Registration No. 802-547
Your Submission Dated February 7, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment.

The Agency has reviewed your submission for a revised Confidential Statement of Formula, and the following comments apply:

- 1) The Confidential Statement of Formula dated February 7, 1994 for the basic formulation agrees with the label claim in compliance with PR Notice 91-2 and is acceptable.
- 2) Please note that the EPA Registration Number of the source product for your active ingredient has been changed to "EPA Registration No. 62719-52". Your records should be corrected to reflect this change.

The Confidential Statement of Formula has been added to your file as part of the record.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

DK 1305-7546: FHB/PM23		CONCURRENCES					
SYMBOL	7505C						
SURNAME	D. KENNY						
DATE	2/10/95						

LILLY/MILLER
ULTRAGREEN WEED & FEED
15-3-6

NEW IMPROVED CONTAINS SLOW RELEASE NITROGEN

Weed Control with lawn fertilizer
Apply when weeds are growing
Controls dandelions and broadleaf weeds
Lawn fertilizer provides thick green lawns

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid* 0.55%
INERT INGREDIENTS 99.45%

*2,4-Dichlorophenoxyacetic acid equivalent 0.460%. Isomer specific by AOAC method.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET WT. 20 LBS. (9.07 kg) Treats 5,000 Sq. Ft.

GUARANTEED ANALYSIS:

Total Nitrogen (N) 15%
 12.4% Ammoniacal Nitrogen
 0.3% Urea Nitrogen
 2.3% Coated Slow Release Urea Nitrogen
Available Phosphoric Acid (P2O5) 3%
Soluble Potash (K2O) 6%
Calcium (Ca) 2%
Sulfur (S) 14%

Derived from Ammonium Sulfate, Sulfur-Coated Urea, Diammonium Phosphate, Rock Phosphate, Muriate of Potash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. When using this product, wear long pants, long-sleeved shirt, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until granules are washed into the soil and grass has dried.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes: Flush with water for 15 minutes. Get medical attention. In case of contact with skin: Wash with plenty of soap and water.

ACCEPTED
with COMMENTS
In EPA Letter Dated

FEB 10 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA #

802-547

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The maximum number of broadcast applications per treatment site is 2 per year. For household use only.

USE PRECAUTIONS

2,4-D is injurious to most plants other than grasses, so this material should be applied carefully on a day with low wind velocity to avoid drift onto valuable plants. Applications during hot weather (over 80 degrees F) are apt to cause some temporary damage to turf. Do not use on St. Augustinegrass, Dichondra, carpetgrass or clover lawns. Can cause possible injury to bentgrass. Do not apply within the drip line of desirable trees and shrubs. Rinse spreader with clear water after use.

INSTRUCTIONS

ULTRAGREEN WEED & FEED controls a wide range of lawn weeds, including dandelion, clover, plantains, spurge, thistle and many others commonly found in home lawns. In addition, a 15-3-6 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

WEEDS

Buckhorn	Lambsquarter	Sheperdspurse
Chicory	Mallow	Spurge
Clover	Morningglory	Thistle
Dandelion	Pigweed	Wild Carrot
Dock	Plantains	Wild Garlic
Ground Ivy	Poison Ivy	Wild Onion
Heal-All	Purslane	Yarrow
Henbit	Ragweed	
Knotweed	Sheep Sorrel	

BEST AVAILABLE COPY

SUGGESTED SPREADER SETTINGS

SPREADER	SETTING
Wards 1091, 1093, 1095	6 3/4
Wards 1080, 1081	5
Jackson & Sears	5
Scott	5 1/2
Cyclone	4 1/8
Precision 20C Drop	4
Precision SB40 Broadcast	12 1/2
Precision 24F Drop	1
Central 40 Drop	5 3/4
Central 60 Broadcast	4 3/8

*The above spreader settings are approximate and may vary with age, model and condition of your spreader. Check your spreader on 250 sq. ft. and adjust at the rate of 1 lb. per 250 sq. ft. This bag covers 5,000 sq. ft.

STORAGE AND DISPOSAL

Store this product in its original container out of reach of children and domestic animals. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product. Because the time, place, rate of application, and other conditions of use are beyond the Seller's control, Seller's liability from handling, storage, and use of this product is limited to replacement of product or refund of purchase price.

Filled by weight not by volume. Product may settle after packaging.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-547
EPA Est. 802-WA-1
903

BEST AVAILABLE COPY