

Right side panel...

LILLY/MILLER  
Slug & Snail 'em Bait

PROTECTS: Ornamentals  
Flowers  
Fruits  
Vegetables

READY-TO-USE BAIT

EFFECTIVE DURING RAINFALL OR SPRINKLING

ABOUT SLUGS AND SNAILS

Slugs and snails are voracious feeders on the more succulent part of plants especially young seedlings, vegetables, or ornamentals and flowers. Slugs are mollusks which lack the external shell as found on the snail.

Slugs and snails feed mainly at night or on damp dark days. They prefer mild moist conditions and usually hide during cold or dry, hot weather.

Slugs and snails lay their eggs singly or in clusters under plant debris, rocks or in the soil. They reproduce almost continuously during mild, moist weather. The eggs usually hatch in about 14 to 28 days. These tiny slugs grow slowly and begin feeding immediately upon hatching.

For best control of these pests, baiting should be practiced year around especially in early fall before the winter rains so as to kill slugs before egg-laying begins.

<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (HH-557) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

**NOTICE OF PESTICIDE:**  REGISTRATION  REREGISTRATION  
*(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)*

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

201267  
-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

Front Panel



Lilly/Miller Slug, and Snail 'em Bait

APR  
JAN  
871-547

Active Ingredient: Metaldehyde....2.0%  
Inert Ingredients.....98.0%

Kills Slugs and Snails around Ornamentals,  
Flowers, Fruits and Vegetables.  
Effective during rainfall or sprinkling  
Ready-to-use bait

KEEP OUT OF REACH OF CHILDREN

CAUTION

This pesticide may be fatal to dogs or  
other pets if eaten. Keep pets out of  
treated area. See left side panel for  
additional precautionary statements.

Left Side Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and food-stuffs.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by administration of syrup of ipecac or under medical supervision, call a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Birds feeding in treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

WARRANTY: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, expressed or implied, concerning the effects of this product when not used in accordance with directions.

LC-1R

THE CHAS. H. LILLY CO.  
Portland, Oregon 97218

EPA Est. 802-WA-1

EPA Reg. No. 802

Back panel....

Lilly/Miller Slug & Snail 'em Bait is a ready-to-use bait which attracts and kills slugs and snails. Remains effective after rainfall or sprinkling. Protects ornamentals, flowers, fruits and vegetables from slug and snail damage.

DIRECTIONS FOR USE

1. These pests are mainly night feeders and their presence can be detected by a shiny, mucous trail. They hide during the day in damp, protected areas such as rockeries, around flower beds, shrubs, hedges and in low-growing ground covers.
2. For best results, be sure area to be treated is damp. Water area if needed. Apply bait in late afternoon or early evening hours since these pests feed mainly at night.
3. Broadcast the bait lightly over the infested area using 1 lb. per 1750 sq. ft.
4. Bait should be re-applied at two week intervals or more often during periods of damp weather, continuous watering, or heavy infestations.
5. When invasion from adjacent areas is likely, lightly apply a band of Lilly/Miller Slug & Snail 'em Bait along the entire length of the infested area to provide a barrier and good control.
6. Removal of loose boards, bricks, plant debris or other material which may offer shelter to slugs and snails will add to the effectiveness of control.

Fruits and vegetables: To control slugs and snails around the following fruits and vegetables, lightly broadcast around the plants. Do not contaminate edible parts.

Fruits - Apples, Blackberries, Blueberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

Vegetables - Asparagus, Beans, Beets, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Garlic, Lettuce, Melons, Onions, Parsnips, Peas, Peppers, Potatoes, Radishes, Rutabagas, Spinach, Squash, Swiss Chard, Tomatoes and Turnips.