


LILLY/MILLER  
SLUG AND SNAIL BAIT

ACTIVE INGREDIENT:  
Metaldehyde . . . . 2.0%  
INERT INGREDIENTS . . . . 98.0%



IDEAL FOR VEGETABLE AND FLOWER GARDENS.  
EFFECTIVE DURING RAINFALL OR SPRINKLING.

Keep out of reach of children  
CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. See back panel for additional precautionary statements.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Get medical attention immediately. If On Skin Or Clothing: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists. If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

NET WEIGHT 10 LBS.

ABOUT SLUGS AND SNAILS Slugs and snails are voracious feeders on the more succulent part of plants especially young seedlings, vegetables, or ornamentals and flowers. Slugs are mollusks which lack the external shell as found on the snail.

Slugs and snails feed mainly at night or on damp dark days. They prefer mild moist conditions and usually hide during cold or dry, hot weather.

Slugs and snails lay their eggs singly or in clusters under plant debris, rocks or in the soil. They reproduce almost continuously during mild, moist weather. The eggs usually hatch in about 14 to 28 days. These tiny slugs grow slowly and begin feeding immediately upon hatching.

For best control of these pests, baiting should be practiced year around especially in early fall before the winter rains so as to kill slugs before egg-laying begins.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SLUG AND SNAIL BAIT is a ready-to-use bait which attracts and kills slugs and snails. Remains effective after rainfall or sprinkling. Protects ornamentals, flowers, fruits and vegetables from slug and snail damage.

These pests are mainly night feeders and their presence can be detected by a shiny, mucous trail. They hide during the day in damp, protected areas such as rockeries, around flower beds, shrubs, hedges and in low-growing ground covers.

For best results, be sure area to be treated is damp. Water area if needed. Apply bait in late afternoon or early evening hours since these pests feed mainly at night.

Broadcast the bait lightly over the infested area using 1 lb. per 1750 sq. ft.

Bait should be re-applied at two week intervals or more often during periods of damp weather, continuous watering, or heavy infestations.

When invasion from adjacent areas is likely, lightly apply a band of SLUG AND SNAIL BAIT along the entire length of the infested area to provide a barrier and good control.

Removal of loose boards, bricks, plant debris or other material which may offer shelter to slugs and snails will add to the effectiveness of control.

FRUITS AND VEGETABLES: To control slugs and snails around the following fruits and vegetables, lightly broadcast around the plants. Do not contaminate edible parts.

Fruits: Apples, Blackberries, Blueberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

Vegetables: Asparagus, Beans, Beets, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumbers, Eggplants, Garlic, Lettuce, Melons, Onions, Parsnips, Peas, Peppers, Potatoes, Radishes, Rutabagas, Spinach, Squash, Swiss Chard, Tomatoes and Turnips.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

IMPORTANT: Keep away from children, dogs and other pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Birds feeding in treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

WARRANTY: The use of this material being subject to conditions beyond our knowledge and control, the seller makes no warranty of any kind, expressed or implied, concerning the effects of this product when not used in accordance with directions.

Filled by weight, not by volume. Product may settle after packaging.

THE CHAS. H. LILLY CO.  
PORTLAND, OREGON 97218  
EPA Reg. No. 802-549  
EPA Est. 802-WA-1  
78994

3/21

3 2 1