

Reg no. 802-550

PM 25

1984

110 1/14/84 MCH
X/20/84 MCH
51:196 OK MCH


LILLY/MILLER

Ready-to-use

Knock-Out Weed & Grass Killer



BEFORE AFTER

ACTIVE INGREDIENT
Isopropylamine salt of glyphosate 0.98%
INERT INGREDIENTS 99.04%
*N-(phosphonomethyl) glycine

**Kills weeds & grasses
systemically, roots & all**

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements

NET CONTENTS 24 FL. OZ.

(11.3)

ACCEPTED

SEP - 1 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. ~~802-550~~



Ready-to-use Knock-Out Weed & Grass Killer
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. In case of contact, immediately flush eyes with plenty of fresh water for 15 minutes. For skin, wash with plenty of soap and water. Get medical attention if irritation persists. Keep children and pets off treated areas until spray has dried. Avoid contamination of food or feed. **ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not concentrate water by clearing of equipment or disposal of waste.

DISPOSITIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SHAKE WELL before use!**

STORAGE AND DISPOSAL: Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container except as directed in this label. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

READ ENTIRE LABEL AND ATTACHED PAMPHLET FIRST. USE ONLY AS DIRECTED, NOTING ALL CAUTIONS.

Ready-to-use KNOCK-OUT Weed and Grass Killer controls a broad spectrum of weeds, grasses and undesirable vegetation around trees, shrubs and ornamental plantings, along sidewalks, driveways, fences and patios, and around buildings and spot treatment in lawns. It is a systemic, non-selective, later applied herbicide that moves from the treated leaves and stems to the roots, giving complete control. Visible effects of an application may take up to two weeks or longer with complete kill in 2 to 4 weeks.

WHEN TO USE: To assure effective control, apply when weeds are actively growing. Repeat application may be necessary to control hard-to-kill weeds and grasses. For best results, apply on a sunny day when the daytime temperature is at least 60° F. Apply only if the air is calm and rainfall is not expected within 12 hours. Do not use on or around edible feed or food crops.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Est. 802-OR-1
EPA Reg. No. 802-560
53994




0 70624 53994 1

(11.3)

BEST AVAILABLE COPY

Manufactured For
LANDIA CHEMICAL COMPANY
1405 WEST OLIVE STREET
LAKELAND, FLORIDA 33801

NET CONTENTS: 50 Pounds





LILLY/MILLER.

Ready-to-use

Knock-Out Weed & Grass Killer

**Kills Weeds &
Grasses
Systemically—
Roots & All**



ACTIVE INGREDIENT:
isopropylamine salt of
glyphosate 0.96%
INERT INGREDIENTS 99.04%
N-(phosphonomethyl) glycine

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements

NET CONTENTS 1/2 GALLON

Controls Bermudagrass, broadleaf weeds
and other grassy weeds:

Bahiagrass	London Rocket
Bermudagrass	Mullen
Bindweed	Pennsylvania
(Wild Morningglory)	Smartweed
Blackberries	Perennial Ryegrass
Bluegrass	Redroot Pigweed
Bromegrass	Poison Ivy
Canada Thistle	Quackgrass
Chickweed	Ragweed
Common Groundsel	Reed Canarygrass
Common Plantain	Russian Thistle
Crabgrass	Sandbar, Field
Curly Dock	Shepherdspurse
Dandelion	Silver Nightshade
Fescue	Sowthistle
Fiddleneck	Tall Fescue
Fleabane	Torpedograss
Foxtail	Velvetleaf
Johnsongrass	White Clover
Kochia	Wild Barley
Lambsquarters	Yellow Nutsedge

BEST AVAILABLE COPY

**PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE NEAR HEAT OR OPEN FLAME.**

In Case of:

FIRE - Use water spray, foam, dry chemical or CO2.

SPILL or LEAK, keep all unprotected persons away. Cover with absorbent such as ash, lime, clay or saw dust. Sweep up and bury. Wash area thoroughly with strong lye solution.

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY, WITHOUT WARNING, CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before using this product, consult the Agricultural Extension Service or Experimental Station for specific recommendations regarding such blood tests.

If handled indoors, provide mechanical exhaust ventilation.

Keep all unprotected persons and animals away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical Treatment) section.

PROTECTIVE CLOTHING STATEMENTS

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. In case of contact, immediately flush eyes with plenty of fresh water for 15 minutes. For skin, wash with plenty of soap and water. Get medical attention if irritation persists. Keep children and pets off treated areas until spray has dried. Avoid contamination of food or feed.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL FIRST. USE ONLY AS DIRECTED, NOTING ALL CAUTIONS.

Lily/Miltex Ready-To-Use KNOCKOUT WEED AND GRASS KILLER controls a broad spectrum of weeds, grasses and undesirable vegetation around trees, shrubs and ornamental plantings, along sidewalks, driveways, fences and patios, and around buildings and spot treatment in lawns. It is a systemic, non-selective, foliar applied herbicide that moves from the treated leaves and stems to the roots, giving complete control. Visible effects of an application may take up to one week or longer with complete kill in 2 to 4 weeks.

WHEN TO USE

To assure effective control, apply when weeds are actively growing. Repeat application may be necessary to control hard-to-kill weeds and grasses. For best results, apply on a sunny day when the daytime temperature is at least 60°F. Apply only if the air is calm and rainfall is not expected within 12 hours. Do not use on or around edible feed or food crops.

SHAKE WELL BEFORE USING

HOW TO USE: Adjust nozzle to coarse spray. Hold nozzle within 2 feet of weed or grass and direct the spray to the center of weed. Do not over spray. Certain tough weeds such as Canada Thistle or Poison Oak may not be killed with 1 application. Re-apply in 4 weeks for complete control. When applying Ready-To-Use KNOCKOUT WEED & GRASS KILLER be careful not to spray desirable grass, shrubs or plants as it will kill all green plant tissue. Avoid drift to such green plant tissue. If spray accidentally contacts desirable grass or plants wash off with water immediately. Do not sprinkle area treated within 12 hours after application nor apply if rain is expected within 12 hours.

When contents mixing direction Grass Killer for to apply diluted Killer. Do not use before using

STC
Keep from fre
nal container
out of reach o

Do not reuse
label. Rinse
securely wrap
of newspaper

NOTICE: Seller implied, concern indicated on the and/or handling handling g'com

pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local authorities.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Re-entry into treated fields before expiration of the re-entry interval specified on this label is prohibited, unless the protective clothing and equipment specified on this label are used.

CROP	RE-ENTRY INTERVAL	STATE(S)
Citrus	21 days (less than 4 lb ai/A)	CA, AZ, NV, NM, OK, TX, UT
	35 days (between 4 and 8 lb ai/A)	CA, AZ, NV, NM, OK, TX, UT
	45 days (more than 8 lb ai/A)	CA, AZ, NV, NM, OK, TX, UT
	5 days	All other states
Apples	6 days	All states
Peaches	6 days	All states
Grapes	Same as Citrus above	

LILLY MILLER.

Ready-to-use

Knock-Out Weed & Grass Killer

ACTIVE INGREDIENT:
Isopropylamine salt of
glyphosate
INERT INGREDIENTS
N-(phosphonomethyl) glycine

0.98%
99.02%

Keep out of reach of children

CAUTION

See inside panel for additional precautionary statements

NET CONTENTS 24 FL. OZ.



BEFORE



AFTER

READ ENTIRE LABEL AND ATTACHED PAMPHLET FIRST. USE ONLY AS DIRECTED, NOTING ALL CAUTIONS.

Lilly Miller KNOCKOUT Weed and Grass Killer controls a broad spectrum of weeds, grasses and undesirable vegetation around trees, shrubs and ornamental plantings, along sidewalks, driveways, lawns and patios, and around buildings and spot treatments in lawns. It is a systemic, non-selective, foliar applied herbicide that moves from the treated leaves and stems to the roots, giving complete control. Visible effects of an application may take up to one week or longer with complete kill in 2 to 4 weeks.

WHEN TO USE

To assure effective control, apply when weeds are actively growing. Repeat application may be necessary to control hard-to-kill weeds and grasses. For best results, apply on a sunny day when the daytime temperature is at least 60°F. Apply only if the air is calm and rainfall is not expected within 12 hours. Do not use on or around edible food or food crops.

SHAKE WELL BEFORE USING

HOW TO USE: Adjust nozzle to coarse spray. Hold nozzle within 2 feet of weed or grass and direct the spray to the center of weed. Do not over spray. Certain tough weeds such as Canada Thistle or Poison Oak may not be killed with 1 application. Re-apply in 4 weeks for complete control. When applying Lilly Miller Ready-to-Use KNOCKOUT Weed & Grass Killer be careful not to spray desirable grass, shrubs or plants as it will kill all green plant tissue. Avoid drift to such green plant tissue. If spray accidentally contacts desirable grass or plants wash off with water immediately. Do not sprinkle area treated within 12 hours after application nor apply if rain is expected within 12 hours.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Do not reuse container except as directed on the label. Rinse thoroughly before decanting and securely re-cap original container in several layers of newspaper and discard in trash.

Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals.

STORAGE AND DISPOSAL

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

ENVIRONMENTAL HAZARDS

Caution: Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. In case of contact, immediately flush eyes with plenty of fresh water for 15 minutes. For skin, wash with plenty of soap and water. Get medical attention if irritation persists. Keep children and pets off treated areas until spray has dried. Avoid contamination of food or feed.

HAZARD TO HUMANS & DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS

EPA Reg No 602-550

THE CHAS. H. PORTLAND, OR

BEST AVAILABLE COPY

by Knock-Out)

1. Handle container carefully so as to avoid damage and prevent spills.
2. Do not use or store in or around the home.
3. Store container in a well ventilated place.
4. Empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.
5. Keep out of reach of children and domestic animals.

PESTICIDE DISPOSAL

Wastes of this pesticide are acutely hazardous. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label use instructions, contact your state pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or incinerate, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RECOMMENDATIONS

TO CONTROL WIREWORMS

Broadcast 30 to 40 pounds per acre on soil before planting and thoroughly work into upper 4 to 9 inches. Use only of these crops:

Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Celery, Corn, Endive, Egg Plant, Escarole, Kale, Lettuce, Onions, Peas (blackeye), Peppers, Rutabagas, Soybeans, Sugar Beets, Sugarcane, Sweet Corn, Sweet Potatoes, Tomatoes, Turnips, Watermelon

Broadcast 40 to 60 pounds per acre on soil before planting and thoroughly work into upper 4 to 9 inches. Use only on this crop:

Potatoes