

PM

23

802-553


Page 182

LILLY/MILLER
READY-TO-USE MOSS-KIL

Destroys Patches of Moss On Roofs, Walks, Decks, Patios.

ACTIVE INGREDIENT:

- *Zinc, as metallic 6.2%
- INERT INGREDIENTS 93.8%
- *Equivalent to 13% zinc chloride.



Keep out of reach of children
DANGER
See back panel for additional precautions.

NET CONTENTS 24 FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes or on clothing. Avoid breathing spray mist. Wear goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not allow persons or pets in treated areas until sprays have dried.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention. IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF INHALED: Remove victim from treatment area. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING - READ ENTIRE LABEL. USE ONLY AS DIRECTED. OBSERVE ALL PRECAUTIONS.

EPA REC'D 3.27.97

0 9 2

For best results, apply READY-TO-USE MOSS-KIL just prior to the time when fall rains begin or in early spring. Moss growth can occur in nearly any location where dampness persists. Such areas include decks, steps, patios and fences. Because moisture is essential, most moss growth appears during the fall; some occurs in the winter and spring. Very little moss forms in summertime. Controlling moss may add months or years of service to decks, fences, steps and such areas, and can keep walkways and steps from becoming slippery and dangerous. Destroying existing moss is done most effectively during times when its growth is most rapid and when rain is not expected for several days.

To open nozzle, hold container with nozzle pointing away from face. Depress button on trigger head and rotate nozzle clockwise about 1/4 turn for spray; turn farther for stream. To close, rotate nozzle counter clockwise until nozzle locks.

HOW TO USE ON WOOD AND CONCRETE - DECKS, STEPS, PATIOS, SIDEWALKS, FENCE POSTS: Adjust nozzle to medium or coarse spray. Hold nozzle six to ten inches from surface and spray to thoroughly wet area. Avoid drift and runoff, especially if lawn or any desirable plants are nearby. For heavy moss, dampen, or spray when moss is damp to avoid runoff and assure thorough coverage. Apply when the air is still and when no rain is expected for 24 hours.

USE PRECAUTIONS: Avoid drift or runoff onto lawns, bedding plants, shrubs or any desirable plants because injury may result. Do not use in lawns or ornamental beds. Do not use on copper gutters, downspouts or fixtures.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. **PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-553
EPA Est. 802-OR-1
61440


BEST AVAILABLE COPY

LILLY/MILLER
READY-TO-USE MOSS-KIL

Destroys Patches of Moss On Roofs, Walks, Decks, Patios.

ACTIVE INGREDIENT:

- *Zinc, as metallic 6.2%
- INERT INGREDIENTS 93.8%
- *Equivalent to 13% Zinc chloride.



Keep out of reach of children
DANGER
See back panel for additional precautions.

NET CONTENTS 24 FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes or on clothing. Avoid breathing spray mist. Wear goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not allow persons or pets in treated areas until sprays have dried.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention. IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF INHALED: Remove victim from treatment area. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING - READ ENTIRE LABEL. USE ONLY AS DIRECTED. OBSERVE ALL PRECAUTIONS.

EPA REC'D 3.27.97

For best results, apply READY-TO-USE MOSS-KIL just prior to the time when fall rains begin or in early spring. Moss growth can occur in nearly any location where dampness persists. Such areas include decks, steps, patios and fences. Because moisture is essential, most moss growth appears during the fall; some occurs in the winter and spring. Very little moss forms in summertime. Controlling moss may add months or years of service to decks, fences, steps and such areas, and can keep walkways and steps from becoming slippery and dangerous. Destroying existing moss is done most effectively during times when its growth is most rapid and when rain is not expected for several days.

To open nozzle, hold container with nozzle pointing away from face. Depress button on trigger head and rotate nozzle clockwise about 1/4 turn for spray; turn farther for stream. To close, rotate nozzle counter clockwise until nozzle locks.

HOW TO USE ON WOOD AND CONCRETE - DECKS, STEPS, PATIOS, SIDEWALKS, FENCE POSTS: Adjust nozzle to medium or coarse spray. Hold nozzle six to ten inches from surface and spray to thoroughly wet area. Avoid drift and runoff, especially if lawn or any desirable plants are nearby. For heavy moss, dampen, or spray when moss is damp to avoid runoff and assure thorough coverage. Apply when the air is still and when no rain is expected for 24 hours.

USE PRECAUTIONS: Avoid drift or runoff onto lawns, bedding plants, shrubs or any desirable plants because injury may result. Do not use in lawns or ornamental beds. Do not use on copper gutters, downspouts or fixtures.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-553
EPA Est. 802-OR-1
61440