

802-554 PM 17 10/4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 802-554	DATE OF ISSUANCE SEP 27 1985
	TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT Lilly/Miller Read-To-Use Porch & Patio Spray		

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
*(Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)*

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Charles H. Lilly Co.
 7737 NE. Killingsworth
 Portland, OR 97218

161 / 159,294
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 802-554" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
 Product Manager (17)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
	9-27-85

PYRENONE INSECTICIDE FOR VEGETABLES & ORNAMENTALS

Use indoors for houseflies, gnats and other insects.

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
INERT INGREDIENTS:	99.78%
TOTAL	100.00%

*Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

PYRENONE — Registered trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

ACCEPTED
with COMMENTS
in EPA Label # 10-10

SEP 27 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA # 502-554


Keep from freezing.
Net Contents ½ Gallon; 1 Pt., 8 fl. oz.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready for use indoors to control houseflies, fruit flies, mosquitoes, gnats and small flying moths. The contents of the container will treat approximately 5,000 cubic feet or several large rooms (4-5 oz. per 1,000 cubic ft.). See below for specific cautions and directions.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready to use for outdoor mosquito control, for both larvae and adults. Apply to vegetation where mosquitoes may rest, especially at the edges of moist places such as poorly drained areas and pools and ponds. See below for specific cautions and directions.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready for use on certain vegetables and ornamental flowers and shrubs to control aphids, leafhoppers, whiteflies and other insects listed below.

For vegetables, apply throughout the growing season and repeat sprays as necessary. Vegetables may be harvested on the day of treatment. See below for specific cautions and directions.



3 of 4

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. If product is to be used indoors, remove pets, birds, and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake container before use and adjust spray nozzle to give medium size spray droplets for vegetables and ornamentals, (a fine spray for indoor use).

Hold sprayer 18 to 24 inches from foliage and spray the lower and upper leaf surfaces and stems. Use a circular motion for even and thorough coverage. Repeat application weekly or as needed for desired control of insects. Use less spray on tender, new, plant growth.

In Vegetable Gardens— Use Lilly/Miller Ready-To-Use Garden Spray on these crops during the growing season, including day of harvest.

- | | |
|------------------|----------------|
| Asparagus | Kale |
| Beans | Lettuce |
| Broccoli | Mustard Greens |
| Brussels Sprouts | Peppers |
| Cauliflower | Potatoes |
| Cabbages | Radishes |
| Celery | Spinach |
| Collards | Tomatoes |
| Cranberries | Turnips |
| Eggplant | |



To control these insects:

4 of 4

Aphids
 Asparagus Beetles
 Blister Beetles
 Cabbage Loopers
 Colorado Potato Beetles
 Cross-striped Cabbageworms
 Diamondback Moth Larvae
 Fireworms
 Flea Beetles
 Green Peach Aphids

Harlequin Bugs
 Imported Cabbageworm
 Leafhoppers
 Leaf-tiers
 Mexican Bean Beetles
 Stink Bugs
 12-Spotted Cucumber Beetles
 Whiteflies
 Webworms

On Woody Ornamental and Flowers:

Use Lilly/Miller Ready-To-Use Garden Spray to control aphids, flea beetles, leafhoppers and whiteflies on:

Asters
 Azaleas
 Begonias
 Camellias
 Carnations
 Chrysanthemums

Dahlias
 Dogwood
 Geraniums
 Gladiolis
 Marigolds
 Roses

To control gypsy moth caterpillars, adults and tent caterpillars treat plants as soon as these insects appear. Spray entire plant, making a thorough application. Apply spray weekly until infestations are controlled.

Indoor Use — For houseflies, fruit flies, mosquitoes, gnats, and small flying moths. Take these precautions before spraying indoor area:

1. Cover or remove exposed food and food handling surfaces, such as countertops and sinks.
2. Remove pets and remove or cover aquaria.
3. Close all windows and doors and turn off ventilating systems.

To apply: Shake container and adjust the nozzle to deliver a fine spray. Fill the room with mist, directing the spray towards the upper areas of the room. Use 4 - 5 oz. per 1,000 cubic feet. A 9 ft. x 12 ft. room with an 8 ft. ceiling has 864 cubic feet. Leave the treated area and keep it closed for at least 30 minutes. Completely ventilate the room before reoccupying. If necessary, repeat this treatment.

Outdoor Mosquito Control: Spray vegetation and shrubbery where mosquitos rest, when air is still. Use a fine spray for control of adult mosquitos. Apply 4 ounces per 1,000 sq. ft.

For mosquito larvae control, apply a coarse spray to vegetation near damp areas where mosquitos breed. Apply at the rate of 24 oz. per 1,000 sq. ft.

STORAGE AND DISPOSAL


Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly and securely wrap in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

EPA Reg. No. 802-

EPA Est. 802-OR-1

THE CHAS. H. LILLY CO.
 PORTLAND, OREGON 97218



802-554 PM 17 1/4

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
802-554

DATE OF ISSUANCE
SEP 27 1985

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Lilly/Miller Read-To-Use
Porch & Patio Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Charles H. Lilly Co.
7737 NE. Killingsworth
Portland, OR 97218

161 / 159,294
181

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 802-554" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9-27-85

LILLY/MILLER
Ready-To-Use Garden Spray

PYRENONE INSECTICIDE FOR VEGETABLES & ORNAMENTALS

Use indoors for houseflies, gnats and other insects.

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
INERT INGREDIENTS:	99.78%
TOTAL	100.00%

*Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

PYRENONE – Registered trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

ACCEPTED
with COMM. # 103
in EPA Label # 103-103

SEP 27 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended by the FIFRA Act of 1972, registration of this pesticide is required by EPA. EPA Reg. # 102-554


Keep from freezing.
Net Contents 1/2 Gallon; 1 Pt., 8 fl. oz.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready for use indoors to control houseflies, fruit flies, mosquitoes, gnats and small flying moths. The contents of the container will treat approximately 5,000 cubic feet or several large rooms (4-5 oz. per 1,000 cubic ft.). See below for specific cautions and directions.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready to use for outdoor mosquito control, for both larvae and adults. Apply to vegetation where mosquitoes may rest, especially at the edges of moist places such as poorly drained areas and pools and ponds. See below for specific cautions and directions.

Lilly/Miller Ready-To-Use Garden Spray requires no mixing. It is ready for use on certain vegetables and ornamental flowers and shrubs to control aphids, leafhoppers, whiteflies and other insects listed below.

For vegetables, apply throughout the growing season and repeat sprays as necessary. Vegetables may be harvested on the day of treatment. See below for specific cautions and directions.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. If product is to be used indoors, remove pets, birds, and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


Shake container before use and adjust spray nozzle to give medium size spray droplets for vegetables and ornamentals, (a fine spray for indoor use).

Hold sprayer 18 to 24 inches from foliage and spray the lower and upper leaf surfaces and stems. Use a circular motion for even and thorough coverage. Repeat application weekly or as needed for desired control of insects. Use less spray on tender, new, plant growth.

In Vegetable Gardens— Use Lilly/Miller Ready-To-Use Garden Spray on these crops during the growing season, including day of harvest.

- Asparagus
- Beans
- Broccoli
- Brussels Sprouts
- Cauliflower
- Cabbages
- Celery
- Collards
- Cranberries
- Eggplant

- Kale
- Lettuce
- Mustard Greens
- Peppers
- Potatoes
- Radishes
- Spinach
- Tomatoes
- Turnips



To control these insects:

- Aphids
- Asparagus Beetles
- Blister Beetles
- Cabbage Loopers
- Colorado Potato Beetles
- Cross-striped Cabbageworms
- Diamondback Moth Larvae
- Fireworms
- Flea Beetles
- Green Peach Aphids

- Harlequin Bugs
- Imported Cabbageworm
- Leafhoppers
- Leaf tiers
- Mexican Bean Beetles
- Stink Bugs
- 12-Spotted Cucumber Beetles
- Whiteflies
- Webworms

On Woody Ornamental and Flowers:

Use Lilly/Miller Ready-To-Use Garden Spray to control aphids, flea beetles, leafhoppers and whiteflies on:

- | | |
|----------------|-----------|
| Asters | Dahlias |
| Azaleas | Dogwood |
| Begonias | Geraniums |
| Camellias | Gladiolis |
| Carnations | Marigolds |
| Chrysanthemums | Roses |

To control gypsy moth caterpillars, adults and tent caterpillars treat plants as soon as these insects appear. Spray entire plant, making a thorough application. Apply spray weekly until infestations are controlled.

Indoor Use – For houseflies, fruit flies, mosquitoes, gnats, and small flying moths. Take these precautions before spraying indoor area:

1. Cover or remove exposed food and food handling surfaces, such as countertops and sinks.
2. Remove pets and remove or cover aquaria.
3. Close all windows and doors and turn off ventilating systems.

To apply: Shake container and adjust the nozzle to deliver a fine spray. Fill the room with mist, directing the spray towards the upper areas of the room. Use 4 - 5 oz. per 1,000 cubic feet. A 9 ft. x 12 ft. room with an 8 ft. ceiling has 864 cubic feet. Leave the treated area and keep it closed for at least 30 minutes. Completely ventilate the room before reoccupying. If necessary, repeat this treatment.

Outdoor Mosquito Control: Spray vegetation and shrubbery where mosquitos rest, when air is still. Use a fine spray for control of adult mosquitos. Apply 4 ounces per 1,000 sq. ft.

For mosquito larvae control, apply a coarse spray to vegetation near damp areas where mosquitos breed. Apply at the rate of 24 oz. per 1,000 sq. ft.

STORAGE AND DISPOSAL

Keep from freezing. Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly and securely wrap in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.