

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION</p> <p><i>Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended</i></p>	<p>EPA REGISTRATION NO. 802-560</p> <p>TERM OF ISSUANCE</p> <p>NAME OF PESTICIDE PRODUCT Lilly/Miller 1% Chlorban Insect Granules</p>	<p>DATE OF ISSUANCE 8-17-87</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p>The Chas. H. Lilly Company 7737 NE Killingsworth Portland, OR 97218</p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>		
<p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p>		
<p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p>		
<p>1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</p>		
<p>2. Add the phrase "EPA Registration No. 802-560" to your label before you release the product for shipment.</p>		
<p>3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.</p>		
<p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(e). Your release for shipment of the product constitutes acceptance of these conditions.</p>		
<p>A stamped copy of the label is enclosed for your records.</p>		
<p style="text-align: right;">Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)</p>		
<p>Enclosures</p>		
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
<p>SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards, Jr.</i></p>		<p>DATE 8/17/87</p>

BEST AVAILABLE COPY

LILLY/MILLER
1½ CHLORBAN INSECT GRANULES

ACCEPTED
with COMMENTS
in EPA Letter Dated

Contains DURSBAN* Insecticide

AUG 17 1937

LAWN INSECT CONTROL

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EUROPEAN CRANE FLY

BILLBUGS

ANTS

EARWIGS

FLEAS

GRASSHOPPERS

802-560

ACTIVE INGREDIENT:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl)
phosphorothioate) 1.0%

INERT INGREDIENTS 99.0%

Total 100.0%

Keep out of reach of children

CAUTION

See back panel for Statement of Practical Treatment and additional
Precautionary Statements

NET WEIGHT 10 LBS.

DIRECTIONS FOR USE

It a violation of Federal law to use this product in a manner
inconsistent with its labeling.

FOR LAWNS AND OTHER ORNAMENTAL TURF AREAS

To Control:	Billbugs
Ants	Brown Dog Ticks
Armyworms	Crickets
Chinch Bugs	Clover Mites
Chiggers	Earwigs
Cutworms	Fleas
Sod Webworms	Grasshoppers
(Lawn Moths)	Sowbugs (Pillbugs)

Apply 1½ CHLORBAN INSECT GRANULES at the rate of 2 1/2 lbs. per 1,000
sq. ft. (1/2 lb. per 200 sq. ft.) of area. Use any hand operated
gravity spreader designed for application of granular materials. See
Spreader Settings below.

Treat when insects first appear. Immediately after application,
sprinkle the turf with 6 gallons of water per 200 sq. ft. so as to wash
the granules into the zone of insect infestation.

WHITE GRUB CONTROL (Larvae of European Chafer and Japanese Beetle)
Apply 1½ CHLORBAN INSECT GRANULES at the rate of 5-10 lbs. per 1,000
square feet (1-2 lbs. per 200 square feet) of area.

See Spreader Settings below. Apply the granules uniformly over the area
treated, followed immediately by a thorough watering to wash the
insecticide into the turf. For best results treat when grubs are young
and actively feeding near the soil surface, usually during late July and

August. Consult your local Agricultural Extension Service for proper time to treat in your area.

**EUROPEAN CRANE FLY LARVAE CONTROL
(Leather Jackets)**

Apply 3 1/2 lbs. 1½ CHLORBAN INSECT GRANULES to 1,000 square feet using any hand operated gravity spreader designed for application of granular materials. See Spreader Settings below. Immediately after application, sprinkle the turf with 30 gallons of water per 1,000 square feet. For timing of applications you should consult your local Agricultural Extension Service.

HYPERODES (Turfgrass) WEEVIL CONTROL

Apply 1½ CHLORBAN INSECT GRANULES at the rate of 5 lbs. per 1,000 square feet (1 lb. per 200 square feet) of area.

See Spreader Settings below. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service Specialist for best time to treat in your area.

SPREADER SETTINGS

To help obtain uniform distribution, apply one-half the required amount of product in one direction, then apply the balance at right angle.

Application Rate	Lilly/ Miller	Central	Scotts	Ortho Drop
Lbs. per 1,000 Sq. Ft.				
1 1/4				
1 3/4				
2 1/2		To Be Determined		
3 1/2				
5				
10				

TO HELP PREVENT INFESTATION OF BUILDINGS BY . . .

Ants, Crickets, Earwigs and Sowbugs (Pillbugs):
Treat a band of soil 6 to 10 feet around and adjacent to the building where pests are active and may find entrance. Use the same dosage as recommended for control of these pests on turf.

FOR ROOT MAGGOT CONTROL

IN DIRECT SEEDED CROPS: Apply only at seeding. Do not make more than one application per season.

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Rutabagas*, Chinese Cabbage, Turnips*: Use 1/2 to 1 pound of product per 100 linear feet of row by placing over the seed in a 2 to 4 inch wide band at time of planting. Sprinkle or irrigate with water after planting.

*With Rutabagas and Turnips, it would be realistic to expect only early season protection because of their extended growing season.

Restrictions: Do not apply more than 5 pounds of 1½ CHLORBAN INSECT GRANULES per 1,000 sq. ft. Do not use rutabaga tops for food or feed purposes.

Radishes: Use 5 ounces of product per 100 linear feet of row by application in the seed furrow with the seed at planting time.

Restriction: Do not apply more than 6 pounds of 1% CHLORBAN INSECT GRANULES per 1,000 sq. ft.

1 cup of 1% CHLORBAN INSECT GRANULES weighs approximately 4 ounces.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals.

Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid eye contact. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

If on Skin: Wash thoroughly with soap and water.

If in Eyes: Flush with plenty of water for five minutes. Get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DURSBAN is the Reg. T.M. of the Dow Chemical Co.

THE CHAS. H. LILLY CO.
PORTLAND, OREGON 97218
EPA Reg. No. 802-
EPA Est. 802-OR-1
30216